

Table 10.12
Adjusted Patient Survival, Intestine Transplants
Survival at 3 Months, 1 Year, 5 Years, and 10 Years

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2007 - 2008)			(Tx 2007 - 2008)			(Tx 2003 - 2008)			(Tx 1998 - 2008)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Total												
All	320	89.4%	1.7%	320	78.5%	2.3%	856	58.2%	2.1%	1,238	47.0%	2.1%
Age at Tx												
<1 Year	61	90.2%	3.8%	61	70.5%	5.8%	143	43.5%	5.9%	208	38.2%	4.6%
1-5 Years	97	88.7%	3.2%	97	80.4%	4.0%	272	64.5%	3.3%	396	53.8%	3.1%
6-11 Years	15	100.0%	0.0%	15	80.0%	9.9%	47	66.0%	8.1%	77	59.8%	6.5%
12-17 Years	8	87.5%	10.9%	8	87.5%	10.9%	34	79.4%	6.8%	49	59.3%	11.1%
18-34 Years	46	91.3%	4.1%	46	82.6%	5.5%	127	59.8%	5.2%	178	45.3%	5.1%
35-49 Years	58	89.7%	4.0%	58	77.6%	5.4%	137	62.8%	5.0%	205	43.0%	6.7%
50-64 Years	29	82.8%	6.9%	29	79.3%	7.4%	86	38.0%	7.1%	114	32.5%	5.8%
65+ Years	6	83.3%	13.9%	6	83.3%	13.9%	10	28.0%	16.0%	11	40.4%	16.6%
Recipient Ethnicity/Race												
White	217	89.8%	2.1%	217	77.7%	2.9%	587	57.5%	2.6%	846	48.5%	2.3%
African American	51	94.2%	3.2%	51	86.4%	4.8%	121	58.0%	5.7%	177	43.8%	5.2%
Hispanic/Latino	39	84.9%	5.7%	39	77.4%	6.7%	114	66.6%	4.8%	173	47.0%	6.5%
Asian	10	70.8%	13.6%	10	61.0%	14.6%	23	50.3%	10.5%	29	45.9%	9.4%
Other/Multi-race	3	100.0%	0.0%	3	67.6%	21.9%	11	13.9%	9.8%	13	14.9%	10.0%
Recipient Gender												
Female	151	92.1%	2.2%	151	82.1%	3.1%	431	60.1%	2.9%	608	50.0%	2.7%
Male	169	87.0%	2.6%	169	75.2%	3.4%	425	56.2%	2.9%	630	44.8%	2.9%

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on intestine transplants.

Multi-organ transplants other than intestine with liver and/or pancreas are excluded.

Survival rates are adjusted to the characteristics of the 3 month and 1 year cohort. See Technical Notes for details.

Table 10.12 (Continued)
Adjusted Patient Survival, Intestine Transplants
Survival at 3 Months, 1 Year, 5 Years, and 10 Years

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2007 - 2008)			(Tx 2007 - 2008)			(Tx 2003 - 2008)			(Tx 1998 - 2008)		
	N	%	Std. Err.									
Total												
All	320	89.4%	1.7%	320	78.5%	2.3%	856	58.2%	2.1%	1,238	47.0%	2.1%
Primary Diagnosis												
Short Gut Syndrome	236	88.1%	2.1%	236	76.3%	2.8%	619	56.6%	2.4%	911	46.7%	2.3%
Functional Bowel Problem	43	90.7%	4.4%	43	81.4%	5.9%	143	65.3%	4.7%	207	52.4%	4.3%
Other	41	95.1%	3.3%	41	87.9%	5.1%	93	55.9%	6.8%	119	38.2%	9.7%
Unknown	0	-	-	0	-	-	1	+	+	1	+	+

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on intestine transplants.

Multi-organ transplants other than intestine with liver and/or pancreas are excluded.

Survival rates are adjusted to the characteristics of the 3 month and 1 year cohort. See Technical Notes for details.

Table 10.12 (Continued)
Adjusted Patient Survival, Intestine Transplants
Survival at 3 Months, 1 Year, 5 Years, and 10 Years

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2007 - 2008)			(Tx 2007 - 2008)			(Tx 2003 - 2008)			(Tx 1998 - 2008)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Total												
All	320	89.4%	1.7%	320	78.5%	2.3%	856	58.2%	2.1%	1,238	47.0%	2.1%
Transplant Center State												
Alabama	0	-	-	0	-	-	0	-	-	1	0.0%	0.0%
California	28	75.9%	8.5%	28	75.9%	8.5%	93	61.6%	6.0%	119	40.5%	10.2%
District of Columbia	41	95.4%	3.2%	41	88.4%	4.8%	82	68.6%	6.0%	82	68.6%	6.0%
Florida	36	76.9%	7.1%	36	62.6%	8.3%	114	44.4%	5.7%	217	35.6%	4.4%
Illinois	5	79.7%	16.1%	5	79.7%	16.1%	18	78.3%	9.3%	21	66.3%	10.2%
Indiana	32	95.1%	3.5%	32	87.7%	5.5%	61	69.0%	6.1%	61	68.9%	6.1%
Louisiana	0	-	-	0	-	-	1	0.0%	0.0%	1	0.0%	0.0%
Massachusetts	5	100.0%	0.0%	5	76.6%	18.4%	10	0.0%	0.0%	10	0.0%	0.0%
Minnesota	2	43.7%	26.3%	2	43.7%	26.3%	4	22.8%	15.7%	8	0.0%	0.0%
Missouri	0	-	-	0	-	-	0	-	-	1	0.0%	0.0%
Nebraska	57	98.0%	1.9%	57	67.3%	6.7%	139	53.0%	5.2%	207	48.2%	4.4%
New York	10	64.8%	13.7%	10	42.9%	14.4%	37	32.2%	9.3%	95	41.4%	5.3%
Ohio	17	80.6%	9.7%	17	55.1%	12.2%	32	25.1%	8.8%	32	25.2%	8.7%
Oklahoma	0	-	-	0	-	-	1	0.0%	0.0%	1	0.0%	0.0%
Pennsylvania	77	97.7%	1.6%	77	96.6%	2.0%	244	71.7%	3.5%	349	57.6%	3.9%
South Carolina	0	-	-	0	-	-	2	0.0%	0.0%	6	21.8%	12.5%
Texas	6	46.6%	18.7%	6	46.6%	18.7%	8	60.6%	16.3%	10	57.8%	15.0%
Virginia	1	+	+	1	+	+	1	+	+	1	+	+
Washington	3	61.7%	24.7%	3	61.7%	24.7%	3	29.7%	19.8%	3	29.8%	19.8%
Wisconsin	0	-	-	0	-	-	6	13.8%	10.8%	13	8.1%	6.4%

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on intestine transplants.

Multi-organ transplants other than intestine with liver and/or pancreas are excluded.

Survival rates are adjusted to the characteristics of the 3 month and 1 year cohort. See Technical Notes for details.