

Table 1.9b
Immunosuppression Use by Organ
Maintenance Regimen at Discharge, 2009 Transplants

	Organ								
	Heart-Lung	Heart	Intestine	Kidney	KP	Liver	Lung	PAK	PTA
Functioning Graft at Discharge	24	2,075	154	16,485	836	5,920	1,552	183	164
With Immunosuppression Info	24	2,060	154	16,293	821	5,909	1,547	178	161
Maintenance Regimen									
CyA	0.0%	0.1%	0.0%	0.0%	0.1%	0.2%	0.0%	0.0%	0.0%
Tac	0.0%	1.4%	15.6%	1.9%	1.1%	3.9%	0.3%	1.7%	7.5%
--- + MMF/MPA	0.0%	0.1%	0.6%	0.9%	0.2%	0.2%	0.0%	1.1%	0.0%
CyA + MMF/MPA	0.0%	1.1%	0.0%	0.5%	0.0%	0.8%	0.1%	1.7%	0.0%
Tac + MMF/MPA	0.0%	7.7%	18.8%	27.7%	23.4%	12.4%	1.0%	29.2%	36.6%
--- + OtherAntimet	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
CyA + OtherAntimet	0.0%	0.2%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%
Tac + OtherAntimet	0.0%	0.2%	0.0%	0.1%	0.4%	0.1%	0.2%	0.0%	0.0%
CyA + MMF/MPA + OtherAntimet	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Tac + MMF/MPA + OtherAntimet	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
--- + Siro/Evero	0.0%	0.0%	0.0%	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%
CyA + Siro/Evero	0.0%	0.0%	0.0%	0.7%	1.8%	0.3%	0.0%	0.0%	1.2%
Tac + Siro/Evero	0.0%	0.1%	0.0%	0.1%	0.9%	0.1%	0.0%	0.0%	0.6%
--- + MMF/MPA + Siro/Evero	0.0%	0.0%	0.0%	0.3%	0.0%	0.2%	0.0%	0.0%	0.6%
CyA + MMF/MPA + Siro/Evero	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Tac + MMF/MPA + Siro/Evero	0.0%	0.0%	0.0%	0.2%	1.8%	0.0%	0.0%	6.2%	8.7%
--- + Steroids	0.0%	1.0%	0.6%	0.7%	0.6%	2.2%	1.8%	0.0%	0.0%
CyA + Steroids	0.0%	0.7%	0.0%	0.2%	0.0%	0.6%	1.4%	0.0%	0.0%
Tac + Steroids	8.3%	3.4%	45.5%	2.8%	2.7%	16.1%	8.3%	1.1%	21.7%
--- + MMF/MPA + Steroids	0.0%	0.9%	0.0%	1.4%	1.0%	1.2%	0.9%	1.1%	0.0%
CyA + MMF/MPA + Steroids	8.3%	14.5%	0.0%	3.5%	1.1%	3.4%	2.6%	1.1%	0.0%
Tac + MMF/MPA + Steroids	62.5%	63.2%	16.2%	56.0%	62.6%	54.0%	53.5%	53.9%	19.3%
--- + OtherAntimet + Steroids	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.4%	0.0%	0.0%
CyA + OtherAntimet + Steroids	0.0%	0.6%	0.0%	0.0%	0.0%	0.1%	3.1%	0.0%	0.0%
Tac + OtherAntimet + Steroids	12.5%	1.7%	0.0%	0.3%	0.2%	0.7%	24.7%	0.6%	0.0%
--- + Siro/Evero + Steroids	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	0.0%	0.0%	0.0%
CyA + Siro/Evero + Steroids	0.0%	0.5%	0.0%	0.4%	0.1%	0.1%	0.0%	0.6%	0.0%
Tac + Siro/Evero + Steroids	0.0%	0.3%	2.6%	0.1%	1.0%	0.2%	0.1%	0.6%	3.1%
Other Regimen	8.3%	1.8%	0.0%	2.0%	0.9%	2.8%	1.5%	1.1%	0.6%

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

Percentages are calculated based on the total number of patients with functioning graft and having any immunosuppression information reported at discharge. Columns sum to 100 percent.

---: No Calcineurin Inhibitor Use; CyA: Cyclosporine; Tac: Tacrolimus.

MMF: Mycophenolate Mofetil; MPA: Mycophenolate Sodium; Siro: Sirolimus; Evero: Everolimus; OtherAntimet: Antimetabolites excluding MMF/MPA.

"Other Regimen" includes drug combinations that are different from the listed regimens and drugs from the text field entering.