

Table 1.9c
Immunosuppression Use by Organ
Maintenance Regimen at One Year Following Transplantation
2008 Transplants

	Organ								
	Heart-Lung	Heart	Intestine	Kidney	KP	Liver	Lung	PAK	PTA
Transplants	27	2,163	185	16,521	837	6,319	1,478	213	223
With Maintenance Use Recorded at 1 Year PostTx	15	1,783	137	14,692	745	4,898	1,145	165	159
Maintenance Regimen									
CyA	0.0%	0.4%	0.0%	0.1%	0.0%	1.9%	0.1%	0.0%	0.0%
Tac	0.0%	4.0%	27.0%	2.4%	1.3%	28.3%	0.0%	2.4%	11.3%
--- + MMF/MPA	0.0%	0.4%	0.0%	0.2%	0.1%	0.8%	0.0%	1.2%	0.0%
CyA + MMF/MPA	0.0%	4.9%	0.0%	1.2%	0.7%	3.3%	0.2%	1.2%	0.0%
Tac + MMF/MPA	0.0%	24.2%	2.2%	26.3%	17.9%	25.9%	0.7%	22.4%	25.2%
--- + OtherAntimet	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
CyA + OtherAntimet	0.0%	0.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Tac + OtherAntimet	0.0%	2.2%	0.0%	0.5%	0.1%	0.5%	0.0%	0.0%	0.0%
--- + MMF/MPA + OtherAntimet	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
CyA + MMF/MPA + OtherAntimet	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Tac + MMF/MPA + OtherAntimet	0.0%	0.0%	0.0%	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%
--- + Siro/Evero	0.0%	0.2%	0.7%	0.1%	0.3%	1.6%	0.0%	0.0%	0.0%
CyA + Siro/Evero	0.0%	0.3%	0.0%	0.6%	2.1%	0.3%	0.0%	2.4%	0.0%
Tac + Siro/Evero	0.0%	1.1%	1.5%	0.7%	2.6%	1.2%	0.0%	3.6%	3.1%
--- + MMF/MPA + Siro/Evero	0.0%	0.3%	0.0%	1.0%	0.8%	1.2%	0.0%	1.8%	0.0%
CyA + MMF/MPA + Siro/Evero	0.0%	0.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Tac + MMF/MPA + Siro/Evero	0.0%	0.6%	0.0%	0.6%	1.9%	0.2%	0.0%	0.6%	7.5%
--- + OtherAntimet + Siro/Evero	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Tac + OtherAntimet + Siro/Evero	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
--- + Steroids	0.0%	0.4%	0.7%	0.3%	0.3%	1.5%	1.3%	0.0%	0.0%
CyA + Steroids	0.0%	0.8%	0.7%	0.4%	0.3%	0.9%	2.4%	0.0%	0.6%
Tac + Steroids	20.0%	4.5%	48.2%	4.8%	5.0%	11.3%	15.5%	2.4%	20.8%
--- + MMF/MPA + Steroids	0.0%	0.7%	0.7%	0.9%	0.9%	0.6%	0.3%	1.8%	0.0%
CyA + MMF/MPA + Steroids	6.7%	11.2%	0.0%	4.1%	1.9%	1.5%	4.3%	1.8%	0.0%
Tac + MMF/MPA + Steroids	46.7%	33.9%	10.9%	48.5%	59.2%	15.4%	48.1%	47.3%	28.9%
--- + OtherAntimet + Steroids	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.5%	0.0%	0.0%
CyA + OtherAntimet + Steroids	13.3%	0.3%	0.0%	0.1%	0.0%	0.0%	2.3%	0.0%	0.0%
Tac + OtherAntimet + Steroids	6.7%	2.0%	0.7%	1.7%	1.6%	0.2%	17.1%	4.8%	0.0%
--- + Siro/Evero + Steroids	0.0%	0.2%	0.0%	0.4%	0.0%	0.9%	0.2%	0.0%	0.0%
CyA + Siro/Evero + Steroids	0.0%	1.6%	0.0%	0.8%	0.1%	0.2%	0.3%	0.0%	0.0%
Tac + Siro/Evero + Steroids	0.0%	1.5%	6.6%	0.6%	1.6%	0.9%	2.2%	2.4%	1.9%
Other Regimen	6.7%	3.4%	0.0%	3.4%	1.2%	1.3%	4.5%	3.6%	0.6%

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

Percentages are calculated based on the total number of patients with functioning graft and having any immunosuppression info reported 1yr post-transplant. Columns sum to 100 percent.

---: No Calcineurin Inhibitor Use; CyA: Cyclosporine; Tac: Tacrolimus.

MMF: Mycophenolate Mofetil; MPA: Mycophenolate Sodium; Siro: Sirofimab; Evero: Everolimus; OtherAntimet: Antimetabolites excluding MMF/MPA.

"Other Regimen" includes drug combinations that are different from the listed regimens and drugs from the text field entering.