

**Table 11.8**  
**Adjusted Graft Survival, Heart Transplants**  
**Survival at 3 Months, 1 Year, 5 Years, and 10 Years**

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2007 - 2008)			(Tx 2007 - 2008)			(Tx 2003 - 2008)			(Tx 1998 - 2008)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
<b>Total</b>												
All	4,222	93.2%	0.4%	4,222	88.4%	0.5%	12,409	74.0%	0.5%	23,276	54.5%	0.5%
<b>Age at Tx</b>												
<1 Year	187	84.6%	2.7%	187	79.7%	3.1%	510	65.6%	2.6%	858	59.7%	2.4%
1-5 Years	177	94.8%	1.7%	177	89.6%	2.3%	437	75.9%	2.7%	776	64.8%	2.5%
6-11 Years	123	92.5%	2.4%	123	90.8%	2.7%	345	83.5%	2.3%	604	59.3%	3.2%
12-17 Years	199	96.4%	1.3%	199	92.4%	1.9%	588	74.0%	2.3%	983	46.9%	2.6%
18-34 Years	421	92.9%	1.3%	421	85.1%	1.9%	1,280	66.4%	1.7%	2,177	49.9%	1.6%
35-49 Years	825	93.5%	0.9%	825	90.0%	1.1%	2,463	75.2%	1.1%	4,611	57.2%	1.1%
50-64 Years	1,803	93.6%	0.6%	1,803	88.8%	0.7%	5,507	74.9%	0.7%	10,944	54.3%	0.7%
65+ Years	487	91.0%	1.3%	487	84.5%	1.7%	1,279	70.5%	1.6%	2,323	44.4%	1.7%
<b>Recipient Ethnicity/Race</b>												
White	2,814	93.1%	0.5%	2,814	88.9%	0.6%	8,565	76.4%	0.6%	16,918	57.0%	0.6%
African American	822	92.4%	1.0%	822	84.9%	1.3%	2,242	64.5%	1.3%	3,740	42.8%	1.3%
Hispanic/Latino	405	94.3%	1.2%	405	91.3%	1.4%	1,111	74.4%	1.6%	1,827	59.9%	1.7%
Asian	138	94.3%	2.0%	138	89.3%	2.6%	378	75.8%	2.5%	617	61.8%	3.0%
Other/Multi-race	43	100.0%	0.0%	43	88.7%	4.7%	113	71.2%	4.8%	172	59.0%	5.4%
Unknown	0	-	-	0	-	-	0	-	-	2	0.0%	0.0%
<b>Recipient Gender</b>												
Female	1,139	93.2%	0.8%	1,139	87.2%	1.0%	3,337	71.6%	1.0%	6,237	52.6%	0.9%
Male	3,083	93.1%	0.5%	3,083	88.8%	0.6%	9,072	74.8%	0.6%	17,039	55.2%	0.6%

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Graft survival follows individual transplants until graft failure. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on heart and heart-lung transplants.

Multi-organ transplants are excluded.

Survival rates are adjusted to the characteristics of the 3 month and 1 year cohort. See Technical Notes for details.

**Table 11.8 (Continued)**  
**Adjusted Graft Survival, Heart Transplants**  
**Survival at 3 Months, 1 Year, 5 Years, and 10 Years**

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2007 - 2008)			(Tx 2007 - 2008)			(Tx 2003 - 2008)			(Tx 1998 - 2008)		
	N	%	Std. Err.									
<b>Total</b>												
All	4,222	93.2%	0.4%	4,222	88.4%	0.5%	12,409	74.0%	0.5%	23,276	54.5%	0.5%
<b>Primary Diagnosis</b>												
Coronary Artery Disease	1,464	92.7%	0.7%	1,464	88.0%	0.9%	4,645	72.9%	0.9%	9,467	50.8%	0.8%
Cardiomyopathy	2,237	94.8%	0.5%	2,237	90.1%	0.6%	6,247	76.6%	0.7%	11,138	58.2%	0.7%
Congenital Heart Disease	370	85.1%	2.4%	370	77.8%	2.9%	1,119	61.8%	2.1%	1,934	48.2%	1.9%
Valvular Heart Disease	75	89.7%	3.4%	75	85.8%	3.9%	247	73.7%	3.3%	503	59.2%	3.0%
Other	75	90.4%	3.4%	75	87.7%	3.8%	129	77.1%	4.4%	175	57.1%	6.9%
Unknown	1	+	+	1	+	+	22	90.8%	6.0%	59	41.9%	8.0%

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Graft survival follows individual transplants until graft failure. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on heart and heart-lung transplants.

Multi-organ transplants are excluded.

Survival rates are adjusted to the characteristics of the 3 month and 1 year cohort. See Technical Notes for details.

**Table 11.8 (Continued)**  
**Adjusted Graft Survival, Heart Transplants**  
**Survival at 3 Months, 1 Year, 5 Years, and 10 Years**

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2007 - 2008)			(Tx 2007 - 2008)			(Tx 2003 - 2008)			(Tx 1998 - 2008)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
<b>Total</b>												
All	4,222	93.2%	0.4%	4,222	88.4%	0.5%	12,409	74.0%	0.5%	23,276	54.5%	0.5%
<b>Transplant Center State</b>												
Alabama	39	94.8%	3.6%	39	86.9%	5.4%	124	71.1%	4.6%	270	55.5%	4.0%
Arkansas	66	95.5%	2.5%	66	91.0%	3.5%	177	63.5%	4.4%	257	42.9%	5.6%
Arizona	92	93.7%	2.5%	92	90.5%	3.0%	250	73.9%	3.6%	394	58.1%	3.5%
California	541	94.7%	1.0%	541	90.2%	1.3%	1,595	76.4%	1.2%	2,852	55.0%	1.4%
Colorado	65	93.9%	2.9%	65	89.4%	3.8%	190	76.1%	3.4%	400	55.7%	3.4%
Connecticut	43	90.3%	4.5%	43	80.6%	6.1%	103	58.8%	5.8%	223	38.7%	4.6%
District of Columbia	7	85.5%	12.5%	7	85.5%	12.5%	39	80.1%	6.2%	77	65.6%	6.4%
Delaware	4	73.3%	20.0%	4	73.3%	20.0%	6	64.8%	18.2%	6	64.5%	18.2%
Florida	290	94.3%	1.3%	290	87.9%	1.9%	813	76.3%	1.8%	1,410	57.5%	2.0%
Georgia	90	90.0%	3.1%	90	85.6%	3.7%	254	67.8%	3.6%	483	54.2%	3.0%
Hawaii	3	100.0%	0.0%	3	68.6%	20.3%	7	61.7%	19.7%	17	44.8%	16.1%
Iowa	18	+	+	18	+	+	57	89.2%	4.7%	115	67.1%	5.8%
Illinois	166	94.6%	1.7%	166	91.0%	2.2%	437	72.2%	2.8%	783	56.0%	2.7%
Indiana	77	92.0%	3.1%	77	77.4%	4.8%	232	63.0%	3.8%	445	43.9%	3.5%
Kansas	13	77.4%	11.0%	13	77.4%	11.0%	40	77.1%	7.1%	68	40.6%	8.9%
Kentucky	35	87.6%	5.7%	35	84.6%	6.3%	136	71.7%	4.5%	300	46.1%	3.9%
Louisiana	42	93.4%	3.6%	42	86.8%	5.0%	146	71.7%	4.1%	429	50.6%	3.1%
Massachusetts	153	92.8%	2.1%	153	88.2%	2.6%	363	78.1%	2.9%	655	59.9%	2.9%
Maryland	89	87.7%	3.5%	89	77.6%	4.4%	204	70.1%	3.6%	330	48.0%	4.1%
Michigan	99	94.9%	2.2%	99	92.8%	2.6%	308	79.6%	2.5%	615	52.0%	3.1%
Minnesota	112	96.3%	1.8%	112	93.5%	2.4%	356	78.4%	2.6%	599	62.3%	3.0%
Missouri	171	91.6%	2.1%	171	85.1%	2.8%	436	75.0%	2.4%	781	53.6%	2.7%
Mississippi	18	94.5%	5.2%	18	94.5%	5.2%	51	64.8%	7.9%	109	53.8%	6.1%
North Carolina	163	93.3%	2.0%	163	90.2%	2.3%	475	71.2%	2.5%	900	50.5%	2.6%
Nebraska	25	96.1%	3.8%	25	92.2%	5.2%	54	74.5%	6.5%	86	37.9%	8.9%
New Jersey	92	96.8%	1.8%	92	92.4%	2.7%	264	80.2%	2.9%	423	51.2%	4.5%
New Mexico	0	-	-	0	-	-	0	-	-	20	54.3%	10.9%
New York	270	94.6%	1.4%	270	87.7%	2.0%	861	73.2%	1.7%	1,586	57.8%	1.8%
Ohio	175	90.7%	2.2%	175	86.1%	2.6%	591	75.4%	2.1%	1,255	54.2%	2.0%
Oklahoma	22	90.8%	6.1%	22	86.2%	7.2%	107	63.4%	5.5%	256	46.4%	4.1%
Oregon	35	94.0%	4.1%	35	91.0%	4.9%	115	80.5%	4.6%	236	61.6%	4.8%
Pennsylvania	353	93.0%	1.3%	353	88.4%	1.7%	1,011	73.6%	1.7%	1,975	53.9%	1.6%
Puerto Rico	21	+	+	21	+	+	77	76.5%	5.6%	111	56.8%	8.8%

(Continued)

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Graft survival follows individual transplants until graft failure. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on heart and heart-lung transplants.

Multi-organ transplants are excluded.

Survival rates are adjusted to the characteristics of the 3 month and 1 year cohort. See Technical Notes for details.

**Table 11.8 (Continued)**  
**Adjusted Graft Survival, Heart Transplants**  
**Survival at 3 Months, 1 Year, 5 Years, and 10 Years**

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2007 - 2008)			(Tx 2007 - 2008)			(Tx 2003 - 2008)			(Tx 1998 - 2008)		
	N	%	Std. Err.									
<b>Transplant Center State</b>												
South Carolina	39	94.6%	3.7%	39	91.9%	4.4%	116	77.8%	4.6%	234	63.3%	4.5%
Tennessee	99	86.0%	3.4%	99	82.0%	3.8%	298	73.7%	3.0%	605	50.5%	3.0%
Texas	368	93.2%	1.3%	368	88.4%	1.6%	1,059	67.8%	1.8%	1,949	51.8%	1.6%
Utah	67	95.5%	2.5%	67	94.0%	2.9%	207	82.3%	3.2%	350	61.1%	4.2%
Virginia	111	91.9%	2.6%	111	89.2%	2.9%	319	73.9%	2.8%	609	51.8%	3.0%
Washington	81	96.3%	2.1%	81	95.1%	2.4%	236	84.6%	2.7%	434	74.1%	2.8%
Wisconsin	68	83.5%	4.5%	68	79.0%	4.9%	295	75.7%	2.8%	629	55.9%	2.8%

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Graft survival follows individual transplants until graft failure. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on heart and heart-lung transplants.

Multi-organ transplants are excluded.

Survival rates are adjusted to the characteristics of the 3 month and 1 year cohort. See Technical Notes for details.