

Table 1.12b
One Year Unadjusted Patient Survival by Organ and Year of Transplant, 1999 to 2008

	Year of Transplant									
	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
Number of Transplants										
Kidney: Deceased Donor	6,855	6,780	6,955	7,173	7,301	7,787	8,280	8,861	8,836	8,924
Kidney: Living Donor	4,264	4,965	5,377	5,566	5,746	5,943	5,848	5,746	5,428	5,345
Pancreas Transplant Alone	86	92	102	114	96	98	111	84	94	99
Pancreas After Kidney	137	224	221	302	278	322	272	218	185	155
Kidney-Pancreas	920	900	876	894	858	870	881	899	834	817
Liver: Deceased Donor	3,917	3,950	4,012	4,266	4,607	5,007	5,171	5,351	5,199	5,170
Liver: Living Donor	237	393	515	354	311	314	310	280	252	212
Intestine	56	69	105	91	100	142	147	147	162	158
Heart	2,064	2,094	2,103	2,042	1,960	1,891	1,971	2,069	2,057	2,010
Lung	842	922	1,008	1,002	1,030	1,121	1,328	1,343	1,375	1,402
Heart-Lung	48	46	27	32	26	38	34	31	31	26
Survival (%)										
Kidney: Deceased Donor	94.1%	93.8%	94.5%	94.6%	94.5%	94.9%	94.6%	95.2%	95.9%	96.1%
Kidney: Living Donor	97.8%	97.5%	97.5%	97.7%	98.2%	97.9%	98.0%	98.3%	98.7%	98.5%
Pancreas Transplant Alone	96.5%	100.0%	97.1%	97.4%	93.8%	94.9%	98.2%	97.6%	96.8%	97.0%
Pancreas After Kidney	94.2%	96.0%	95.5%	95.7%	95.3%	95.7%	97.8%	96.8%	97.3%	94.2%
Kidney-Pancreas	95.1%	95.2%	94.3%	95.0%	95.7%	94.6%	95.3%	94.8%	96.6%	95.3%
Liver: Deceased Donor	85.2%	86.7%	85.9%	87.0%	86.4%	87.1%	86.6%	87.5%	89.3%	88.5%
Liver: Living Donor	81.4%	86.5%	87.6%	85.3%	90.4%	92.0%	89.0%	91.1%	91.3%	92.9%
Intestine	60.7%	75.4%	72.4%	76.9%	81.0%	79.6%	78.9%	78.2%	78.4%	78.5%
Heart	83.8%	85.7%	85.4%	87.0%	88.0%	88.0%	87.4%	87.8%	88.9%	88.9%
Lung	76.5%	77.8%	78.3%	81.6%	84.1%	85.3%	82.7%	84.4%	82.3%	83.7%
Heart-Lung	56.3%	63.0%	74.1%	62.5%	53.8%	73.7%	76.5%	71.0%	90.3%	65.4%
Standard Error(Pct. Pts.)										
Kidney: Deceased Donor	0.3%	0.3%	0.3%	0.3%	0.3%	0.2%	0.2%	0.2%	0.2%	0.2%
Kidney: Living Donor	0.2%	0.2%	0.2%	0.2%	0.2%	0.2%	0.2%	0.2%	0.2%	0.2%
Pancreas Transplant Alone	2.0%	0.0%	1.7%	1.5%	2.5%	2.2%	1.3%	1.7%	1.8%	1.7%
Pancreas After Kidney	2.0%	1.3%	1.4%	1.2%	1.3%	1.1%	0.9%	1.2%	1.2%	1.9%
Kidney-Pancreas	0.7%	0.7%	0.8%	0.7%	0.7%	0.8%	0.7%	0.7%	0.6%	0.7%
Liver: Deceased Donor	0.6%	0.5%	0.5%	0.5%	0.5%	0.5%	0.5%	0.5%	0.4%	0.4%
Liver: Living Donor	2.5%	1.7%	1.5%	1.9%	1.7%	1.5%	1.8%	1.7%	1.8%	1.8%
Intestine	6.5%	5.2%	4.4%	4.4%	3.9%	3.4%	3.4%	3.4%	3.2%	3.3%
Heart	0.8%	0.8%	0.8%	0.7%	0.7%	0.7%	0.7%	0.7%	0.7%	0.7%
Lung	1.5%	1.4%	1.3%	1.2%	1.1%	1.1%	1.0%	1.0%	1.0%	1.0%
Heart-Lung	7.2%	7.1%	8.4%	8.6%	9.8%	7.1%	7.3%	8.2%	5.3%	9.3%

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

Multi-organ transplants are excluded for kidney, pancreas, heart, lung, and liver survival rates.

Intestine survival includes intestine with liver and/or pancreas transplants.

Living donor transplants excluded unless explicitly listed. Heterotopic heart and liver transplants excluded.

Patient survival follows patients from first transplant of this type until death. Graft survival follows individual transplants until graft failure. Counts for patient and graft survival are different because a patient may have more than one transplant for a type organ.

See Technical Notes for complete discussion of patient and graft survival methods.