

**Table 12.12**  
**Adjusted Patient Survival, Deceased Donor Lung Transplants**  
**Survival at 3 Months, 1 Year, 5 Years, and 10 Years**

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2007 - 2008)			(Tx 2007 - 2008)			(Tx 2003 - 2008)			(Tx 1998 - 2008)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
<b>Total</b>												
All	2,777	92.7%	0.5%	2,777	83.3%	0.7%	7,599	53.5%	0.8%	12,189	27.0%	0.8%
<b>Age at Tx</b>												
<1 Year	7	100.0%	0.0%	7	91.9%	7.5%	22	53.4%	12.7%	40	44.8%	9.4%
1-5 Years	8	88.0%	11.0%	8	88.0%	11.0%	23	66.0%	11.1%	46	44.5%	9.6%
6-11 Years	10	100.0%	0.0%	10	96.7%	4.5%	48	58.1%	8.1%	92	43.1%	7.2%
12-17 Years	63	97.1%	2.1%	63	89.7%	4.0%	178	49.1%	5.3%	272	23.4%	4.2%
18-34 Years	304	97.0%	1.0%	304	88.1%	2.5%	898	49.6%	2.8%	1,489	33.1%	2.2%
35-49 Years	398	94.3%	1.2%	398	88.2%	1.6%	1,245	61.3%	1.7%	2,316	36.2%	1.6%
50-64 Years	1,508	91.4%	0.8%	1,508	82.1%	1.1%	4,263	54.4%	1.1%	6,831	24.2%	1.1%
65+ Years	479	91.0%	1.3%	479	77.5%	2.0%	922	42.6%	2.6%	1,103	10.9%	2.7%
<b>Recipient Ethnicity/Race</b>												
White	2,315	92.7%	0.5%	2,315	83.0%	0.8%	6,466	53.4%	0.8%	10,576	27.1%	0.8%
African American	245	93.5%	1.6%	245	87.0%	2.2%	622	54.8%	2.7%	922	24.8%	3.0%
Hispanic/Latino	160	92.6%	2.1%	160	83.3%	3.0%	370	53.1%	3.4%	504	28.6%	4.0%
Asian	37	91.9%	4.4%	37	81.2%	6.3%	92	55.0%	7.0%	121	43.0%	6.4%
Other/Multi-race	20	85.2%	7.7%	20	80.2%	8.7%	47	44.3%	11.3%	64	22.8%	9.9%
Unknown	0	-	-	0	-	-	2	+	+	2	+	+
<b>Recipient Gender</b>												
Female	1,126	93.4%	0.7%	1,126	84.1%	1.1%	3,339	53.9%	1.1%	5,645	28.1%	1.1%
Male	1,651	92.2%	0.7%	1,651	82.8%	0.9%	4,260	53.2%	1.0%	6,544	26.0%	1.0%

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on lung and heart-lung transplants.

Multi-organ transplants are excluded.

Survival rates are adjusted to the characteristics of the 3 month and 1 year cohort. See Technical Notes for details.

**Table 12.12 (Continued)**  
**Adjusted Patient Survival, Deceased Donor Lung Transplants**  
**Survival at 3 Months, 1 Year, 5 Years, and 10 Years**

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2007 - 2008)			(Tx 2007 - 2008)			(Tx 2003 - 2008)			(Tx 1998 - 2008)		
	N	%	Std. Err.									
<b>Total</b>												
All	2,777	92.7%	0.5%	2,777	83.3%	0.7%	7,599	53.5%	0.8%	12,189	27.0%	0.8%
<b>Primary Diagnosis</b>												
Emphysema/COPD	801	93.6%	0.9%	801	84.8%	1.3%	2,500	55.7%	1.3%	4,473	24.6%	1.2%
Cystic Fibrosis	373	95.3%	1.4%	373	82.9%	2.8%	1,120	53.0%	2.3%	1,850	34.1%	2.0%
Idiopathic Pulmonary Fibrosis	950	92.8%	0.8%	950	83.2%	1.3%	2,213	52.7%	1.5%	2,989	25.2%	1.8%
Alpha-1-Antitrypsin Deficiency	78	97.5%	1.7%	78	91.4%	3.1%	293	61.5%	3.3%	655	28.0%	3.0%
Idiopathic Pulmonary Arterial Hypertension	48	85.4%	5.5%	48	80.6%	6.1%	182	49.0%	4.7%	380	36.0%	3.3%
Congenital Disease	2	+	+	2	+	+	19	41.4%	11.6%	79	34.7%	6.0%
Other	524	89.5%	1.4%	524	80.3%	1.8%	1,271	52.9%	1.9%	1,762	32.8%	2.1%
Unknown	1	+	+	1	+	+	1	+	+	1	+	+
<b>Lung Diagnosis Group</b>												
Group A: Obstructive Lung Disease	989	94.4%	1.5%	989	86.6%	3.3%	3,151	47.7%	3.6%	5,706	19.8%	2.4%
Group B: Pulmonary Vascular Disease	115	86.8%	4.3%	115	82.1%	5.3%	311	53.4%	5.0%	541	37.7%	4.0%
Group C: Cystic Fibrosis or Immunodef. Disorders	372	94.8%	1.9%	372	82.9%	4.9%	1,101	44.5%	4.4%	1,808	27.8%	3.2%
Group D: Restrictive Lung Disease	1,232	91.4%	2.4%	1,232	80.4%	4.9%	2,861	60.8%	3.5%	3,825	33.1%	3.4%
Group E: Age Less Than 12	25	87.4%	9.8%	25	75.5%	14.3%	93	43.0%	8.9%	178	36.2%	6.4%
Other Diagnosis	44	92.8%	3.8%	44	91.0%	4.4%	82	62.5%	8.2%	131	38.7%	7.3%
<b>Lung Allocation Score</b>												
LAS 0	2	+	+	2	+	+	0	-	-	0	-	-
LAS 20 - 29	19	95.0%	4.7%	19	90.0%	6.5%	0	-	-	0	-	-
LAS 30 - 34	804	94.5%	0.8%	804	87.2%	1.3%	0	-	-	0	-	-
LAS 35 - 39	698	94.1%	0.9%	698	82.8%	1.4%	0	-	-	0	-	-
LAS 40 - 49	668	91.5%	1.1%	668	82.6%	1.6%	0	-	-	0	-	-
LAS 50 - 59	225	91.8%	1.9%	225	81.8%	2.7%	0	-	-	0	-	-
LAS 60+	361	88.2%	1.8%	361	76.7%	2.4%	0	-	-	0	-	-
Unknown	0	-	-	0	-	-	7,599	53.5%	0.8%	12,189	27.0%	0.8%

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on lung and heart-lung transplants.

Multi-organ transplants are excluded.

Survival rates are adjusted to the characteristics of the 3 month and 1 year cohort. See Technical Notes for details.

**Table 12.12 (Continued)**  
**Adjusted Patient Survival, Deceased Donor Lung Transplants**  
**Survival at 3 Months, 1 Year, 5 Years, and 10 Years**

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2007 - 2008)			(Tx 2007 - 2008)			(Tx 2003 - 2008)			(Tx 1998 - 2008)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
<b>Total</b>												
All	2,777	92.7%	0.5%	2,777	83.3%	0.7%	7,599	53.5%	0.8%	12,189	27.0%	0.8%
<b>Transplant Center State</b>												
Alabama	53	90.9%	3.9%	53	81.5%	5.2%	164	49.5%	4.9%	324	23.6%	3.4%
Arizona	53	90.7%	3.9%	53	85.1%	4.8%	87	50.4%	8.6%	113	35.6%	8.3%
California	361	94.3%	1.2%	361	84.3%	1.9%	978	51.3%	2.1%	1,431	22.0%	2.4%
Colorado	60	96.8%	2.2%	60	86.9%	4.3%	190	48.1%	4.4%	338	23.3%	3.7%
Florida	205	92.2%	1.8%	205	85.3%	2.4%	535	60.1%	2.8%	699	29.8%	4.0%
Georgia	49	96.1%	2.7%	49	90.2%	4.1%	145	52.1%	5.4%	199	19.7%	5.2%
Iowa	17	100.0%	0.0%	17	94.1%	5.5%	17	82.9%	11.0%	17	83.1%	10.8%
Illinois	102	93.2%	2.5%	102	83.6%	3.6%	234	64.1%	3.8%	395	31.3%	4.0%
Indiana	56	86.5%	4.4%	56	72.7%	5.8%	224	49.0%	3.9%	349	15.6%	3.7%
Kentucky	58	89.3%	4.1%	58	70.0%	6.1%	141	44.0%	5.4%	240	18.3%	3.9%
Louisiana	0	-	-	0	-	-	39	55.8%	7.9%	127	8.6%	3.3%
Massachusetts	67	96.9%	2.1%	67	84.9%	4.4%	190	41.0%	4.6%	332	22.8%	4.1%
Maryland	62	92.0%	3.4%	62	84.1%	4.6%	157	43.6%	6.1%	295	28.5%	3.9%
Michigan	77	93.8%	2.7%	77	86.2%	3.8%	205	58.9%	4.7%	397	32.3%	3.8%
Minnesota	85	94.3%	2.5%	85	82.9%	4.0%	272	61.2%	3.9%	452	39.8%	3.5%
Missouri	129	93.3%	2.3%	129	82.3%	3.5%	380	60.9%	3.2%	721	40.7%	2.7%
North Carolina	143	92.3%	2.2%	143	86.0%	2.9%	421	52.4%	3.2%	733	27.1%	2.9%
Nebraska	0	-	-	0	-	-	0	-	-	6	13.6%	10.4%
New Jersey	3	+	+	3	+	+	3	+	+	3	+	+
New York	108	96.3%	1.8%	108	86.2%	3.3%	287	59.3%	3.8%	410	31.7%	4.7%
Ohio	142	91.5%	2.3%	142	85.5%	2.9%	408	54.3%	3.1%	668	23.3%	2.9%
Oklahoma	22	95.6%	4.2%	22	77.7%	8.6%	83	27.2%	6.0%	122	18.6%	5.2%
Oregon	0	-	-	0	-	-	0	-	-	6	28.8%	16.1%
Pennsylvania	403	90.1%	1.5%	403	79.2%	2.0%	900	56.9%	2.1%	1,327	28.8%	2.5%
Tennessee	28	92.9%	4.7%	28	85.7%	6.5%	116	35.3%	5.4%	203	25.3%	3.9%
Texas	226	90.5%	1.9%	226	84.0%	2.4%	592	49.5%	2.7%	917	23.8%	2.6%
Utah	18	+	+	18	+	+	46	50.9%	9.4%	88	28.7%	6.5%
Virginia	80	91.3%	3.1%	80	77.6%	4.6%	296	51.0%	3.7%	497	21.0%	3.3%
Washington	93	96.8%	1.8%	93	90.4%	3.0%	267	60.4%	4.0%	395	19.4%	7.0%
Wisconsin	77	93.7%	2.7%	77	78.4%	4.6%	222	57.4%	4.2%	385	41.0%	3.7%

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on lung and heart-lung transplants.

Multi-organ transplants are excluded.

Survival rates are adjusted to the characteristics of the 3 month and 1 year cohort. See Technical Notes for details.