

**Table 13.8**  
**Adjusted Graft Survival, Heart-Lung Transplants**  
**Survival at 3 Months, 1 Year, 5 Years, and 10 Years**

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2007 - 2008)			(Tx 2007 - 2008)			(Tx 2003 - 2008)			(Tx 1998 - 2008)		
	N	%	Std. Err.									
<b>Total</b>												
All	57	86.4%	4.5%	57	79.3%	5.5%	188	48.9%	4.2%	390	32.1%	3.2%
<b>Age at Tx</b>												
<1 Year	1	+	+	1	+	+	4	25.0%	16.3%	12	8.3%	6.2%
1-5 Years	3	66.7%	22.2%	3	66.7%	22.2%	6	55.6%	20.7%	14	38.1%	12.9%
6-11 Years	2	+	+	2	+	+	6	66.7%	17.4%	12	58.3%	13.5%
12-17 Years	3	+	+	3	+	+	16	45.0%	12.5%	33	36.5%	9.7%
18-34 Years	17	82.4%	8.9%	17	69.7%	10.9%	51	46.0%	7.6%	103	27.8%	5.6%
35-49 Years	21	85.7%	7.4%	21	81.0%	8.3%	74	47.3%	6.4%	146	33.3%	5.5%
50-64 Years	10	90.0%	9.0%	10	80.0%	12.0%	31	59.1%	9.8%	70	35.7%	7.1%
<b>Recipient Ethnicity/Race</b>												
White	40	90.3%	4.6%	40	80.0%	6.5%	131	49.3%	4.9%	302	32.5%	3.6%
African American	5	81.6%	15.3%	5	81.6%	15.3%	19	56.7%	11.2%	31	39.7%	10.4%
Hispanic/Latino	7	58.1%	17.6%	7	58.1%	17.6%	23	51.7%	10.4%	37	23.3%	10.3%
Asian	4	+	+	4	+	+	13	27.5%	14.0%	14	25.8%	13.2%
Other/Multi-race	1	+	+	1	+	+	2	0.0%	0.0%	6	20.9%	14.1%
<b>Recipient Gender</b>												
Female	37	92.3%	4.3%	37	84.1%	6.0%	107	46.7%	5.6%	226	35.2%	4.5%
Male	20	75.4%	9.4%	20	70.0%	10.1%	81	51.7%	5.9%	164	27.1%	4.6%

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Graft survival follows individual transplants until graft failure. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on heart-lung transplants.

Multi-organ transplants are excluded.

Survival rates are adjusted to the characteristics of the 3 month and 1 year cohort. See Technical Notes for details.

**Table 13.8 (Continued)**  
**Adjusted Graft Survival, Heart-Lung Transplants**  
**Survival at 3 Months, 1 Year, 5 Years, and 10 Years**

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2007 - 2008)			(Tx 2007 - 2008)			(Tx 2003 - 2008)			(Tx 1998 - 2008)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
<b>Total</b>												
All	57	86.4%	4.5%	57	79.3%	5.5%	188	48.9%	4.2%	390	32.1%	3.2%
<b>Primary Diagnosis</b>												
Congenital Disease	6	84.4%	13.4%	6	68.6%	17.5%	41	46.2%	8.1%	118	25.6%	5.3%
Cystic Fibrosis	2	+	+	2	+	+	6	44.3%	21.9%	9	22.5%	14.4%
Emphysema/COPD	0	-	-	0	-	-	2	0.0%	0.0%	12	38.2%	13.9%
Other	9	100.0%	0.0%	9	89.9%	9.3%	28	56.1%	11.0%	40	39.8%	8.4%
Unknown	24	79.5%	8.1%	24	71.0%	9.2%	60	54.1%	6.7%	113	32.5%	5.8%

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Graft survival follows individual transplants until graft failure. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on heart-lung transplants.

Multi-organ transplants are excluded.

Survival rates are adjusted to the characteristics of the 3 month and 1 year cohort. See Technical Notes for details.

**Table 13.8 (Continued)**  
**Adjusted Graft Survival, Heart-Lung Transplants**  
**Survival at 3 Months, 1 Year, 5 Years, and 10 Years**

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2007 - 2008)			(Tx 2007 - 2008)			(Tx 2003 - 2008)			(Tx 1998 - 2008)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
<b>Total</b>												
All	57	86.4%	4.5%	57	79.3%	5.5%	188	48.9%	4.2%	390	32.1%	3.2%
<b>Transplant Center State</b>												
Alabama	1	+	+	1	+	+	3	35.2%	20.3%	14	26.6%	12.3%
Arizona	1	0.0%	0.0%	1	0.0%	0.0%	5	21.8%	14.2%	15	40.9%	12.0%
California	24	91.8%	5.5%	24	87.5%	6.6%	50	46.7%	8.6%	88	22.2%	7.0%
Colorado	0	-	-	0	-	-	2	51.9%	24.6%	5	30.8%	17.9%
Florida	2	+	+	2	+	+	13	69.5%	12.2%	18	25.8%	15.0%
Illinois	0	-	-	0	-	-	4	51.9%	20.6%	7	55.9%	17.2%
Massachusetts	0	-	-	0	-	-	0	-	-	1	0.0%	0.0%
Maryland	4	78.3%	18.0%	4	78.3%	18.0%	7	57.1%	17.2%	10	49.4%	14.6%
Michigan	0	-	-	0	-	-	0	-	-	2	50.7%	24.9%
Minnesota	1	+	+	1	+	+	6	51.7%	18.0%	18	42.5%	11.5%
Missouri	1	+	+	1	+	+	5	59.1%	19.9%	17	30.7%	12.8%
North Carolina	1	+	+	1	+	+	10	32.0%	13.4%	27	23.9%	8.4%
New York	0	-	-	0	-	-	3	65.1%	22.5%	15	13.0%	8.3%
Ohio	5	+	+	5	+	+	18	51.6%	11.3%	20	42.3%	13.1%
Oregon	0	-	-	0	-	-	0	-	-	1	0.0%	0.0%
Pennsylvania	13	75.4%	11.7%	13	58.1%	13.6%	42	40.7%	8.9%	86	33.1%	5.8%
Tennessee	0	-	-	0	-	-	3	68.0%	21.6%	9	23.1%	13.7%
Texas	2	42.6%	22.8%	2	42.6%	22.8%	12	65.8%	13.1%	21	53.3%	11.3%
Utah	0	-	-	0	-	-	0	-	-	1	0.0%	0.0%
Washington	1	+	+	1	+	+	1	+	+	3	+	+
Wisconsin	1	100.0%	0.0%	1	0.0%	0.0%	4	72.6%	19.8%	12	48.9%	13.8%

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Graft survival follows individual transplants until graft failure. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on heart-lung transplants.

Multi-organ transplants are excluded.

Survival rates are adjusted to the characteristics of the 3 month and 1 year cohort. See Technical Notes for details.