

**Table 5.12d**  
**Adjusted Patient Survival, Living Donor Kidney Transplants**  
**Survival at 3 Months, 1 Year, 5 Years, and 10 Years**

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2007 - 2008)			(Tx 2007 - 2008)			(Tx 2003 - 2008)			(Tx 1998 - 2008)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
<b>Total</b>												
All	10,773	99.6%	0.1%	10,773	98.8%	0.1%	34,056	92.5%	0.2%	58,235	78.2%	0.3%
<b>Age at Tx</b>												
<1 Year	1	+	+	1	+	+	10	82.2%	10.8%	32	93.8%	4.2%
1-5 Years	148	98.8%	0.9%	148	97.7%	1.3%	524	95.7%	1.0%	946	94.8%	0.9%
6-11 Years	128	+	+	128	+	+	443	99.1%	0.4%	941	95.5%	0.9%
12-17 Years	279	99.7%	0.3%	279	99.7%	0.3%	1,026	96.9%	0.7%	1,965	91.5%	0.9%
18-34 Years	2,005	100.0%	0.0%	2,005	99.7%	0.1%	6,692	95.8%	0.3%	12,407	88.6%	0.4%
35-49 Years	3,129	99.5%	0.1%	3,129	99.1%	0.2%	10,100	94.2%	0.3%	17,928	82.9%	0.4%
50-64 Years	3,876	99.2%	0.1%	3,876	98.1%	0.2%	11,764	90.1%	0.4%	18,903	69.7%	0.6%
65+ Years	1,207	99.3%	0.2%	1,207	96.9%	0.5%	3,497	82.6%	0.8%	5,113	45.5%	1.6%
<b>Recipient Ethnicity/Race</b>												
White	7,152	99.6%	0.1%	7,152	98.9%	0.1%	22,574	92.2%	0.2%	38,973	77.3%	0.4%
African American	1,505	99.0%	0.3%	1,505	98.1%	0.3%	5,132	91.3%	0.5%	8,781	75.0%	0.8%
Hispanic/Latino	1,495	99.6%	0.2%	1,495	99.1%	0.2%	4,538	94.7%	0.4%	7,496	83.9%	0.8%
Asian	505	99.6%	0.3%	505	99.3%	0.4%	1,421	95.9%	0.6%	2,385	87.6%	1.2%
Other/Multi-race	116	100.0%	0.0%	116	99.3%	0.7%	391	90.0%	1.8%	597	76.0%	2.8%
Unknown	0	-	-	0	-	-	0	-	-	3	57.1%	22.0%
<b>Recipient Gender</b>												
Female	4,181	99.6%	0.1%	4,181	99.0%	0.2%	13,454	92.7%	0.3%	23,469	78.5%	0.5%
Male	6,592	99.5%	0.1%	6,592	98.7%	0.1%	20,602	92.4%	0.2%	34,766	78.1%	0.4%

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on kidney and kidney-pancreas transplants.

Multi-organ transplants are excluded.

Survival rates are adjusted to the characteristics of the 3 month and 1 year cohort. See Technical Notes for details.

**Table 5.12d (Continued)**  
**Adjusted Patient Survival, Living Donor Kidney Transplants**  
**Survival at 3 Months, 1 Year, 5 Years, and 10 Years**

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2007 - 2008)			(Tx 2007 - 2008)			(Tx 2003 - 2008)			(Tx 1998 - 2008)		
	N	%	Std. Err.									
<b>Total</b>												
All	10,773	99.6%	0.1%	10,773	98.8%	0.1%	34,056	92.5%	0.2%	58,235	78.2%	0.3%
<b>Primary Diagnosis</b>												
Glomerular Diseases	3,056	99.7%	0.1%	3,056	99.3%	0.2%	9,743	95.1%	0.3%	17,256	84.7%	0.5%
Diabetes	2,374	99.5%	0.1%	2,374	98.7%	0.2%	7,441	87.6%	0.5%	12,678	63.9%	0.8%
Hypertensive												
Nephrosclerosis	1,779	99.4%	0.2%	1,779	98.6%	0.3%	5,357	91.0%	0.5%	8,136	74.6%	0.9%
Polycystic Kidneys	1,294	99.4%	0.2%	1,294	99.2%	0.2%	3,830	96.7%	0.3%	6,058	87.4%	0.7%
Tubular and Interstitial Diseases	613	99.6%	0.2%	613	98.6%	0.5%	2,068	90.6%	0.8%	3,826	78.9%	1.0%
Renovascular & Other Vascular Diseases	229	99.6%	0.4%	229	98.9%	0.6%	928	91.7%	1.1%	1,976	74.4%	1.5%
Congenital, Rare Familial, & Metabolic Disorders	354	99.6%	0.4%	354	98.0%	1.0%	1,274	94.4%	1.0%	2,265	83.4%	1.7%
Neoplasms	33	+	+	33	+	+	133	87.5%	3.4%	245	72.5%	4.7%
Other	1,032	99.6%	0.2%	1,032	98.1%	0.4%	3,231	91.9%	0.6%	5,726	79.3%	0.9%
Unknown	9	+	+	9	+	+	51	87.6%	5.3%	69	63.5%	11.4%

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on kidney and kidney-pancreas transplants.

Multi-organ transplants are excluded.

Survival rates are adjusted to the characteristics of the 3 month and 1 year cohort. See Technical Notes for details.

**Table 5.12d (Continued)**  
**Adjusted Patient Survival, Living Donor Kidney Transplants**  
**Survival at 3 Months, 1 Year, 5 Years, and 10 Years**

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2007 - 2008)			(Tx 2007 - 2008)			(Tx 2003 - 2008)			(Tx 1998 - 2008)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
<b>Total</b>												
All	10,773	99.6%	0.1%	10,773	98.8%	0.1%	34,056	92.5%	0.2%	58,235	78.2%	0.3%
<b>Transplant Center State</b>												
Alabama	219	99.6%	0.4%	219	98.9%	0.6%	844	92.9%	1.1%	1,440	75.7%	2.0%
Arkansas	36	97.5%	2.4%	36	97.5%	2.4%	171	87.2%	2.9%	368	71.2%	3.3%
Arizona	299	100.0%	0.0%	299	99.5%	0.4%	835	93.1%	1.0%	1,291	79.4%	2.0%
California	1,270	99.7%	0.2%	1,270	99.1%	0.2%	3,765	94.0%	0.5%	6,455	81.1%	0.9%
Colorado	204	99.6%	0.4%	204	98.8%	0.7%	551	92.8%	1.4%	902	79.4%	2.4%
Connecticut	102	100.0%	0.0%	102	99.2%	0.8%	282	95.6%	1.7%	621	83.1%	2.2%
District of Columbia	143	99.4%	0.6%	143	99.4%	0.6%	497	93.3%	1.4%	984	76.6%	2.1%
Delaware	16	+	+	16	+	+	21	92.8%	6.2%	31	94.1%	5.2%
Florida	372	99.1%	0.4%	372	98.5%	0.6%	1,177	91.5%	1.0%	1,892	75.2%	1.8%
Georgia	222	+	+	222	+	+	656	94.6%	1.1%	1,084	74.8%	2.6%
Hawaii	28	97.2%	2.7%	28	97.2%	2.7%	100	88.7%	3.7%	161	87.8%	3.1%
Iowa	64	+	+	64	+	+	247	93.7%	1.8%	475	80.0%	2.6%
Illinois	556	99.7%	0.2%	556	98.7%	0.5%	1,796	90.7%	0.9%	2,877	79.6%	1.3%
Indiana	170	99.0%	0.7%	170	97.1%	1.2%	458	94.8%	1.3%	732	82.5%	2.4%
Kansas	45	+	+	45	+	+	128	97.6%	1.4%	233	71.0%	5.3%
Kentucky	76	99.0%	1.0%	76	97.0%	1.7%	206	91.0%	2.4%	367	82.8%	2.9%
Louisiana	139	98.7%	0.9%	139	96.2%	1.5%	430	90.2%	1.7%	708	75.6%	2.9%
Massachusetts	360	99.5%	0.3%	360	98.8%	0.5%	1,080	93.0%	1.0%	1,837	79.9%	1.6%
Maryland	250	99.3%	0.5%	250	98.7%	0.7%	891	92.5%	1.0%	1,786	74.8%	1.5%
Maine	45	97.9%	2.1%	45	93.7%	3.5%	135	94.3%	2.1%	246	76.1%	4.6%
Michigan	397	99.2%	0.4%	397	97.8%	0.7%	1,382	91.5%	0.8%	2,399	78.0%	1.3%
Minnesota	535	99.7%	0.2%	535	99.2%	0.3%	1,814	93.1%	0.6%	3,095	78.6%	1.2%
Missouri	216	99.6%	0.4%	216	99.2%	0.6%	665	94.2%	1.1%	1,194	79.4%	1.9%
Mississippi	6	100.0%	0.0%	6	85.3%	11.6%	7	83.4%	13.5%	21	56.3%	12.9%
North Carolina	212	98.8%	0.7%	212	97.6%	1.0%	778	90.5%	1.2%	1,423	76.0%	1.9%
North Dakota	31	97.4%	2.5%	31	97.4%	2.5%	139	92.8%	2.3%	235	78.1%	4.1%
Nebraska	90	100.0%	0.0%	90	99.0%	1.0%	283	93.4%	1.7%	431	83.3%	3.5%
New Hampshire	39	+	+	39	+	+	97	98.2%	1.8%	149	87.4%	4.5%
New Jersey	307	99.7%	0.3%	307	99.0%	0.5%	986	93.2%	0.9%	1,622	80.2%	1.7%
New Mexico	36	+	+	36	+	+	112	95.8%	2.1%	226	83.6%	3.6%
Nevada	14	+	+	14	+	+	68	95.1%	2.7%	154	82.7%	3.4%
New York	965	99.5%	0.2%	965	98.5%	0.4%	2,735	92.2%	0.7%	4,482	79.6%	1.1%
Ohio	537	99.8%	0.2%	537	99.2%	0.3%	1,861	91.8%	0.8%	3,047	72.7%	1.6%

(Continued)

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on kidney and kidney-pancreas transplants.

Multi-organ transplants are excluded.

Survival rates are adjusted to the characteristics of the 3 month and 1 year cohort. See Technical Notes for details.

**Table 5.12d (Continued)**  
**Adjusted Patient Survival, Living Donor Kidney Transplants**  
**Survival at 3 Months, 1 Year, 5 Years, and 10 Years**

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2007 - 2008)			(Tx 2007 - 2008)			(Tx 2003 - 2008)			(Tx 1998 - 2008)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
<b>Transplant Center State</b>												
Oklahoma	41	+	+	41	+	+	145	93.4%	2.3%	289	75.1%	4.0%
Oregon	164	99.5%	0.5%	164	99.5%	0.5%	518	93.9%	1.3%	896	83.2%	2.0%
Pennsylvania	529	99.4%	0.3%	529	98.9%	0.4%	1,743	91.6%	0.8%	2,850	77.0%	1.4%
Puerto Rico	25	+	+	25	+	+	108	92.1%	2.9%	246	64.5%	5.5%
Rhode Island	44	+	+	44	+	+	156	86.7%	3.4%	303	70.1%	4.1%
South Carolina	71	+	+	71	+	+	171	95.7%	1.8%	331	72.2%	3.8%
South Dakota	19	+	+	19	+	+	98	90.1%	3.1%	129	84.0%	4.0%
Tennessee	202	100.0%	0.0%	202	97.3%	1.1%	761	88.7%	1.3%	1,301	75.7%	1.9%
Texas	718	99.5%	0.2%	718	98.8%	0.4%	1,998	92.2%	0.8%	3,369	80.1%	1.1%
Utah	155	+	+	155	+	+	462	95.7%	1.2%	788	85.6%	2.0%
Virginia	296	99.4%	0.4%	296	99.2%	0.5%	1,024	91.0%	1.1%	1,699	75.9%	1.8%
Vermont	31	100.0%	0.0%	31	97.3%	2.6%	74	96.7%	1.9%	97	92.9%	3.7%
Washington	203	99.5%	0.5%	203	99.1%	0.6%	661	92.7%	1.2%	1,292	78.6%	1.7%
Wisconsin	257	99.7%	0.3%	257	99.4%	0.4%	857	94.1%	0.9%	1,506	78.2%	1.9%
West Virginia	17	+	+	17	+	+	83	94.3%	2.7%	171	70.1%	5.1%

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on kidney and kidney-pancreas transplants.

Multi-organ transplants are excluded.

Survival rates are adjusted to the characteristics of the 3 month and 1 year cohort. See Technical Notes for details.