

**Table 6.10**  
**Unadjusted Graft Survival, Pancreas Transplant Alone (PTA) Transplants**  
**Survival at 3 Months, 1 Year, 5 Years, and 10 Years**

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2007 - 2008)			(Tx 2007 - 2008)			(Tx 2003 - 2008)			(Tx 1998 - 2008)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
<b>Total</b>												
All	220	85.0%	2.4%	220	74.8%	2.9%	665	52.0%	2.3%	1,162	35.1%	2.2%
<b>Age at Tx</b>												
12-17 Years	0	-	-	0	-	-	2	0.0%	0.0%	4	0.0%	0.0%
18-34 Years	57	82.5%	5.0%	57	66.4%	6.3%	178	34.7%	4.5%	316	20.5%	4.1%
35-49 Years	115	86.9%	3.1%	115	79.0%	3.8%	357	59.6%	3.0%	644	43.2%	2.9%
50-64 Years	47	83.0%	5.5%	47	74.2%	6.4%	124	56.2%	5.0%	193	35.1%	5.7%
65+ Years	1	100.0%	0.0%	1	100.0%	0.0%	4	33.3%	27.2%	5	0.0%	0.0%
<b>Recipient Ethnicity/Race</b>												
White	202	84.1%	2.6%	202	75.0%	3.1%	633	52.8%	2.3%	1,108	36.4%	2.2%
African American	11	90.9%	8.7%	11	72.7%	13.4%	18	+	+	26	0.0%	0.0%
Hispanic/Latino	6	100.0%	0.0%	6	66.7%	19.2%	13	24.9%	14.5%	23	20.0%	15.3%
Asian	0	-	-	0	-	-	0	-	-	1	+	+
Other/Multi-race	1	100.0%	0.0%	1	100.0%	0.0%	1	+	+	4	0.0%	0.0%
<b>Recipient Gender</b>												
Female	130	83.8%	3.2%	130	73.7%	3.9%	414	48.1%	2.8%	703	33.3%	2.8%
Male	90	86.7%	3.6%	90	76.4%	4.5%	251	58.3%	3.9%	459	37.8%	3.7%
<b>Recipient Blood Type</b>												
O	87	85.1%	3.8%	87	72.1%	4.8%	275	48.2%	3.7%	494	32.3%	3.4%
A	103	86.4%	3.4%	103	75.6%	4.2%	296	55.6%	3.2%	504	38.0%	3.4%
B	22	77.3%	8.9%	22	77.3%	8.9%	69	51.5%	6.8%	117	41.7%	6.5%
AB	8	87.5%	11.7%	8	87.5%	11.7%	25	56.9%	11.7%	47	22.9%	11.7%

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Graft survival follows individual transplants until graft failure. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on pancreas and kidney-pancreas transplants.

Multi-organ transplants are excluded.

**Table 6.10 (Continued)**  
**Unadjusted Graft Survival, Pancreas Transplant Alone (PTA) Transplants**  
**Survival at 3 Months, 1 Year, 5 Years, and 10 Years**

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2007 - 2008)			(Tx 2007 - 2008)			(Tx 2003 - 2008)			(Tx 1998 - 2008)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
<b>Total</b>												
All	220	85.0%	2.4%	220	74.8%	2.9%	665	52.0%	2.3%	1,162	35.1%	2.2%
<b>Recipient Residency</b>												
U.S. Resident	220	85.0%	2.4%	220	74.8%	2.9%	664	52.1%	2.3%	1,158	35.4%	2.2%
Nonresident Alien	0	-	-	0	-	-	1	0.0%	0.0%	2	0.0%	0.0%
Unknown	0	-	-	0	-	-	0	-	-	2	0.0%	0.0%
<b>Hospitalized at Tx</b>												
Not Hospitalized	217	85.7%	2.4%	217	75.4%	2.9%	657	52.2%	2.3%	1,142	35.6%	2.3%
Hospitalized	1	100.0%	0.0%	1	100.0%	0.0%	6	50.0%	20.4%	15	+	+
In Intensive Care	2	0.0%	0.0%	2	0.0%	0.0%	2	0.0%	0.0%	4	0.0%	0.0%
Unknown	0	-	-	0	-	-	0	-	-	1	0.0%	0.0%
<b>Cold Ischemic Time</b>												
0-11 Hours	99	86.9%	3.4%	99	78.7%	4.1%	222	50.9%	4.6%	302	28.2%	5.4%
12-21 Hours	87	81.6%	4.2%	87	73.4%	4.7%	293	50.5%	3.4%	544	36.5%	3.0%
22-31 Hours	2	100.0%	0.0%	2	50.0%	35.4%	44	46.6%	7.6%	110	36.4%	5.7%
32-41 Hours	0	-	-	0	-	-	4	25.0%	21.7%	6	0.0%	0.0%
42+ Hours	0	-	-	0	-	-	0	-	-	1	0.0%	0.0%
Unknown	32	87.5%	5.8%	32	68.1%	8.3%	102	59.4%	5.0%	199	34.2%	8.8%
<b>Yearly Center Volume</b>												
0-4	6	100.0%	0.0%	6	83.3%	15.2%	30	54.5%	11.2%	79	38.0%	10.0%
5-7	17	94.1%	5.7%	17	88.2%	7.8%	47	48.2%	13.5%	67	37.8%	10.9%
8-11	51	88.2%	4.5%	51	76.1%	6.0%	57	48.9%	8.9%	103	17.8%	13.5%
12-19	27	77.8%	8.0%	27	65.7%	9.3%	127	50.9%	4.9%	170	24.4%	6.4%
20+	119	83.2%	3.4%	119	73.9%	4.0%	404	52.5%	2.8%	743	37.2%	2.6%
<b>Donor Age</b>												
<1 Year	0	-	-	0	-	-	0	-	-	1	0.0%	0.0%
6-11 Years	4	75.0%	21.7%	4	75.0%	21.7%	20	30.1%	12.6%	30	32.4%	10.8%
12-17 Years	35	85.6%	6.0%	35	70.9%	7.8%	125	47.3%	5.4%	223	32.7%	5.1%
18-34 Years	134	85.8%	3.0%	134	76.0%	3.7%	385	54.8%	2.9%	626	35.3%	3.2%
35-49 Years	43	81.4%	5.9%	43	74.3%	6.7%	127	56.4%	4.9%	254	34.4%	4.7%
50-64 Years	4	100.0%	0.0%	4	75.0%	21.7%	8	0.0%	0.0%	28	46.1%	10.2%

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Graft survival follows individual transplants until graft failure. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on pancreas and kidney-pancreas transplants.

Multi-organ transplants are excluded.

**Table 6.10 (Continued)**  
**Unadjusted Graft Survival, Pancreas Transplant Alone (PTA) Transplants**  
**Survival at 3 Months, 1 Year, 5 Years, and 10 Years**

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2007 - 2008)			(Tx 2007 - 2008)			(Tx 2003 - 2008)			(Tx 1998 - 2008)		
	N	%	Std. Err.									
<b>Total</b>												
All	220	85.0%	2.4%	220	74.8%	2.9%	665	52.0%	2.3%	1,162	35.1%	2.2%
A Locus Mismatch												
0	28	67.9%	8.8%	28	64.3%	9.1%	128	49.4%	4.7%	230	43.1%	4.2%
1	101	87.1%	3.3%	101	76.9%	4.2%	303	48.4%	3.6%	552	31.3%	3.1%
2	91	87.9%	3.4%	91	75.6%	4.5%	234	57.5%	3.8%	380	34.9%	5.1%
B Locus Mismatch												
0	12	41.7%	14.2%	12	41.7%	14.2%	64	43.4%	6.6%	131	38.5%	5.4%
1	82	85.4%	3.9%	82	75.5%	4.8%	251	48.7%	3.7%	473	31.9%	3.3%
2	126	88.9%	2.8%	126	77.5%	3.7%	350	56.2%	3.2%	558	38.4%	3.6%
DR Locus Mismatch												
0	26	73.1%	8.7%	26	69.2%	9.1%	85	56.7%	6.0%	154	36.8%	8.0%
1	94	88.3%	3.3%	94	76.2%	4.4%	306	49.6%	3.4%	546	33.0%	3.1%
2	100	85.0%	3.6%	100	74.9%	4.3%	274	53.3%	3.5%	461	37.1%	3.6%
Unknown	0	-	-	0	-	-	0	-	-	1	0.0%	0.0%
Total Mismatch												
0	6	33.3%	19.2%	6	33.3%	19.2%	18	55.6%	11.7%	31	57.2%	10.2%
1	0	-	-	0	-	-	23	50.2%	10.9%	53	41.4%	8.3%
2	19	84.2%	8.4%	19	84.2%	8.4%	72	47.0%	6.9%	145	40.8%	5.0%
3	36	75.0%	7.2%	36	63.9%	8.0%	136	44.7%	4.8%	259	23.7%	5.0%
4	68	89.7%	3.7%	68	77.6%	5.1%	164	52.3%	5.0%	259	33.5%	4.8%
5	53	90.6%	4.0%	53	81.0%	5.4%	167	56.4%	4.6%	275	36.0%	4.9%
6	38	86.8%	5.5%	38	73.4%	7.2%	85	59.4%	6.3%	139	+	+
Unknown	0	-	-	0	-	-	0	-	-	1	0.0%	0.0%

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Graft survival follows individual transplants until graft failure. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on pancreas and kidney-pancreas transplants.

Multi-organ transplants are excluded.

**Table 6.10 (Continued)**  
**Unadjusted Graft Survival, Pancreas Transplant Alone (PTA) Transplants**  
**Survival at 3 Months, 1 Year, 5 Years, and 10 Years**

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2007 - 2008)			(Tx 2007 - 2008)			(Tx 2003 - 2008)			(Tx 1998 - 2008)		
	N	%	Std. Err.									
<b>Total</b>												
All	220	85.0%	2.4%	220	74.8%	2.9%	665	52.0%	2.3%	1,162	35.1%	2.2%
<b>Transplant Center State</b>												
Arizona	8	75.0%	15.3%	8	75.0%	15.3%	11	0.0%	0.0%	11	0.0%	0.0%
California	1	100.0%	0.0%	1	100.0%	0.0%	22	48.9%	13.9%	38	+	+
Connecticut	1	100.0%	0.0%	1	100.0%	0.0%	3	66.7%	27.2%	11	39.0%	16.3%
District of Columbia	0	-	-	0	-	-	0	-	-	2	100.0%	0.0%
Florida	8	87.5%	11.7%	8	50.0%	17.7%	26	30.7%	9.6%	36	+	+
Iowa	0	-	-	0	-	-	0	-	-	6	0.0%	0.0%
Illinois	22	95.5%	4.4%	22	81.1%	8.5%	64	71.8%	6.9%	78	43.9%	14.4%
Indiana	31	83.9%	6.6%	31	83.9%	6.6%	53	66.6%	7.1%	54	+	+
Kansas	1	100.0%	0.0%	1	0.0%	0.0%	2	0.0%	0.0%	2	0.0%	0.0%
Louisiana	3	66.7%	27.2%	3	66.7%	27.2%	13	44.1%	15.7%	20	+	+
Massachusetts	7	85.7%	13.2%	7	85.7%	13.2%	31	70.3%	9.2%	34	+	+
Maryland	12	66.7%	13.6%	12	57.1%	14.6%	43	51.8%	8.3%	116	50.6%	5.7%
Michigan	6	100.0%	0.0%	6	100.0%	0.0%	12	36.4%	26.6%	14	+	+
Minnesota	43	74.4%	6.7%	43	69.8%	7.0%	170	36.9%	4.2%	393	30.8%	3.1%
Missouri	0	-	-	0	-	-	1	0.0%	0.0%	1	0.0%	0.0%
North Carolina	0	-	-	0	-	-	4	100.0%	0.0%	5	0.0%	0.0%
North Dakota	0	-	-	0	-	-	2	0.0%	0.0%	2	0.0%	0.0%
Nebraska	7	71.4%	17.1%	7	42.9%	18.7%	11	53.0%	15.5%	18	40.9%	14.8%
New Hampshire	7	100.0%	0.0%	7	100.0%	0.0%	8	+	+	8	+	+
New Jersey	1	100.0%	0.0%	1	0.0%	0.0%	10	37.5%	16.1%	15	+	+
New York	4	100.0%	0.0%	4	100.0%	0.0%	8	41.7%	30.4%	22	+	+
Ohio	16	87.5%	8.3%	16	61.4%	12.4%	47	51.3%	8.0%	53	46.1%	8.0%
Pennsylvania	15	86.7%	8.8%	15	73.3%	11.4%	44	58.7%	8.3%	73	24.9%	8.4%
South Carolina	2	100.0%	0.0%	2	100.0%	0.0%	6	80.0%	17.9%	8	+	+
Tennessee	1	100.0%	0.0%	1	100.0%	0.0%	7	+	+	33	17.2%	9.3%
Texas	5	80.0%	17.9%	5	60.0%	21.9%	10	65.6%	16.4%	19	43.1%	14.7%
Utah	1	100.0%	0.0%	1	100.0%	0.0%	1	+	+	5	+	+
Virginia	2	100.0%	0.0%	2	100.0%	0.0%	8	62.5%	17.1%	10	0.0%	0.0%
Vermont	0	-	-	0	-	-	3	100.0%	0.0%	3	0.0%	0.0%
Washington	2	100.0%	0.0%	2	100.0%	0.0%	5	100.0%	0.0%	19	48.7%	15.2%
Wisconsin	14	100.0%	0.0%	14	85.7%	9.4%	40	67.3%	8.1%	53	56.1%	8.4%

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Graft survival follows individual transplants until graft failure. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on pancreas and kidney-pancreas transplants.

Multi-organ transplants are excluded.