

**Table 6.14**  
**Unadjusted Patient Survival, Pancreas Transplant Alone (PTA) Transplants**  
**Survival at 3 Months, 1 Year, 5 Years, and 10 Years**

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2007 - 2008)			(Tx 2007 - 2008)			(Tx 2003 - 2008)			(Tx 1998 - 2008)		
	N	%	Std. Err.									
<b>Total</b>												
All	193	97.9%	1.0%	193	96.9%	1.2%	582	89.7%	1.5%	1,030	77.6%	2.1%
<b>Age at Tx</b>												
12-17 Years	0	-	-	0	-	-	2	100.0%	0.0%	4	100.0%	0.0%
18-34 Years	50	100.0%	0.0%	50	100.0%	0.0%	153	89.5%	2.8%	282	75.9%	4.1%
35-49 Years	101	97.0%	1.7%	101	97.0%	1.7%	312	91.9%	1.8%	565	79.8%	2.7%
50-64 Years	41	97.6%	2.4%	41	92.7%	4.1%	112	83.0%	4.2%	175	73.2%	4.7%
65+ Years	1	100.0%	0.0%	1	100.0%	0.0%	3	100.0%	0.0%	4	+	+
<b>Recipient Ethnicity/Race</b>												
White	175	98.3%	1.0%	175	97.1%	1.3%	551	90.0%	1.5%	980	78.2%	2.0%
African American	11	90.9%	8.7%	11	90.9%	8.7%	17	94.1%	5.7%	24	78.9%	9.9%
Hispanic/Latino	6	100.0%	0.0%	6	100.0%	0.0%	13	69.4%	15.5%	21	48.5%	21.0%
Asian	0	-	-	0	-	-	0	-	-	1	+	+
Other/Multi-race	1	100.0%	0.0%	1	100.0%	0.0%	1	+	+	4	+	+
<b>Recipient Gender</b>												
Female	109	99.1%	0.9%	109	99.1%	0.9%	355	89.9%	1.8%	612	77.4%	2.7%
Male	84	96.4%	2.0%	84	94.0%	2.6%	227	89.3%	2.5%	418	78.3%	3.0%
<b>Recipient Blood Type</b>												
O	79	98.7%	1.3%	79	98.7%	1.3%	245	90.6%	2.1%	440	73.7%	3.5%
A	89	97.8%	1.6%	89	95.5%	2.2%	253	88.0%	2.4%	443	78.7%	3.0%
B	18	100.0%	0.0%	18	100.0%	0.0%	61	92.4%	3.7%	107	90.1%	3.6%
AB	7	85.7%	13.2%	7	85.7%	13.2%	23	91.1%	6.0%	40	69.8%	12.9%

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on pancreas and kidney-pancreas transplants.

Multi-organ transplants are excluded.

**Table 6.14 (Continued)**  
**Unadjusted Patient Survival, Pancreas Transplant Alone (PTA) Transplants**  
**Survival at 3 Months, 1 Year, 5 Years, and 10 Years**

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2007 - 2008)			(Tx 2007 - 2008)			(Tx 2003 - 2008)			(Tx 1998 - 2008)		
	N	%	Std. Err.									
<b>Total</b>												
All	193	97.9%	1.0%	193	96.9%	1.2%	582	89.7%	1.5%	1,030	77.6%	2.1%
<b>Recipient Residency</b>												
U.S. Resident	193	97.9%	1.0%	193	96.9%	1.2%	581	89.7%	1.5%	1,027	77.5%	2.1%
Nonresident Alien	0	-	-	0	-	-	1	100.0%	0.0%	2	+	+
Unknown	0	-	-	0	-	-	0	-	-	1	100.0%	0.0%
<b>Hospitalized at Tx</b>												
Not Hospitalized	193	97.9%	1.0%	193	96.9%	1.2%	579	89.8%	1.5%	1,020	77.5%	2.1%
Hospitalized	0	-	-	0	-	-	3	66.7%	27.2%	8	75.0%	15.3%
In Intensive Care	0	-	-	0	-	-	0	-	-	1	+	+
Unknown	0	-	-	0	-	-	0	-	-	1	+	+
<b>Cold Ischemic Time</b>												
0-11 Hours	89	97.8%	1.6%	89	97.8%	1.6%	203	87.0%	2.9%	276	75.8%	4.9%
12-21 Hours	71	97.2%	2.0%	71	95.8%	2.4%	251	90.6%	2.2%	472	78.2%	2.9%
22-31 Hours	2	100.0%	0.0%	2	100.0%	0.0%	33	87.8%	5.7%	92	81.4%	4.5%
32-41 Hours	0	-	-	0	-	-	4	75.0%	21.7%	6	66.7%	19.2%
42+ Hours	0	-	-	0	-	-	0	-	-	1	+	+
Unknown	31	100.0%	0.0%	31	96.8%	3.2%	91	93.6%	2.8%	183	76.3%	5.3%
<b>Yearly Center Volume</b>												
0-4	6	100.0%	0.0%	6	100.0%	0.0%	29	92.5%	5.1%	77	77.6%	9.6%
5-7	16	100.0%	0.0%	16	100.0%	0.0%	46	86.3%	7.1%	64	81.9%	6.7%
8-11	47	100.0%	0.0%	47	97.9%	2.1%	54	93.5%	3.7%	96	72.6%	8.8%
12-19	25	96.0%	3.9%	25	92.0%	5.4%	113	86.6%	3.6%	150	73.0%	5.3%
20+	99	97.0%	1.7%	99	97.0%	1.7%	340	90.2%	1.9%	643	78.7%	2.4%
<b>Donor Age</b>												
<1 Year	0	-	-	0	-	-	0	-	-	1	+	+
6-11 Years	4	100.0%	0.0%	4	100.0%	0.0%	15	100.0%	0.0%	25	83.3%	11.2%
12-17 Years	31	96.8%	3.2%	31	96.8%	3.2%	111	93.9%	2.4%	199	80.4%	4.9%
18-34 Years	120	97.5%	1.4%	120	95.8%	1.8%	344	87.5%	2.1%	559	75.1%	3.0%
35-49 Years	35	100.0%	0.0%	35	100.0%	0.0%	105	89.4%	3.6%	220	79.5%	4.0%
50-64 Years	3	100.0%	0.0%	3	100.0%	0.0%	7	100.0%	0.0%	26	81.3%	8.5%

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on pancreas and kidney-pancreas transplants.

Multi-organ transplants are excluded.

**Table 6.14 (Continued)**  
**Unadjusted Patient Survival, Pancreas Transplant Alone (PTA) Transplants**  
**Survival at 3 Months, 1 Year, 5 Years, and 10 Years**

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2007 - 2008)			(Tx 2007 - 2008)			(Tx 2003 - 2008)			(Tx 1998 - 2008)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
<b>Total</b>												
All	193	97.9%	1.0%	193	96.9%	1.2%	582	89.7%	1.5%	1,030	77.6%	2.1%
A Locus Mismatch												
0	19	100.0%	0.0%	19	100.0%	0.0%	97	90.4%	3.1%	185	81.8%	4.1%
1	91	97.8%	1.5%	91	96.7%	1.9%	267	87.9%	2.3%	493	79.0%	2.7%
2	83	97.6%	1.7%	83	96.4%	2.0%	218	91.4%	2.4%	352	71.9%	4.5%
B Locus Mismatch												
0	8	100.0%	0.0%	8	100.0%	0.0%	45	85.2%	5.6%	104	86.2%	3.9%
1	74	97.3%	1.9%	74	94.6%	2.6%	220	88.0%	2.6%	416	76.2%	3.3%
2	111	98.2%	1.3%	111	98.2%	1.3%	317	91.6%	1.8%	510	76.3%	3.2%
DR Locus Mismatch												
0	15	100.0%	0.0%	15	100.0%	0.0%	62	92.9%	3.5%	128	76.0%	6.2%
1	85	98.8%	1.2%	85	96.5%	2.0%	272	89.9%	2.1%	480	80.0%	2.7%
2	93	96.8%	1.8%	93	96.8%	1.8%	248	88.6%	2.4%	421	76.8%	3.2%
Unknown	0	-	-	0	-	-	0	-	-	1	0.0%	0.0%
Total Mismatch												
0	2	100.0%	0.0%	2	100.0%	0.0%	10	78.8%	13.4%	22	73.9%	10.4%
1	0	-	-	0	-	-	16	87.5%	8.3%	42	80.6%	9.6%
2	15	100.0%	0.0%	15	100.0%	0.0%	55	91.8%	4.0%	120	85.4%	4.0%
3	30	100.0%	0.0%	30	96.7%	3.3%	117	90.9%	3.1%	225	79.1%	4.8%
4	61	96.7%	2.3%	61	95.1%	2.8%	151	88.2%	2.8%	238	75.2%	4.4%
5	50	98.0%	2.0%	50	98.0%	2.0%	154	88.8%	3.1%	250	75.4%	3.9%
6	35	97.1%	2.8%	35	97.1%	2.8%	79	93.3%	3.4%	132	75.6%	7.7%
Unknown	0	-	-	0	-	-	0	-	-	1	0.0%	0.0%

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on pancreas and kidney-pancreas transplants.

Multi-organ transplants are excluded.

**Table 6.14 (Continued)**  
**Unadjusted Patient Survival, Pancreas Transplant Alone (PTA) Transplants**  
**Survival at 3 Months, 1 Year, 5 Years, and 10 Years**

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2007 - 2008)			(Tx 2007 - 2008)			(Tx 2003 - 2008)			(Tx 1998 - 2008)		
	N	%	Std. Err.									
<b>Total</b>												
All	193	97.9%	1.0%	193	96.9%	1.2%	582	89.7%	1.5%	1,030	77.6%	2.1%
<b>Transplant Center State</b>												
Arizona	8	100.0%	0.0%	8	100.0%	0.0%	11	100.0%	0.0%	11	+	+
California	1	100.0%	0.0%	1	100.0%	0.0%	21	80.7%	8.7%	37	83.6%	6.1%
Connecticut	1	100.0%	0.0%	1	100.0%	0.0%	3	66.7%	27.2%	10	78.8%	13.4%
District of Columbia	0	-	-	0	-	-	0	-	-	2	100.0%	0.0%
Florida	7	100.0%	0.0%	7	100.0%	0.0%	22	80.2%	10.5%	32	+	+
Iowa	0	-	-	0	-	-	0	-	-	6	80.0%	17.9%
Illinois	19	100.0%	0.0%	19	100.0%	0.0%	60	94.9%	2.9%	74	61.4%	19.3%
Indiana	29	93.1%	4.7%	29	93.1%	4.7%	50	91.8%	3.9%	51	92.0%	3.9%
Kansas	1	100.0%	0.0%	1	100.0%	0.0%	2	0.0%	0.0%	2	0.0%	0.0%
Louisiana	3	100.0%	0.0%	3	100.0%	0.0%	13	90.9%	8.7%	18	+	+
Massachusetts	6	100.0%	0.0%	6	100.0%	0.0%	29	100.0%	0.0%	32	+	+
Maryland	11	90.9%	8.7%	11	81.8%	11.6%	39	91.8%	4.6%	107	75.1%	5.3%
Michigan	6	100.0%	0.0%	6	100.0%	0.0%	12	90.9%	8.7%	14	+	+
Minnesota	32	100.0%	0.0%	32	96.9%	3.1%	128	83.3%	3.8%	324	77.2%	3.2%
Missouri	0	-	-	0	-	-	1	100.0%	0.0%	1	+	+
North Carolina	0	-	-	0	-	-	3	100.0%	0.0%	4	100.0%	0.0%
North Dakota	0	-	-	0	-	-	2	100.0%	0.0%	2	+	+
Nebraska	5	80.0%	17.9%	5	80.0%	17.9%	9	88.9%	10.5%	13	92.3%	7.4%
New Hampshire	7	100.0%	0.0%	7	100.0%	0.0%	8	+	+	8	+	+
New Jersey	0	-	-	0	-	-	9	88.9%	10.5%	14	+	+
New York	3	100.0%	0.0%	3	100.0%	0.0%	7	83.3%	15.2%	21	88.2%	8.0%
Ohio	14	100.0%	0.0%	14	100.0%	0.0%	45	92.5%	4.2%	50	82.9%	7.9%
Pennsylvania	15	100.0%	0.0%	15	100.0%	0.0%	38	92.5%	5.3%	64	66.9%	10.4%
South Carolina	2	100.0%	0.0%	2	100.0%	0.0%	5	100.0%	0.0%	7	+	+
Tennessee	1	100.0%	0.0%	1	100.0%	0.0%	6	100.0%	0.0%	27	67.3%	10.3%
Texas	4	100.0%	0.0%	4	100.0%	0.0%	9	75.0%	21.7%	18	70.5%	15.3%
Utah	0	-	-	0	-	-	0	-	-	4	+	+
Virginia	2	100.0%	0.0%	2	100.0%	0.0%	6	100.0%	0.0%	8	100.0%	0.0%
Vermont	0	-	-	0	-	-	3	100.0%	0.0%	3	+	+
Washington	2	100.0%	0.0%	2	100.0%	0.0%	5	100.0%	0.0%	18	85.1%	9.7%
Wisconsin	14	100.0%	0.0%	14	100.0%	0.0%	36	97.1%	2.8%	48	97.9%	2.1%

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on pancreas and kidney-pancreas transplants.

Multi-organ transplants are excluded.