Table 5.14c
Unadjusted Patient Survival, Living Donor Kidney Transplants
Survival at 3 Months, 1 Year, 3 Years, and 5 Years

	3 Months			1 Year			3 Years			5 Years		
	(Tx 2003 - 2004)			(Tx 2003 - 2004)			(Tx 2001 - 2004)			(Tx 1999 - 2004)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Total												
All	11,693	99.2%	0.1%	11,693	98.0%	0.1%	22,629	94.5%	0.2%	31,851	90.4%	0.2%
Age at Tx												
<1 Year	2	100.0%	0.0%	2	100.0%	0.0%	13	100.0%	0.0%	23	100.0%	0.0%
1-5 Years	203	99.5%	0.5%	203	97.5%	1.1%	403	96.5%	0.9%	554	96.2%	0.9%
6-10 Years	139	98.6%	1.0%	139	97.8%	1.2%	303	98.1%	0.9%	447	97.8%	0.8%
11-17 Years	415	99.5%	0.3%	415	99.0%	0.5%	861	97.6%	0.6%	1,262	96.6%	0.7%
18-34 Years	2,429	99.8%	0.1%	2,429	99.3%	0.2%	4,817	97.6%	0.3%	7,056	95.6%	0.3%
35-49 Years	3,561	99.6%	0.1%	3,561	98.7%	0.2%	6,978	95.7%	0.3%	10,052	92.4%	0.4%
50-64 Years	3,884	98.9%	0.2%	3,884	97.5%	0.3%	7,320	92.5%	0.4%	9,970	86.1%	0.5%
65+ Years	1,060	97.8%	0.4%	1,060	94.8%	0.7%	1,934	86.9%	0.9%	2,487	75.4%	1.4%
Recipient Ethnicity/Race												
White	7,510	99.2%	0.1%	7,510	97.8%	0.2%	14,857	94.1%	0.2%	21,094	89.9%	0.3%
African American	1,774	99.2%	0.2%	1,774	97.9%	0.3%	3,442	94.0%	0.5%	4,834	89.1%	0.6%
Hispanic/Latino	1,491	99.3%	0.2%	1,491	98.9%	0.3%	2,825	96.2%	0.4%	3,937	93.6%	0.5%
Asian	449	99.8%	0.2%	449	99.8%	0.2%	891	97.4%	0.6%	1,255	95.1%	0.8%
Other/Multi-race	138	99.3%	0.7%	138	96.4%	1.6%	244	93.6%	1.8%	319	89.2%	2.7%
Unknown	331	99.4%	0.4%	331	98.5%	0.7%	370	95.9%	2.5%	412	92.5%	3.4%
Recipient Gender												
Female	4,770	99.2%	0.1%	4,770	98.1%	0.2%	9,236	94.5%	0.3%	13,062	90.8%	0.3%
Male	6,923	99.3%	0.1%	6,923	98.0%	0.2%	13,393	94.5%	0.2%	18,789	90.2%	0.3%
Recipient Blood Type												
O	5,339	99.3%	0.1%	5,339	98.2%	0.2%	10,394	94.7%	0.3%	14,567	91.1%	0.3%
A	4,386	99.2%	0.1%	4,386	97.8%	0.2%	8,442	94.3%	0.3%	11,946	89.5%	0.4%
B	1,533	99.2%	0.2%	1,533	98.2%	0.3%	2,959	94.2%	0.5%	4,162	90.4%	0.6%
AB	435	99.1%	0.5%	435	98.2%	0.6%	834	95.2%	0.9%	1,174	91.6%	1.1%
Unknown	0	-	-	0	-	-	0	-	-	2	100.0%	0.0%

Source: OPTN/SRTR Data as of May 1, 2006.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on kidney and kidney-pancreas transplants.

Multi-organ transplants are excluded.

Dialysis needed within first week excludes patients whose graft failed before the end of the week. footnote9

Table 5.14c (Continued)
Unadjusted Patient Survival, Living Donor Kidney Transplants
Survival at 3 Months, 1 Year, 3 Years, and 5 Years

	3 Months			1 Year			3 Years			5 Years		
	(Tx 2003 - 2004)			(Tx 2003 - 2004)			(Tx 2001 - 2004)			(Tx 1999 - 2004)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Total												
All	11,693	99.2%	0.1%	11,693	98.0%	0.1%	22,629	94.5%	0.2%	31,851	90.4%	0.2%
Recipient Residency												
U.S. Resident	11,575	99.2%	0.1%	11,575	98.0%	0.1%	22,389	94.5%	0.2%	31,490	90.4%	0.2%
Nonresident Alien	118	99.2%	0.8%	118	97.5%	1.4%	239	97.4%	1.1%	350	93.7%	1.8%
Unknown	0	-	-	0	-	-	1	100.0%	0.0%	11	100.0%	0.0%
Hospitalized at Tx												
Not Hospitalized	11,470	99.3%	0.1%	11,470	98.0%	0.1%	22,143	94.6%	0.2%	31,141	90.5%	0.2%
Hospitalized	204	99.5%	0.5%	204	98.5%	0.8%	445	92.0%	1.5%	646	86.7%	1.8%
In Intensive Care	19	94.7%	5.1%	19	89.5%	7.0%	41	90.2%	4.6%	61	87.2%	4.6%
Unknown	0	-	-	0	-	-	0	-	-	3	66.7%	27.2%
Life Support at Tx												
Unknown	11,693	99.2%	0.1%	11,693	98.0%	0.1%	22,629	94.5%	0.2%	31,851	90.4%	0.2%
Primary Diagnosis												
Glomerular Diseases	3,421	99.6%	0.1%	3,421	98.9%	0.2%	6,718	96.6%	0.3%	9,646	94.1%	0.3%
Diabetes	2,533	98.5%	0.2%	2,533	96.6%	0.4%	4,968	90.6%	0.5%	6,887	83.4%	0.6%
Hypertensive Nephrosclerosis	1,604	99.3%	0.2%	1,604	98.1%	0.3%	2,874	94.1%	0.5%	3,922	89.0%	0.7%
Polycystic Kidneys	1,258	99.9%	0.1%	1,258	99.4%	0.2%	2,333	97.0%	0.4%	3,137	94.5%	0.6%
Tubular and Interstitial Diseases	765	98.8%	0.4%	765	96.5%	0.7%	1,512	92.6%	0.8%	2,220	90.0%	0.8%
Renovascular & Other Vascular Diseases	415	99.3%	0.4%	415	98.3%	0.6%	914	94.5%	0.9%	1,324	86.8%	1.3%
Congenital, Rare Familial, & Metabolic Disorders	494	99.6%	0.3%	494	98.4%	0.6%	956	96.6%	0.7%	1,320	95.5%	0.7%
Neoplasms	53	100.0%	0.0%	53	100.0%	0.0%	111	94.0%	2.7%	149	92.8%	2.6%
Other	1,127	99.2%	0.3%	1,127	98.0%	0.4%	2,217	95.1%	0.5%	3,211	91.5%	0.7%
Unknown	23	100.0%	0.0%	23	100.0%	0.0%	26	100.0%	0.0%	35	100.0%	0.0%

Source: OPTN/SRTR Data as of May 1, 2006.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on kidney and kidney-pancreas transplants.

Multi-organ transplants are excluded.

Dialysis needed within first week excludes patients whose graft failed before the end of the week. footnote9

Table 5.14c (Continued)
Unadjusted Patient Survival, Living Donor Kidney Transplants
Survival at 3 Months, 1 Year, 3 Years, and 5 Years

	3 Months			1 Year			3 Years			5 Years		
	(Tx 2003 - 2004)			(Tx 2003 - 2004)			(Tx 2001 - 2004)			(Tx 1999 - 2004)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Total												
All	11,693	99.2%	0.1%	11,693	98.0%	0.1%	22,629	94.5%	0.2%	31,851	90.4%	0.2%
Yearly Center Volume												
0-12	207	99.0%	0.7%	207	98.1%	1.0%	458	95.1%	1.2%	693	92.4%	1.2%
13-28	686	98.8%	0.4%	686	97.2%	0.6%	1,459	93.7%	0.7%	2,183	90.9%	0.8%
29-47	853	98.8%	0.4%	853	97.1%	0.6%	1,972	93.8%	0.6%	2,949	91.1%	0.7%
48-81	2,573	99.3%	0.2%	2,573	98.1%	0.3%	4,895	94.6%	0.4%	7,640	90.4%	0.5%
82+	7,374	99.3%	0.1%	7,374	98.2%	0.2%	13,845	94.6%	0.2%	18,386	90.2%	0.3%
Dialysis Needed Within First Week After Tx												
No	11,183	99.4%	0.1%	11,183	98.3%	0.1%	21,614	95.0%	0.2%	30,356	91.0%	0.2%
Yes	510	96.1%	0.9%	510	92.5%	1.2%	1,014	84.3%	1.3%	1,475	78.4%	1.3%
Unknown	0	-	-	0	-	-	1	100.0%	0.0%	20	85.0%	8.0%
Donor Age												
11-17 Years	1	100.0%	0.0%	1	100.0%	0.0%	2	100.0%	0.0%	3	100.0%	0.0%
18-34 Years	3,818	99.4%	0.1%	3,818	98.6%	0.2%	7,452	95.5%	0.3%	10,524	91.8%	0.4%
35-49 Years	5,507	99.1%	0.1%	5,507	97.8%	0.2%	10,666	94.4%	0.3%	15,052	90.4%	0.3%
50-64 Years	2,269	99.3%	0.2%	2,269	97.9%	0.3%	4,304	93.3%	0.5%	5,983	88.7%	0.6%
65+ Years	98	98.0%	1.4%	98	93.9%	2.4%	205	88.6%	2.5%	284	77.9%	3.5%
Unknown	0	-	-	0	-	-	0	-	-	5	100.0%	0.0%
Relation of Donor to Recipient												
Parent	1,429	99.4%	0.2%	1,429	98.5%	0.3%	2,981	96.6%	0.4%	4,390	95.2%	0.4%
Offspring	2,121	98.7%	0.2%	2,121	97.1%	0.4%	4,160	91.5%	0.5%	5,786	83.9%	0.7%
Sibling	3,387	99.4%	0.1%	3,387	98.7%	0.2%	6,771	96.1%	0.3%	9,987	92.9%	0.3%
Other Relative	851	99.2%	0.3%	851	97.9%	0.5%	1,682	93.6%	0.7%	2,358	90.8%	0.8%
Spouse	1,341	99.0%	0.3%	1,341	97.5%	0.4%	2,620	93.4%	0.6%	3,760	87.8%	0.7%
Other Unrelated	2,405	99.6%	0.1%	2,405	98.2%	0.3%	4,162	94.5%	0.4%	5,259	90.4%	0.6%
Unknown	159	98.7%	0.9%	159	96.2%	1.5%	253	92.7%	1.9%	311	84.2%	3.5%

Source: OPTN/SRTR Data as of May 1, 2006.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on kidney and kidney-pancreas transplants.

Multi-organ transplants are excluded.

Dialysis needed within first week excludes patients whose graft failed before the end of the week. footnote9

Table 5.14c (Continued)
Unadjusted Patient Survival, Living Donor Kidney Transplants
Survival at 3 Months, 1 Year, 3 Years, and 5 Years

	3 Months			1 Year			3 Years			5 Years		
	(Tx 2003 - 2004)			(Tx 2003 - 2004)			(Tx 2001 - 2004)			(Tx 1999 - 2004)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Total												
All	11,693	99.2%	0.1%	11,693	98.0%	0.1%	22,629	94.5%	0.2%	31,851	90.4%	0.2%
A Locus Mismatch												
0	2,787	99.5%	0.1%	2,787	98.9%	0.2%	5,684	95.5%	0.3%	8,208	91.8%	0.4%
1	6,300	99.1%	0.1%	6,300	97.8%	0.2%	12,188	94.1%	0.3%	17,125	89.8%	0.3%
2	2,519	99.3%	0.2%	2,519	97.9%	0.3%	4,582	94.2%	0.4%	6,138	90.1%	0.5%
Unknown	87	98.9%	1.1%	87	96.6%	2.0%	175	95.4%	1.7%	380	92.6%	1.5%
B Locus Mismatch												
0	1,962	99.8%	0.1%	1,962	98.9%	0.2%	4,032	96.3%	0.4%	5,854	92.3%	0.5%
1	6,102	99.1%	0.1%	6,102	97.9%	0.2%	11,975	94.0%	0.3%	16,946	90.2%	0.3%
2	3,542	99.2%	0.1%	3,542	97.8%	0.2%	6,448	94.2%	0.4%	8,673	89.4%	0.5%
Unknown	87	98.9%	1.1%	87	96.6%	2.0%	174	95.4%	1.7%	378	92.5%	1.5%
DR Locus Mismatch												
0	2,603	99.6%	0.1%	2,603	98.5%	0.2%	5,255	95.7%	0.3%	7,577	92.1%	0.4%
1	6,332	99.1%	0.1%	6,332	97.9%	0.2%	12,291	94.0%	0.3%	17,361	89.8%	0.3%
2	2,666	99.2%	0.2%	2,666	97.9%	0.3%	4,899	94.4%	0.4%	6,505	89.7%	0.6%
Unknown	92	98.9%	1.1%	92	96.7%	1.9%	184	95.6%	1.6%	408	92.5%	1.5%
Total Mismatch												
0	1,024	100.0%	0.0%	1,024	99.7%	0.2%	2,166	97.2%	0.4%	3,200	94.0%	0.6%
1	712	99.3%	0.3%	712	98.2%	0.5%	1,452	95.0%	0.7%	2,075	90.4%	0.9%
2	2,173	99.3%	0.2%	2,173	98.0%	0.3%	4,297	94.4%	0.4%	6,164	90.4%	0.5%
3	3,420	99.0%	0.2%	3,420	98.0%	0.2%	6,701	93.8%	0.3%	9,439	89.8%	0.4%
4	1,495	99.4%	0.2%	1,495	97.7%	0.4%	2,766	94.5%	0.5%	3,821	89.8%	0.7%
5	1,785	99.1%	0.2%	1,785	97.3%	0.4%	3,293	93.7%	0.5%	4,450	90.1%	0.6%
6	992	99.3%	0.3%	992	98.5%	0.4%	1,769	94.7%	0.7%	2,292	88.9%	1.0%
Unknown	92	98.9%	1.1%	92	96.7%	1.9%	185	95.7%	1.6%	410	92.5%	1.5%

Source: OPTN/SRTR Data as of May 1, 2006.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on kidney and kidney-pancreas transplants.

Multi-organ transplants are excluded.

Dialysis needed within first week excludes patients whose graft failed before the end of the week. footnote9