Table 9.10b
Unadjusted Graft Survival, Living Donor Liver Transplants
Survival at 3 Months, 1 Year, 3 Years, and 5 Years

	3 Months			1 Year			3 Years			5 Years		
	(Tx 2003 - 2004)			(Tx 2003 - 2004)			(Tx 2001 - 2004)			(Tx 1999 - 2004)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Total												
All	639	90.0%	1.2%	639	84.0%	1.4%	1,515	76.0%	1.2%	2,163	68.8%	1.2%
Age at Tx												
<1 Year	50	94.0%	3.4%	50	90.0%	4.2%	122	80.8%	3.8%	228	76.6%	3.0%
1-5 Years	51	90.2%	4.2%	51	90.2%	4.2%	123	79.5%	3.7%	202	75.6%	3.2%
6-10 Years	3	100.0%	0.0%	3	100.0%	0.0%	20	75.0%	9.7%	38	78.9%	6.6%
11-17 Years	11	63.6%	14.5%	11	63.6%	14.5%	32	71.9%	7.9%	53	68.9%	6.5%
18-34 Years	47	89.4%	4.5%	47	85.1%	5.2%	114	81.4%	3.7%	155	64.2%	5.9%
35-49 Years	153	92.2%	2.2%	153	88.2%	2.6%	397	78.0%	2.3%	552	69.7%	2.4%
50-64 Years	274	89.4%	1.9%	274	81.0%	2.4%	614	73.8%	1.9%	812	64.3%	2.2%
65+ Years	50	88.0%	4.6%	50	78.0%	5.9%	93	65.1%	5.7%	123	59.9%	5.6%
Recipient Ethnicity/Race												
White	471	89.6%	1.4%	471	83.9%	1.7%	1,125	75.2%	1.4%	1,593	68.4%	1.4%
African American	29	86.2%	6.4%	29	75.9%	7.9%	74	70.4%	5.5%	119	54.8%	5.7%
Hispanic/Latino	78	91.0%	3.2%	78	84.6%	4.1%	211	79.3%	2.9%	313	73.9%	2.7%
Asian	18	94.4%	5.4%	18	94.4%	5.4%	56	85.7%	5.1%	86	76.7%	4.9%
Other/Multi-race	10	100.0%	0.0%	10	100.0%	0.0%	13	75.0%	21.7%	15	+	+
Unknown	33	90.9%	5.0%	33	81.8%	6.7%	36	80.6%	6.6%	37	+	+
Recipient Gender												
Female	290	89.7%	1.8%	290	84.5%	2.1%	657	78.3%	1.7%	975	70.3%	1.8%
Male	349	90.3%	1.6%	349	83.7%	2.0%	858	74.2%	1.6%	1,188	67.6%	1.6%
Recipient Blood Type												
O	315	90.5%	1.7%	315	82.2%	2.2%	760	76.2%	1.6%	1,098	69.3%	1.7%
A	225	89.8%	2.0%	225	86.7%	2.3%	553	75.8%	1.9%	780	69.0%	2.0%
B	81	87.7%	3.7%	81	82.7%	4.2%	168	75.5%	3.6%	241	66.8%	3.5%
AB	18	94.4%	5.4%	18	88.9%	7.4%	34	71.5%	10.0%	44	59.6%	9.7%
Previous Liver Tx												
No	625	90.1%	1.2%	625	84.2%	1.5%	1,487	76.2%	1.2%	2,108	68.9%	1.2%
Yes	14	85.7%	9.4%	14	78.6%	11.0%	28	61.9%	9.7%	55	62.8%	6.6%

Source: OPTN/SRTR Data as of May 1, 2006.
Notes:
(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.
Cohorts are transplants performed during the years listed at the top of the table.
Graft survival follows individual transplants until graft failure. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.
Center volume = Center's yearly transplants performed during the base period, based on liver transplants.
Multi-organ transplants are excluded.
Medical urgency status codes have changed over time. See Technical Notes chapter for further information. footnote9

Table 9.10b (Continued)
Unadjusted Graft Survival, Living Donor Liver Transplants
Survival at 3 Months, 1 Year, 3 Years, and 5 Years

	3 Months			1 Year			3 Years			5 Years		
	(Tx 2003 - 2004)			(Tx 2003 - 2004)			(Tx 2001 - 2004)			(Tx 1999 - 2004)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Total												
All	639	90.0%	1.2%	639	84.0%	1.4%	1,515	76.0%	1.2%	2,163	68.8%	1.2%
Recipient Residency												
U.S. Resident	630	90.3%	1.2%	630	84.3%	1.4%	1,477	76.1%	1.2%	2,107	68.8%	1.2%
Nonresident Alien	9	66.7%	15.7%	9	66.7%	15.7%	38	70.9%	7.4%	56	67.5%	6.3%
Hospitalized at Tx												
Not Hospitalized	497	90.7%	1.3%	497	84.7%	1.6%	1,184	78.4%	1.3%	1,625	70.7%	1.4%
Hospitalized	88	88.6%	3.4%	88	83.0%	4.0%	206	70.8%	3.5%	337	66.6%	2.9%
In Intensive Care	54	85.2%	4.8%	54	79.6%	5.5%	124	60.5%	4.8%	200	56.8%	3.6%
Unknown	0	-	-	0	-	-	1	100.0%	0.0%	1	+	+
Life Support at Tx												
No	615	90.4%	1.2%	615	84.4%	1.5%	1,439	77.0%	1.2%	2,038	69.9%	1.2%
Yes	24	79.2%	8.3%	24	75.0%	8.8%	75	56.3%	5.9%	124	49.3%	4.6%
Unknown	0	-	-	0	-	-	1	100.0%	0.0%	1	+	+
Primary Diagnosis												
Non-Cholestatic Cirrhosis	309	89.3%	1.8%	309	82.5%	2.2%	785	75.0%	1.6%	1,058	67.2%	1.8%
Cholestatic Liver Disease/Cirrhosis	138	90.6%	2.5%	138	87.0%	2.9%	289	82.1%	2.4%	383	70.8%	3.3%
Acute Hepatic Necrosis	31	87.1%	6.0%	31	83.9%	6.6%	70	71.2%	5.4%	117	66.6%	4.4%
Biliary Atresia	60	95.0%	2.8%	60	93.3%	3.2%	140	83.5%	3.3%	243	78.5%	2.9%
Metabolic Diseases	15	73.3%	11.4%	15	60.0%	12.6%	40	60.0%	8.3%	69	65.3%	6.0%
Malignant Neoplasms	31	93.5%	4.4%	31	74.2%	7.9%	78	57.5%	6.3%	131	48.7%	5.2%
Other	55	90.9%	3.9%	55	87.3%	4.5%	113	80.6%	3.8%	162	77.1%	3.8%

Source: OPTN/SRTR Data as of May 1, 2006.
Notes:
(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.
Cohorts are transplants performed during the years listed at the top of the table.
Graft survival follows individual transplants until graft failure. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.
Center volume = Center's yearly transplants performed during the base period, based on liver transplants.
Multi-organ transplants are excluded.
Medical urgency status codes have changed over time. See Technical Notes chapter for further information. footnote9

Table 9.10b (Continued)
Unadjusted Graft Survival, Living Donor Liver Transplants
Survival at 3 Months, 1 Year, 3 Years, and 5 Years

	3 Months			1 Year			3 Years			5 Years		
	(Tx 2003 - 2004)			(Tx 2003 - 2004)			(Tx 2001 - 2004)			(Tx 1999 - 2004)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Total												
All	639	90.0%	1.2%	639	84.0%	1.4%	1,515	76.0%	1.2%	2,163	68.8%	1.2%
Waiting List Status at Tx												
1	46	87.0%	5.0%	46	80.4%	5.8%	95	67.8%	5.1%	149	64.5%	4.0%
2A	0	-	-	0	-	-	12	41.7%	14.2%	23	34.8%	11.4%
2B	0	-	-	0	-	-	271	70.8%	2.8%	576	65.0%	2.1%
3	0	-	-	0	-	-	242	76.0%	2.7%	433	71.5%	2.3%
MELD 6-10	116	89.7%	2.8%	116	85.3%	3.3%	167	78.0%	3.8%	167	+	+
MELD 11-20	310	90.6%	1.7%	310	84.8%	2.0%	457	80.1%	2.1%	457	+	+
MELD 21-30	53	92.5%	3.6%	53	79.2%	5.6%	67	69.9%	7.6%	67	+	+
MELD >30	5	60.0%	21.9%	5	40.0%	21.9%	5	+	+	5	+	+
PELD <11	23	82.6%	7.9%	23	82.6%	7.9%	40	80.0%	6.3%	40	+	+
PELD 11-20	22	95.5%	4.4%	22	95.5%	4.4%	33	84.8%	6.2%	33	+	+
PELD 21-30	7	100.0%	0.0%	7	100.0%	0.0%	14	100.0%	0.0%	14	+	+
PELD >30	1	100.0%	0.0%	1	100.0%	0.0%	2	100.0%	0.0%	2	+	+
HCC T1	3	100.0%	0.0%	3	100.0%	0.0%	9	100.0%	0.0%	9	+	+
HCC T2	17	88.2%	7.8%	17	82.4%	9.2%	20	78.5%	9.7%	20	+	+
Other Exceptions	21	90.5%	6.4%	21	90.5%	6.4%	24	91.7%	5.6%	24	+	+
Other Status	15	86.7%	8.8%	15	66.7%	12.2%	57	74.8%	5.9%	144	61.9%	4.3%
Yearly Center Volume												
0-9	14	85.7%	9.4%	14	85.7%	9.4%	48	70.4%	6.7%	74	57.7%	7.5%
10-19	40	82.5%	6.0%	40	80.0%	6.3%	71	79.9%	4.8%	104	79.1%	4.1%
20-34	42	88.1%	5.0%	42	81.0%	6.1%	133	71.0%	4.1%	208	68.4%	3.5%
35-56	132	92.4%	2.3%	132	84.1%	3.2%	318	76.8%	2.5%	453	67.7%	2.6%
57+	411	90.3%	1.5%	411	84.7%	1.8%	945	76.5%	1.5%	1,324	69.0%	1.6%

Source: OPTN/SRTR Data as of May 1, 2006.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Graft survival follows individual transplants until graft failure. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on liver transplants.

Multi-organ transplants are excluded.

Medical urgency status codes have changed over time. See Technical Notes chapter for further information. footnote9

Table 9.10b (Continued)
Unadjusted Graft Survival, Living Donor Liver Transplants
Survival at 3 Months, 1 Year, 3 Years, and 5 Years

	3 Months			1 Year			3 Years			5 Years		
	(Tx 2003 - 2004)			(Tx 2003 - 2004)			(Tx 2001 - 2004)			(Tx 1999 - 2004)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Total												
All	639	90.0%	1.2%	639	84.0%	1.4%	1,515	76.0%	1.2%	2,163	68.8%	1.2%
Donor Age												
11-17 Years	0	-	-	0	-	-	1	100.0%	0.0%	1	+	+
18-34 Years	304	89.8%	1.7%	304	84.2%	2.1%	719	77.0%	1.6%	1,054	72.2%	1.6%
35-49 Years	260	89.6%	1.9%	260	87.3%	2.1%	625	77.1%	1.8%	889	67.0%	2.0%
50-64 Years	72	91.7%	3.3%	72	70.8%	5.4%	162	67.3%	3.9%	210	57.2%	4.6%
65+ Years	3	100.0%	0.0%	3	100.0%	0.0%	8	71.4%	17.1%	9	+	+
Relation of Donor to Recipient												
Parent	98	92.9%	2.6%	98	90.8%	2.9%	255	78.4%	2.7%	449	72.6%	2.3%
Offspring	177	89.8%	2.3%	177	82.5%	2.9%	427	73.9%	2.3%	593	66.4%	2.4%
Sibling	116	87.9%	3.0%	116	83.6%	3.4%	268	78.3%	2.7%	375	71.9%	2.8%
Other Relative	61	90.2%	3.8%	61	83.6%	4.7%	140	76.6%	3.8%	208	72.8%	3.4%
Spouse	42	88.1%	5.0%	42	81.0%	6.1%	105	70.3%	4.8%	139	53.3%	6.3%
Other Unrelated	137	89.8%	2.6%	137	81.8%	3.3%	301	76.5%	2.6%	378	67.5%	3.0%
Unknown	8	100.0%	0.0%	8	100.0%	0.0%	19	77.7%	9.9%	21	0.0%	0.0%

Source: OPTN/SRTR Data as of May 1, 2006.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Graft survival follows individual transplants until graft failure. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on liver transplants.

Multi-organ transplants are excluded.

Medical urgency status codes have changed over time. See Technical Notes chapter for further information. footnote9