Table 1.11a
One Year Adjusted Graft Survival by Organ and Year of Transplant, 1995 to 2004

	Year of Transplant									
	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
Number of Transplants										
Kidney: Deceased Donor	7,598	7,595	7,635	7,898	7,916	7,957	8,069	8,286	8,388	9,029
Kidney: Living Donor	3,387	3,666	3,926	4,408	4,688	5,467	6,013	6,227	6,458	6,638
Pancreas Transplant Alone	36	42	63	63	99	99	109	128	104	121
Pancreas After Kidney	67	112	130	155	218	301	302	374	344	419
Kidney-Pancreas: Kidney	910	848	841	967	930	908	886	902	866	880
Kidney-Pancreas: Pancreas	910	848	841	967	930	908	886	902	866	880
Liver: Deceased Donor	3,770	3,858	3,922	4,269	4,338	4,384	4,453	4,691	5,041	5,446
Liver: Living Donor	53	62	86	91	251	397	516	360	318	321
Intestine	43	41	61	66	67	77	111	103	109	145
Heart	2,336	2,311	2,252	2,293	2,136	2,161	2,169	2,108	2,024	1,959
Lung	846	788	908	837	863	940	1,034	1,028	1,065	1,153
Heart-Lung	69	38	62	46	51	46	27	32	28	37
Survival (%)										
Kidney: Deceased Donor	85.3%	86.9%	88.2%	88.6%	87.9%	87.8%	88.9%	89.0%	89.3%	90.0%
Kidney: Living Donor	92.3%	93.5%	94.0%	94.6%	94.4%	94.2%	94.3%	95.0%	95.3%	95.0%
Pancreas Transplant Alone	64.9%	73.1%	71.4%	78.8%	82.8%	74.8%	77.4%	80.1%	68.1%	78.4%
Pancreas After Kidney	72.0%	67.3%	73.6%	72.5%	80.0%	74.3%	82.1%	77.3%	77.7%	79.0%
Kidney-Pancreas: Kidney	89.0%	89.5%	91.8%	91.3%	91.8%	92.6%	91.6%	91.4%	91.9%	91.6%
Kidney-Pancreas: Pancreas	82.1%	83.4%	84.4%	82.8%	83.1%	83.8%	84.9%	85.1%	85.6%	84.8%
Liver: Deceased Donor	77.5%	76.0%	78.3%	79.6%	79.3%	80.5%	80.3%	82.3%	81.8%	83.0%
Liver: Living Donor	71.1%	83.8%	83.4%	68.3%	72.9%	76.9%	80.2%	79.8%	84.1%	84.3%
Intestine	58.7%	60.9%	53.1%	52.0%	49.0%	68.8%	61.7%	70.0%	77.1%	77.2%
Heart	84.0%	84.8%	84.8%	85.2%	83.4%	85.4%	85.4%	86.3%	87.6%	87.7%
Lung	75.0%	70.2%	75.3%	74.9%	75.3%	76.4%	76.9%	80.4%	83.0%	84.2%
Heart-Lung	78.9%	64.5%	60.1%	55.0%	56.5%	63.5%	74.6%	61.8%	51.6%	74.8%
Standard Error(Pct. Pts.)										
Kidney: Deceased Donor	0.4%	0.4%	0.4%	0.4%	0.4%	0.4%	0.4%	0.3%	0.3%	0.3%
Kidney: Living Donor	0.5%	0.4%	0.4%	0.3%	0.3%	0.3%	0.3%	0.3%	0.3%	0.3%
Pancreas Transplant Alone	7.8%	6.6%	5.5%	5.0%	3.7%	4.4%	4.1%	3.6%	4.6%	3.7%
Pancreas After Kidney	5.3%	4.4%	3.9%	3.6%	2.7%	2.5%	2.2%	2.2%	2.3%	2.0%
Kidney-Pancreas: Kidney	1.0%	1.1%	1.0%	0.9%	0.9%	0.9%	0.9%	0.9%	0.9%	1.0%
Kidney-Pancreas: Pancreas	1.3%	1.3%	1.3%	1.2%	1.2%	1.2%	1.2%	1.2%	1.2%	1.2%
Liver: Deceased Donor	0.7%	0.7%	0.7%	0.6%	0.6%	0.6%	0.6%	0.6%	0.5%	0.5%
Liver: Living Donor	6.8%	5.1%	4.4%	5.3%	2.9%	2.1%	1.8%	2.1%	2.0%	2.0%
Intestine	7.4%	7.6%	6.4%	6.1%	6.1%	5.3%	4.6%	4.5%	4.0%	3.5%
Heart	0.8%	0.7%	0.8%	0.7%	0.8%	0.8%	0.8%	0.7%	0.7%	0.7%
Lung	1.5%	1.6%	1.5%	1.5%	1.5%	1.4%	1.3%	1.2%	1.1%	1.1%
Heart-Lung	4.8%	7.6%	6.1%	7.2%	6.9%	7.0%	8.1%	8.5%	9.1%	7.2%

Source: OPTN/SRTR Data as of May 1, 2006.

Notes:

(+) = Values not determined due to insufficient follow-up.

Multi-organ transplants are excluded for kidney, pancreas, heart, lung, and liver survival rates.

Intestine survival includes intestine with liver and/or pancreas transplants.

Living donor transplants excluded unless explicitly listed. Heterotopic heart and liver transplants excluded.

Patient survival follows patients from first transplant of this type until death. Graft survival follows individual transplants until graft failure. Counts for patient and graft survival are different because a patient may have more than one transplant for a type organ.

Survival rates are adjusted to the characteristics of the 2004 cohort. See Technical Notes for details.