# Table 8.10
# Unadjusted Kidney Graft Survival, Kidney-Pancreas Transplants
# Survival at 3 Months, 1 Year, 3 Years, and 5 Years

| | 3 Months | | | 1 Year | | | 3 Years | | | 5 Years | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | (Tx 2003 - 2004) | | | (Tx 2003 - 2004) | | | (Tx 2001 - 2004) | | | (Tx 1999 - 2004) | | |
| | N | % | Std. Err. | N | % | Std. Err. | N | % | Std. Err. | N | % | Std. Err. |
| **Total** | | | | | | | | | | | | |
| All | 1,746 | 95.5% | 0.5% | 1,746 | 91.8% | 0.7% | 3,534 | 85.1% | 0.7% | 5,372 | 76.3% | 0.8% |
| **Age at Tx** | | | | | | | | | | | | |
| 1-5 Years | 0 | - | - | 0 | - | - | 0 | - | - | 1 | + | + |
| 11-17 Years | 0 | - | - | 0 | - | - | 0 | - | - | 1 | 100.0% | 0.0% |
| 18-34 Years | 426 | 95.3% | 1.0% | 426 | 91.6% | 1.4% | 887 | 83.7% | 1.5% | 1,363 | 72.1% | 1.7% |
| 35-49 Years | 1,024 | 96.0% | 0.6% | 1,024 | 92.7% | 0.8% | 2,070 | 86.5% | 0.9% | 3,211 | 78.7% | 1.0% |
| 50-64 Years | 294 | 94.2% | 1.4% | 294 | 88.8% | 1.9% | 572 | 82.5% | 1.8% | 789 | 74.0% | 2.3% |
| 65+ Years | 2 | 100.0% | 0.0% | 2 | 100.0% | 0.0% | 5 | 100.0% | 0.0% | 7 | + | + |
| **Recipient Ethnicity/Race** | | | | | | | | | | | | |
| White | 1,293 | 96.0% | 0.5% | 1,293 | 92.4% | 0.7% | 2,711 | 85.6% | 0.8% | 4,246 | 77.7% | 0.9% |
| African American | 263 | 95.1% | 1.3% | 263 | 88.6% | 2.0% | 478 | 80.8% | 2.1% | 665 | 65.3% | 2.9% |
| Hispanic/Latino | 156 | 93.5% | 2.0% | 156 | 92.9% | 2.1% | 283 | 88.5% | 2.1% | 379 | 80.0% | 3.0% |
| Asian | 22 | 100.0% | 0.0% | 22 | 100.0% | 0.0% | 44 | 89.8% | 4.9% | 54 | 76.8% | 8.3% |
| Other/Multi-race | 12 | 66.7% | 13.6% | 12 | 66.7% | 13.6% | 18 | 66.7% | 13.3% | 28 | 51.5% | 14.4% |
| **Recipient Gender** | | | | | | | | | | | | |
| Female | 675 | 95.3% | 0.8% | 675 | 91.8% | 1.1% | 1,395 | 84.3% | 1.1% | 2,145 | 74.9% | 1.3% |
| Male | 1,071 | 95.7% | 0.6% | 1,071 | 91.8% | 0.9% | 2,139 | 85.7% | 0.9% | 3,227 | 77.3% | 1.0% |
| **Recipient Blood Type** | | | | | | | | | | | | |
| O | 825 | 94.9% | 0.8% | 825 | 91.2% | 1.0% | 1,616 | 83.9% | 1.1% | 2,439 | 75.3% | 1.2% |
| A | 641 | 96.2% | 0.8% | 641 | 93.4% | 1.0% | 1,361 | 86.0% | 1.1% | 2,085 | 77.2% | 1.3% |
| B | 199 | 95.5% | 1.5% | 199 | 89.1% | 2.3% | 409 | 87.9% | 1.8% | 625 | 78.4% | 2.2% |
| AB | 81 | 96.3% | 2.1% | 81 | 92.4% | 3.0% | 148 | 83.4% | 3.7% | 223 | 73.3% | 4.0% |

Source: OPTN/SRTR Data as of May 1, 2006.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Graft survival follows individual transplants until graft failure. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on kidney-pancreas and kidney transplants.

Multi-organ transplants are excluded.

# Table 8.10 (Continued)
# Unadjusted Kidney Graft Survival, Kidney-Pancreas Transplants
# Survival at 3 Months, 1 Year, 3 Years, and 5 Years

| | 3 Months | | | 1 Year | | | 3 Years | | | 5 Years | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | (Tx 2003 - 2004) | | | (Tx 2003 - 2004) | | | (Tx 2001 - 2004) | | | (Tx 1999 - 2004) | | |
| | N | % | Std. Err. | N | % | Std. Err. | N | % | Std. Err. | N | % | Std. Err. |
| **Total** | | | | | | | | | | | | |
| All | 1,746 | 95.5% | 0.5% | 1,746 | 91.8% | 0.7% | 3,534 | 85.1% | 0.7% | 5,372 | 76.3% | 0.8% |
| **Previous KI Tx** | | | | | | | | | | | | |
| No | 1,649 | 96.0% | 0.5% | 1,649 | 92.4% | 0.7% | 3,342 | 85.8% | 0.7% | 5,080 | 77.0% | 0.8% |
| Yes | 97 | 87.6% | 3.3% | 97 | 82.3% | 3.9% | 192 | 73.2% | 3.7% | 292 | 65.1% | 3.7% |
| **Previous PA Tx** | | | | | | | | | | | | |
| No | 1,722 | 95.7% | 0.5% | 1,722 | 92.0% | 0.7% | 3,481 | 85.5% | 0.7% | 5,295 | 76.8% | 0.8% |
| Yes | 24 | 83.3% | 7.6% | 24 | 74.2% | 9.1% | 53 | 63.5% | 7.3% | 77 | 44.1% | 8.4% |
| **Previous Simultaneous KI-PA Tx** | | | | | | | | | | | | |
| No | 1,728 | 95.7% | 0.5% | 1,728 | 92.0% | 0.7% | 3,497 | 85.3% | 0.7% | 5,317 | 76.6% | 0.8% |
| Yes | 18 | 77.8% | 9.8% | 18 | 72.2% | 10.6% | 37 | 64.7% | 9.0% | 55 | 48.7% | 9.6% |
| **Recipient Residency** | | | | | | | | | | | | |
| U.S. Resident | 1,735 | 95.5% | 0.5% | 1,735 | 91.7% | 0.7% | 3,515 | 85.2% | 0.7% | 5,339 | 76.3% | 0.8% |
| Nonresident Alien | 11 | 100.0% | 0.0% | 11 | 100.0% | 0.0% | 15 | 100.0% | 0.0% | 22 | 95.0% | 4.9% |
| Unknown | 0 | - | - | 0 | - | - | 4 | 50.0% | 25.0% | 11 | 63.6% | 14.5% |
| **Hospitalized at Tx** | | | | | | | | | | | | |
| Not Hospitalized | 1,715 | 95.6% | 0.5% | 1,715 | 91.9% | 0.7% | 3,480 | 85.3% | 0.7% | 5,292 | 76.5% | 0.8% |
| Hospitalized | 24 | 91.7% | 5.6% | 24 | 87.5% | 6.8% | 44 | 74.7% | 8.1% | 65 | 69.9% | 8.0% |
| In Intensive Care | 7 | 85.7% | 13.2% | 7 | 71.4% | 17.1% | 10 | + | + | 15 | 53.3% | 15.4% |
| **Donor Age** | | | | | | | | | | | | |
| <1 Year | 0 | - | - | 0 | - | - | 1 | 100.0% | 0.0% | 2 | 100.0% | 0.0% |
| 1-5 Years | 3 | 100.0% | 0.0% | 3 | 100.0% | 0.0% | 5 | 100.0% | 0.0% | 11 | 75.8% | 15.6% |
| 6-10 Years | 28 | 96.4% | 3.5% | 28 | 96.4% | 3.5% | 65 | 82.0% | 5.7% | 100 | 71.7% | 6.1% |
| 11-17 Years | 343 | 98.2% | 0.7% | 343 | 93.3% | 1.4% | 679 | 87.4% | 1.6% | 1,055 | 79.1% | 1.7% |
| 18-34 Years | 958 | 95.3% | 0.7% | 958 | 91.4% | 0.9% | 1,903 | 85.7% | 0.9% | 2,805 | 77.5% | 1.1% |
| 35-49 Years | 352 | 93.5% | 1.3% | 352 | 91.4% | 1.5% | 763 | 83.4% | 1.5% | 1,231 | 72.9% | 1.6% |
| 50-64 Years | 62 | 95.1% | 2.7% | 62 | 87.9% | 4.3% | 117 | 75.2% | 4.9% | 166 | 66.1% | 5.2% |
| 65+ Years | 0 | - | - | 0 | - | - | 1 | 0.0% | 0.0% | 2 | 50.0% | 35.4% |

Source: OPTN/SRTR Data as of May 1, 2006.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Graft survival follows individual transplants until graft failure. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on kidney-pancreas and kidney transplants.

Multi-organ transplants are excluded.

# Table 8.10 (Continued)
# Unadjusted Kidney Graft Survival, Kidney-Pancreas Transplants
# Survival at 3 Months, 1 Year, 3 Years, and 5 Years

| | 3 Months | | | 1 Year | | | 3 Years | | | 5 Years | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | (Tx 2003 - 2004) | | | (Tx 2003 - 2004) | | | (Tx 2001 - 2004) | | | (Tx 1999 - 2004) | | |
| | N | % | Std. Err. | N | % | Std. Err. | N | % | Std. Err. | N | % | Std. Err. |
| **Total** | | | | | | | | | | | | |
| All | 1,746 | 95.5% | 0.5% | 1,746 | 91.8% | 0.7% | 3,534 | 85.1% | 0.7% | 5,372 | 76.3% | 0.8% |
| **Cold Ischemic Time** | | | | | | | | | | | | |
| 0-11 Hours | 679 | 95.4% | 0.8% | 679 | 92.6% | 1.0% | 1,313 | 86.2% | 1.1% | 1,924 | 77.9% | 1.3% |
| 12-21 Hours | 650 | 95.4% | 0.8% | 650 | 92.0% | 1.1% | 1,315 | 85.4% | 1.1% | 2,083 | 76.8% | 1.2% |
| 22-31 Hours | 62 | 93.5% | 3.1% | 62 | 84.8% | 4.7% | 176 | 84.5% | 3.0% | 342 | 73.6% | 3.0% |
| 32-41 Hours | 5 | 100.0% | 0.0% | 5 | 80.0% | 17.9% | 10 | 90.0% | 9.5% | 15 | 65.0% | 19.9% |
| 42+ Hours | 3 | 100.0% | 0.0% | 3 | 100.0% | 0.0% | 4 | + | + | 6 | 75.0% | 21.7% |
| Unknown | 347 | 96.3% | 1.0% | 347 | 91.1% | 1.6% | 716 | 82.9% | 1.6% | 1,002 | 73.1% | 2.0% |
| **Yearly Center Volume** | | | | | | | | | | | | |
| 0-34 | 69 | 95.6% | 2.5% | 69 | 92.7% | 3.1% | 129 | 88.0% | 2.9% | 253 | 73.4% | 4.1% |
| 35-54 | 108 | 94.4% | 2.2% | 108 | 90.5% | 2.9% | 292 | 84.5% | 2.7% | 454 | 74.4% | 2.7% |
| 55-78 | 247 | 95.9% | 1.3% | 247 | 93.4% | 1.6% | 421 | 88.3% | 1.8% | 549 | 78.1% | 2.5% |
| 79-109 | 316 | 95.6% | 1.2% | 316 | 93.3% | 1.4% | 591 | 86.4% | 1.7% | 1,240 | 75.9% | 1.7% |
| 110+ | 1,006 | 95.5% | 0.7% | 1,006 | 91.0% | 0.9% | 2,101 | 84.1% | 0.9% | 2,876 | 76.6% | 1.1% |

Source: OPTN/SRTR Data as of May 1, 2006.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Graft survival follows individual transplants until graft failure. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on kidney-pancreas and kidney transplants.

Multi-organ transplants are excluded.

# Table 8.10 (Continued)
# Unadjusted Kidney Graft Survival, Kidney-Pancreas Transplants
# Survival at 3 Months, 1 Year, 3 Years, and 5 Years

| | 3 Months | | | 1 Year | | | 3 Years | | | 5 Years | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | (Tx 2003 - 2004) | | | (Tx 2003 - 2004) | | | (Tx 2001 - 2004) | | | (Tx 1999 - 2004) | | |
| | N | % | Std. Err. | N | % | Std. Err. | N | % | Std. Err. | N | % | Std. Err. |
| **Total** | | | | | | | | | | | | |
| All | 1,746 | 95.5% | 0.5% | 1,746 | 91.8% | 0.7% | 3,534 | 85.1% | 0.7% | 5,372 | 76.3% | 0.8% |
| A Locus Mismatch | | | | | | | | | | | | |
| 0 | 161 | 95.7% | 1.6% | 161 | 91.6% | 2.2% | 411 | 85.1% | 2.0% | 655 | 78.2% | 2.0% |
| 1 | 761 | 95.7% | 0.7% | 761 | 91.8% | 1.0% | 1,518 | 85.7% | 1.1% | 2,289 | 77.8% | 1.2% |
| 2 | 823 | 95.5% | 0.7% | 823 | 92.0% | 1.0% | 1,604 | 84.7% | 1.1% | 2,427 | 74.4% | 1.2% |
| Unknown | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| B Locus Mismatch | | | | | | | | | | | | |
| 0 | 57 | 92.9% | 3.4% | 57 | 90.6% | 4.0% | 184 | 85.9% | 2.8% | 333 | 78.6% | 2.8% |
| 1 | 478 | 97.5% | 0.7% | 478 | 93.3% | 1.2% | 991 | 85.8% | 1.3% | 1,532 | 78.9% | 1.4% |
| 2 | 1,210 | 95.0% | 0.6% | 1,210 | 91.3% | 0.8% | 2,358 | 84.8% | 0.9% | 3,506 | 74.9% | 1.0% |
| Unknown | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| DR Locus Mismatch | | | | | | | | | | | | |
| 0 | 155 | 93.5% | 2.0% | 155 | 87.9% | 2.7% | 363 | 83.7% | 2.2% | 549 | 75.8% | 2.5% |
| 1 | 713 | 96.6% | 0.7% | 713 | 93.8% | 0.9% | 1,451 | 86.9% | 1.0% | 2,270 | 76.3% | 1.2% |
| 2 | 878 | 95.0% | 0.7% | 878 | 90.8% | 1.0% | 1,720 | 83.9% | 1.0% | 2,550 | 76.4% | 1.1% |
| Unknown | 0 | - | - | 0 | - | - | 0 | - | - | 3 | 100.0% | 0.0% |
| Total Mismatch | | | | | | | | | | | | |
| 0 | 24 | 91.7% | 5.6% | 24 | 85.9% | 7.7% | 108 | 85.6% | 3.6% | 193 | 79.0% | 3.4% |
| 1 | 20 | 100.0% | 0.0% | 20 | 94.4% | 5.4% | 40 | 84.7% | 6.7% | 69 | 75.1% | 6.5% |
| 2 | 53 | 98.1% | 1.9% | 53 | 96.2% | 2.6% | 120 | 85.0% | 3.8% | 183 | 83.5% | 3.7% |
| 3 | 254 | 94.9% | 1.4% | 254 | 90.0% | 1.9% | 523 | 86.0% | 1.7% | 776 | 77.8% | 2.0% |
| 4 | 438 | 97.3% | 0.8% | 438 | 94.3% | 1.1% | 900 | 86.6% | 1.4% | 1,417 | 76.4% | 1.6% |
| 5 | 603 | 94.9% | 0.9% | 603 | 91.2% | 1.2% | 1,178 | 84.5% | 1.3% | 1,764 | 75.4% | 1.4% |
| 6 | 353 | 94.9% | 1.2% | 353 | 90.8% | 1.6% | 664 | 83.7% | 1.7% | 966 | 74.5% | 2.0% |
| Unknown | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% | 4 | 75.0% | 21.7% |

Source: OPTN/SRTR Data as of May 1, 2006.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Graft survival follows individual transplants until graft failure. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on kidney-pancreas and kidney transplants.

Multi-organ transplants are excluded.

# Table 8.10 (Continued)
# Unadjusted Pancreas Graft Survival, Kidney-Pancreas Transplants
# Survival at 3 Months, 1 Year, 3 Years, and 5 Years

| | 3 Months | | | 1 Year | | | 3 Years | | | 5 Years | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | (Tx 2003 - 2004) | | | (Tx 2003 - 2004) | | | (Tx 2001 - 2004) | | | (Tx 1999 - 2004) | | |
| | N | % | Std. Err. | N | % | Std. Err. | N | % | Std. Err. | N | % | Std. Err. |
| **Total** | | | | | | | | | | | | |
| All | 1,746 | 89.2% | 0.7% | 1,746 | 85.2% | 0.9% | 3,534 | 79.3% | 0.8% | 5,372 | 71.1% | 0.8% |
| **Age at Tx** | | | | | | | | | | | | |
| 1-5 Years | 0 | - | - | 0 | - | - | 0 | - | - | 1 | + | + |
| 11-17 Years | 0 | - | - | 0 | - | - | 0 | - | - | 1 | 100.0% | 0.0% |
| 18-34 Years | 426 | 89.7% | 1.5% | 426 | 85.3% | 1.7% | 887 | 77.6% | 1.6% | 1,363 | 68.2% | 1.6% |
| 35-49 Years | 1,024 | 89.1% | 1.0% | 1,024 | 85.8% | 1.1% | 2,070 | 80.5% | 1.0% | 3,211 | 72.3% | 1.0% |
| 50-64 Years | 294 | 88.8% | 1.8% | 294 | 83.1% | 2.2% | 572 | 77.6% | 2.0% | 789 | 71.2% | 2.2% |
| 65+ Years | 2 | 100.0% | 0.0% | 2 | 100.0% | 0.0% | 5 | 100.0% | 0.0% | 7 | + | + |
| **Recipient Ethnicity/Race** | | | | | | | | | | | | |
| White | 1,293 | 89.3% | 0.9% | 1,293 | 86.0% | 1.0% | 2,711 | 80.1% | 0.8% | 4,246 | 71.9% | 0.9% |
| African American | 263 | 90.9% | 1.8% | 263 | 83.0% | 2.4% | 478 | 74.6% | 2.3% | 665 | 63.0% | 2.7% |
| Hispanic/Latino | 156 | 87.1% | 2.7% | 156 | 83.8% | 3.0% | 283 | 82.1% | 2.6% | 379 | 77.0% | 2.8% |
| Asian | 22 | 86.4% | 7.3% | 22 | 86.4% | 7.3% | 44 | 70.6% | 8.4% | 54 | 73.5% | 6.8% |
| Other/Multi-race | 12 | 75.0% | 12.5% | 12 | 65.6% | 14.0% | 18 | 66.2% | 11.3% | 28 | 56.7% | 13.2% |
| **Recipient Gender** | | | | | | | | | | | | |
| Female | 675 | 89.3% | 1.2% | 675 | 85.3% | 1.4% | 1,395 | 78.1% | 1.2% | 2,145 | 70.8% | 1.3% |
| Male | 1,071 | 89.2% | 1.0% | 1,071 | 85.2% | 1.1% | 2,139 | 80.2% | 1.0% | 3,227 | 71.3% | 1.0% |
| **Recipient Blood Type** | | | | | | | | | | | | |
| O | 825 | 88.7% | 1.1% | 825 | 85.1% | 1.2% | 1,616 | 78.7% | 1.1% | 2,439 | 71.0% | 1.2% |
| A | 641 | 90.0% | 1.2% | 641 | 86.1% | 1.4% | 1,361 | 80.1% | 1.2% | 2,085 | 71.6% | 1.3% |
| B | 199 | 87.9% | 2.3% | 199 | 83.3% | 2.7% | 409 | 79.4% | 2.2% | 625 | 72.0% | 2.3% |
| AB | 81 | 91.4% | 3.1% | 81 | 83.8% | 4.1% | 148 | 78.5% | 3.5% | 223 | 63.6% | 4.6% |

Source: OPTN/SRTR Data as of May 1, 2006.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Graft survival follows individual transplants until graft failure. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on kidney-pancreas and pancreas transplants.

Multi-organ transplants are excluded.

# Table 8.10 (Continued)
# Unadjusted Pancreas Graft Survival, Kidney-Pancreas Transplants
# Survival at 3 Months, 1 Year, 3 Years, and 5 Years

| | 3 Months | | | 1 Year | | | 3 Years | | | 5 Years | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | (Tx 2003 - 2004) | | | (Tx 2003 - 2004) | | | (Tx 2001 - 2004) | | | (Tx 1999 - 2004) | | |
| | N | % | Std. Err. | N | % | Std. Err. | N | % | Std. Err. | N | % | Std. Err. |
| **Total** | | | | | | | | | | | | |
| All | 1,746 | 89.2% | 0.7% | 1,746 | 85.2% | 0.9% | 3,534 | 79.3% | 0.8% | 5,372 | 71.1% | 0.8% |
| **Previous KI Tx** | | | | | | | | | | | | |
| No | 1,649 | 89.4% | 0.8% | 1,649 | 85.6% | 0.9% | 3,342 | 79.8% | 0.8% | 5,080 | 71.6% | 0.8% |
| Yes | 97 | 85.6% | 3.6% | 97 | 78.1% | 4.2% | 192 | 70.7% | 3.7% | 292 | 61.3% | 3.7% |
| **Previous PA Tx** | | | | | | | | | | | | |
| No | 1,722 | 89.3% | 0.7% | 1,722 | 85.4% | 0.9% | 3,481 | 79.5% | 0.8% | 5,295 | 71.5% | 0.8% |
| Yes | 24 | 83.3% | 7.6% | 24 | 70.8% | 9.3% | 53 | 67.9% | 6.8% | 77 | 43.8% | 9.0% |
| **Previous Simultaneous KI-PA Tx** | | | | | | | | | | | | |
| No | 1,728 | 89.3% | 0.7% | 1,728 | 85.4% | 0.9% | 3,497 | 79.5% | 0.8% | 5,317 | 71.3% | 0.8% |
| Yes | 18 | 83.3% | 8.8% | 18 | 72.2% | 10.6% | 37 | 66.8% | 8.7% | 55 | 43.8% | 10.1% |
| **Recipient Residency** | | | | | | | | | | | | |
| U.S. Resident | 1,735 | 89.2% | 0.7% | 1,735 | 85.2% | 0.9% | 3,515 | 79.3% | 0.8% | 5,339 | 71.1% | 0.8% |
| Nonresident Alien | 11 | 90.9% | 8.7% | 11 | 90.9% | 8.7% | 15 | 93.3% | 6.4% | 22 | 90.7% | 6.3% |
| Unknown | 0 | - | - | 0 | - | - | 4 | 50.0% | 25.0% | 11 | 35.4% | 17.7% |
| **Hospitalized at Tx** | | | | | | | | | | | | |
| Not Hospitalized | 1,715 | 89.3% | 0.7% | 1,715 | 85.3% | 0.9% | 3,480 | 79.4% | 0.8% | 5,292 | 71.1% | 0.8% |
| Hospitalized | 24 | 87.5% | 6.8% | 24 | 83.3% | 7.6% | 44 | 78.9% | 6.3% | 65 | 77.4% | 5.3% |
| In Intensive Care | 7 | 85.7% | 13.2% | 7 | 71.4% | 17.1% | 10 | + | + | 15 | 45.0% | 16.1% |
| **Donor Age** | | | | | | | | | | | | |
| <1 Year | 0 | - | - | 0 | - | - | 1 | 100.0% | 0.0% | 2 | 100.0% | 0.0% |
| 1-5 Years | 3 | 100.0% | 0.0% | 3 | 100.0% | 0.0% | 5 | 100.0% | 0.0% | 11 | 77.9% | 14.1% |
| 6-10 Years | 28 | 85.7% | 6.6% | 28 | 85.7% | 6.6% | 65 | 79.2% | 5.2% | 100 | 80.9% | 4.6% |
| 11-17 Years | 343 | 92.4% | 1.4% | 343 | 86.9% | 1.8% | 679 | 80.9% | 1.7% | 1,055 | 74.8% | 1.7% |
| 18-34 Years | 958 | 90.4% | 1.0% | 958 | 86.6% | 1.1% | 1,903 | 80.7% | 1.0% | 2,805 | 72.6% | 1.1% |
| 35-49 Years | 352 | 83.2% | 2.0% | 352 | 80.8% | 2.1% | 763 | 75.8% | 1.7% | 1,231 | 65.1% | 1.7% |
| 50-64 Years | 62 | 88.7% | 4.0% | 62 | 78.7% | 5.3% | 117 | 69.9% | 4.6% | 166 | 59.5% | 4.9% |
| 65+ Years | 0 | - | - | 0 | - | - | 1 | 0.0% | 0.0% | 2 | 50.0% | 35.4% |

Source: OPTN/SRTR Data as of May 1, 2006.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Graft survival follows individual transplants until graft failure. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on kidney-pancreas and pancreas transplants.

Multi-organ transplants are excluded.

# Table 8.10 (Continued)
# Unadjusted Pancreas Graft Survival, Kidney-Pancreas Transplants
# Survival at 3 Months, 1 Year, 3 Years, and 5 Years

| | 3 Months | | | 1 Year | | | 3 Years | | | 5 Years | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | (Tx 2003 - 2004) | | | (Tx 2003 - 2004) | | | (Tx 2001 - 2004) | | | (Tx 1999 - 2004) | | |
| | N | % | Std. Err. | N | % | Std. Err. | N | % | Std. Err. | N | % | Std. Err. |
| **Total** | | | | | | | | | | | | |
| All | 1,746 | 89.2% | 0.7% | 1,746 | 85.2% | 0.9% | 3,534 | 79.3% | 0.8% | 5,372 | 71.1% | 0.8% |
| **Yearly Center Volume** | | | | | | | | | | | | |
| 0-3 | 138 | 86.2% | 2.9% | 138 | 82.4% | 3.3% | 313 | 77.5% | 2.5% | 437 | 70.7% | 2.7% |
| 4-6 | 217 | 87.6% | 2.2% | 217 | 84.2% | 2.5% | 363 | 79.8% | 2.3% | 641 | 72.1% | 2.0% |
| 7-10 | 203 | 86.7% | 2.4% | 203 | 83.0% | 2.7% | 312 | 76.2% | 2.9% | 759 | 66.8% | 2.4% |
| 11-17 | 334 | 87.7% | 1.8% | 334 | 83.7% | 2.0% | 932 | 80.8% | 1.4% | 1,357 | 72.6% | 1.7% |
| 18+ | 854 | 91.3% | 1.0% | 854 | 87.1% | 1.2% | 1,614 | 79.3% | 1.1% | 2,178 | 71.2% | 1.2% |

Source: OPTN/SRTR Data as of May 1, 2006.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Graft survival follows individual transplants until graft failure. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on kidney-pancreas and pancreas transplants.

Multi-organ transplants are excluded.

# Table 8.10 (Continued)
# Unadjusted Pancreas Graft Survival, Kidney-Pancreas Transplants
# Survival at 3 Months, 1 Year, 3 Years, and 5 Years

| | 3 Months | | | 1 Year | | | 3 Years | | | 5 Years | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | (Tx 2003 - 2004) | | | (Tx 2003 - 2004) | | | (Tx 2001 - 2004) | | | (Tx 1999 - 2004) | | |
| | N | % | Std. Err. | N | % | Std. Err. | N | % | Std. Err. | N | % | Std. Err. |
| **Total** | | | | | | | | | | | | |
| All | 1,746 | 89.2% | 0.7% | 1,746 | 85.2% | 0.9% | 3,534 | 79.3% | 0.8% | 5,372 | 71.1% | 0.8% |
| A Locus Mismatch | | | | | | | | | | | | |
| 0 | 161 | 91.9% | 2.1% | 161 | 88.0% | 2.6% | 411 | 78.5% | 2.3% | 655 | 73.0% | 2.1% |
| 1 | 761 | 88.5% | 1.2% | 761 | 84.0% | 1.3% | 1,518 | 79.7% | 1.1% | 2,289 | 71.9% | 1.2% |
| 2 | 823 | 89.3% | 1.1% | 823 | 85.8% | 1.2% | 1,604 | 79.2% | 1.1% | 2,427 | 69.7% | 1.2% |
| Unknown | 1 | 100.0% | 0.0% | 1 | 100.0% | 0.0% | 1 | + | + | 1 | + | + |
| B Locus Mismatch | | | | | | | | | | | | |
| 0 | 57 | 92.9% | 3.4% | 57 | 87.4% | 4.5% | 184 | 78.3% | 3.3% | 333 | 70.8% | 3.0% |
| 1 | 478 | 90.6% | 1.3% | 478 | 85.7% | 1.6% | 991 | 79.2% | 1.4% | 1,532 | 72.4% | 1.4% |
| 2 | 1,210 | 88.5% | 0.9% | 1,210 | 84.9% | 1.0% | 2,358 | 79.6% | 0.9% | 3,506 | 70.5% | 1.0% |
| Unknown | 1 | 100.0% | 0.0% | 1 | 100.0% | 0.0% | 1 | + | + | 1 | + | + |
| DR Locus Mismatch | | | | | | | | | | | | |
| 0 | 155 | 88.3% | 2.6% | 155 | 84.9% | 2.9% | 363 | 78.8% | 2.3% | 549 | 69.7% | 2.4% |
| 1 | 713 | 90.3% | 1.1% | 713 | 86.4% | 1.3% | 1,451 | 81.1% | 1.1% | 2,270 | 72.0% | 1.2% |
| 2 | 878 | 88.5% | 1.1% | 878 | 84.3% | 1.2% | 1,720 | 78.0% | 1.1% | 2,550 | 70.6% | 1.2% |
| Unknown | 0 | - | - | 0 | - | - | 0 | - | - | 3 | 66.7% | 27.2% |
| Total Mismatch | | | | | | | | | | | | |
| 0 | 24 | 95.8% | 4.1% | 24 | 87.1% | 6.9% | 108 | 78.8% | 4.2% | 193 | 69.9% | 3.8% |
| 1 | 20 | 89.7% | 6.9% | 20 | 89.7% | 6.9% | 40 | 76.4% | 7.5% | 69 | 70.0% | 6.7% |
| 2 | 53 | 94.3% | 3.2% | 53 | 92.1% | 3.8% | 120 | 82.6% | 3.9% | 183 | 76.1% | 4.3% |
| 3 | 254 | 88.6% | 2.0% | 254 | 83.2% | 2.4% | 523 | 79.7% | 1.9% | 776 | 72.6% | 2.0% |
| 4 | 438 | 92.0% | 1.3% | 438 | 87.9% | 1.6% | 900 | 80.5% | 1.5% | 1,417 | 72.7% | 1.5% |
| 5 | 603 | 85.7% | 1.4% | 603 | 82.3% | 1.6% | 1,178 | 77.9% | 1.3% | 1,764 | 69.3% | 1.4% |
| 6 | 353 | 90.9% | 1.5% | 353 | 86.9% | 1.8% | 664 | 80.1% | 1.7% | 966 | 70.2% | 2.0% |
| Unknown | 1 | 100.0% | 0.0% | 1 | 100.0% | 0.0% | 1 | + | + | 4 | 66.7% | 27.2% |

Source: OPTN/SRTR Data as of May 1, 2006.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Graft survival follows individual transplants until graft failure. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on kidney-pancreas and pancreas transplants.

Multi-organ transplants are excluded.