Table 2.2
Deceased Donor Characteristics, 1996 to 2005
Kidney Donors

	Year									
	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005
Total	5,038	5,084	5,339	5,386	5,489	5,528	5,638	5,753	6,325	6,700
Donor Age										
<1 Year	37	36	32	45	42	48	38	29	33	36
1-5 Years	178	197	208	174	171	185	171	155	178	175
6-10 Years	154	146	156	152	148	173	137	102	133	94
11-17 Years	609	588	570	514	546	499	508	507	523	494
18-34 Years	1,428	1,422	1,469	1,398	1,437	1,486	1,608	1,586	1,728	1,861
35-49 Years	1,313	1,293	1,394	1,483	1,478	1,492	1,494	1,552	1,692	1,784
50-64 Years	1,030	1,055	1,116	1,197	1,284	1,267	1,291	1,427	1,570	1,721
65+ Years	289	347	394	423	383	378	391	395	468	535
Donor Age (%)										
<1 Year	0.7%	0.7%	0.6%	0.8%	0.8%	0.9%	0.7%	0.5%	0.5%	0.5%
1-5 Years	3.5%	3.9%	3.9%	3.2%	3.1%	3.3%	3.0%	2.7%	2.8%	2.6%
6-10 Years	3.1%	2.9%	2.9%	2.8%	2.7%	3.1%	2.4%	1.8%	2.1%	1.4%
11-17 Years	12.1%	11.6%	10.7%	9.5%	9.9%	9.0%	9.0%	8.8%	8.3%	7.4%
18-34 Years	28.3%	28.0%	27.5%	26.0%	26.2%	26.9%	28.5%	27.6%	27.3%	27.8%
35-49 Years	26.1%	25.4%	26.1%	27.5%	26.9%	27.0%	26.5%	27.0%	26.8%	26.6%
50-64 Years	20.4%	20.8%	20.9%	22.2%	23.4%	22.9%	22.9%	24.8%	24.8%	25.7%
65+ Years	5.7%	6.8%	7.4%	7.9%	7.0%	6.8%	6.9%	6.9%	7.4%	8.0%
Donor Ethnicity/Race										
White	3,881	3,874	4,074	4,077	4,170	4,092	4,116	4,081	4,455	4,631
African American	600	603	592	569	610	635	698	740	824	938
Hispanic/Latino	412	458	519	565	559	637	662	738	844	924
Asian	96	111	110	136	132	143	120	144	153	141
Other/Multi-race	16	16	9	21	16	17	38	34	49	66
Unknown	33	22	35	18	2	4	4	16	-	-
Donor Ethnicity/Race (%)										
White	77.0%	76.2%	76.3%	75.7%	76.0%	74.0%	73.0%	70.9%	70.4%	69.1%
African American	11.9%	11.9%	11.1%	10.6%	11.1%	11.5%	12.4%	12.9%	13.0%	14.0%
Hispanic/Latino	8.2%	9.0%	9.7%	10.5%	10.2%	11.5%	11.7%	12.8%	13.3%	13.8%
Asian	1.9%	2.2%	2.1%	2.5%	2.4%	2.6%	2.1%	2.5%	2.4%	2.1%
Other/Multi-race	0.3%	0.3%	0.2%	0.4%	0.3%	0.3%	0.7%	0.6%	0.8%	1.0%
Unknown	0.7%	0.4%	0.7%	0.3%	0.0%	0.1%	0.1%	0.3%	-	-

Source: OPTN/SRTR Data as of May 1, 2006.
Notes:
(%) = Percentages are calculated based on totals including missing and unknown cases.
(-) = None in category.
Includes donors of organs recovered for transplant and not used, as well as those transplanted.
Form changes on April 1, 1994 changed the way Cause of Death, Circumstance of Death, and Mechanism of Death were collected.
Donors are divided into four mutually exclusive and complete categories. All donors meeting the criteria for Expanded Criteria Donors for Kidney are classified as ECD, regardless of whether the kidneys were allocated under the ECD system, falling into either the ECD or the ECD-DCD category. Non-ECDs include all other donors, including SCDs and "DCD non-ECDs".
Not all recovered organs are actually transplanted. Data tables pertaining to the recovery and disposition of organs are presented in Section 3, Deceased Donor Organ Recovery and Disposition.

Table 2.2 (Continued)
Deceased Donor Characteristics, 1996 to 2005
Kidney Donors

	Year									
	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005
Total	5,038	5,084	5,339	5,386	5,489	5,528	5,638	5,753	6,325	6,700
Donor Gender										
Female	2,060	2,071	2,257	2,292	2,301	2,290	2,282	2,380	2,675	2,773
Male	2,978	3,013	3,082	3,094	3,188	3,238	3,356	3,373	3,650	3,927
Donor Gender (%)										
Female	40.9%	40.7%	42.3%	42.6%	41.9%	41.4%	40.5%	41.4%	42.3%	41.4%
Male	59.1%	59.3%	57.7%	57.4%	58.1%	58.6%	59.5%	58.6%	57.7%	58.6%
Donor Blood Type										
O	2,343	2,427	2,535	2,493	2,603	2,586	2,634	2,813	3,028	3,214
A	1,998	1,916	2,026	2,057	2,079	2,120	2,169	2,125	2,342	2,493
B	521	551	614	637	618	635	635	617	757	746
AB	176	190	164	199	189	187	200	198	198	247
Donor Blood Type (%)										
O	46.5%	47.7%	47.5%	46.3%	47.4%	46.8%	46.7%	48.9%	47.9%	48.0%
A	39.7%	37.7%	37.9%	38.2%	37.9%	38.4%	38.5%	36.9%	37.0%	37.2%
B	10.3%	10.8%	11.5%	11.8%	11.3%	11.5%	11.3%	10.7%	12.0%	11.1%
AB	3.5%	3.7%	3.1%	3.7%	3.4%	3.4%	3.5%	3.4%	3.1%	3.7%
Donor Category										
Standard Criteria Donor(SCD)	4,104	4,060	4,240	4,208	4,288	4,318	4,375	4,329	4,677	4,701
Expanded Criteria Donor(ECD)	865	947	1,025	1,091	1,088	1,049	1,080	1,170	1,277	1,469
Donation After Cardiac Death, non ECD(DCD non-ECD)	55	69	66	76	102	142	155	208	308	437
ECD-DCD	14	8	8	11	11	19	28	46	63	93
Donor Category (%)										
Standard Criteria Donor(SCD)	81.5%	79.9%	79.4%	78.1%	78.1%	78.1%	77.6%	75.2%	73.9%	70.2%
Expanded Criteria Donor(ECD)	17.2%	18.6%	19.2%	20.3%	19.8%	19.0%	19.2%	20.3%	20.2%	21.9%
Donation After Cardiac Death, non ECD(DCD non-ECD)	1.1%	1.4%	1.2%	1.4%	1.9%	2.6%	2.7%	3.6%	4.9%	6.5%
ECD-DCD	0.3%	0.2%	0.1%	0.2%	0.2%	0.3%	0.5%	0.8%	1.0%	1.4%

Source: OPTN/SRTR Data as of May 1, 2006.

Notes:

(%) = Percentages are calculated based on totals including missing and unknown cases.

(-) = None in category.

Includes donors of organs recovered for transplant and not used, as well as those transplanted.

Form changes on April 1, 1994 changed the way Cause of Death, Circumstance of Death, and Mechanism of Death were collected.

Donors are divided into four mutually exclusive and complete categories. All donors meeting the criteria for Expanded Criteria Donors for Kidney are classified as ECD, regardless of whether the kidneys were allocated under the ECD system, falling into either the ECD or the ECD-DCD category. Non-ECDs include all other donors, including SCDs and "DCD non-ECDs".

Not all recovered organs are actually transplanted. Data tables pertaining to the recovery and disposition of organs are presented in Section 3, Deceased Donor Organ Recovery and Disposition.

Table 2.2 (Continued)
Deceased Donor Characteristics, 1996 to 2005
Kidney Donors

	Year									
	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005
Total	5,038	5,084	5,339	5,386	5,489	5,528	5,638	5,753	6,325	6,700
Cause of Death										
Anoxia	453	490	528	559	510	595	628	697	832	935
Cerebrovascular/Stroke	2,090	2,046	2,262	2,284	2,357	2,332	2,340	2,389	2,678	2,804
Head Trauma	2,347	2,382	2,390	2,325	2,411	2,421	2,490	2,472	2,639	2,750
CNS Tumor	45	55	49	56	57	46	49	43	50	46
Other	73	92	77	148	153	133	131	152	124	122
Unknown	30	19	33	14	1	1	-	-	2	43
Cause of Death (%)										
Anoxia	9.0%	9.6%	9.9%	10.4%	9.3%	10.8%	11.1%	12.1%	13.2%	14.0%
Cerebrovascular/Stroke	41.5%	40.2%	42.4%	42.4%	42.9%	42.2%	41.5%	41.5%	42.3%	41.9%
Head Trauma	46.6%	46.9%	44.8%	43.2%	43.9%	43.8%	44.2%	43.0%	41.7%	41.0%
CNS Tumor	0.9%	1.1%	0.9%	1.0%	1.0%	0.8%	0.9%	0.7%	0.8%	0.7%
Other	1.4%	1.8%	1.4%	2.7%	2.8%	2.4%	2.3%	2.6%	2.0%	1.8%
Unknown	0.6%	0.4%	0.6%	0.3%	0.0%	0.0%	-	-	0.0%	0.6%
Circumstance of Death										
MVA	1,295	1,346	1,351	1,302	1,398	1,329	1,422	1,385	1,472	1,453
Suicide	462	441	454	428	432	416	414	441	503	523
Homicide	359	325	301	294	312	344	340	340	376	433
Child Abuse	32	42	35	33	40	52	36	54	37	42
Non-MVA	456	496	526	515	419	489	470	436	552	607
Other	2,404	2,415	2,641	2,800	2,887	2,897	2,956	3,097	3,383	3,599
Unknown	30	19	31	14	1	1	-	-	2	43
Circumstance of Death (%)										
MVA	25.7%	26.5%	25.3%	24.2%	25.5%	24.0%	25.2%	24.1%	23.3%	21.7%
Suicide	9.2%	8.7%	8.5%	7.9%	7.9%	7.5%	7.3%	7.7%	8.0%	7.8%
Homicide	7.1%	6.4%	5.6%	5.5%	5.7%	6.2%	6.0%	5.9%	5.9%	6.5%
Child Abuse	0.6%	0.8%	0.7%	0.6%	0.7%	0.9%	0.6%	0.9%	0.6%	0.6%
Non-MVA	9.1%	9.8%	9.9%	9.6%	7.6%	8.8%	8.3%	7.6%	8.7%	9.1%
Other	47.7%	47.5%	49.5%	52.0%	52.6%	52.4%	52.4%	53.8%	53.5%	53.7%
Unknown	0.6%	0.4%	0.6%	0.3%	0.0%	0.0%	-	-	0.0%	0.6%

Source: OPTN/SRTR Data as of May 1, 2006.
Notes:

(%) = Percentages are calculated based on totals including missing and unknown cases.
(-) = None in category.
Includes donors of organs recovered for transplant and not used, as well as those transplanted.
Form changes on April 1, 1994 changed the way Cause of Death, Circumstance of Death, and Mechanism of Death were collected.
Donors are divided into four mutually exclusive and complete categories. All donors meeting the criteria for Expanded Criteria Donors for Kidney are classified as ECD, regardless of whether the kidneys were allocated under the ECD system, falling into either the ECD or the ECD-DCD category. Non-ECDs include all other donors, including SCDs and "DCD non-ECDs".
Not all recovered organs are actually transplanted. Data tables pertaining to the recovery and disposition of organs are presented in Section 3, Deceased Donor Organ Recovery and Disposition.

Table 2.2 (Continued)
Deceased Donor Characteristics, 1996 to 2005
Kidney Donors

	Year									
	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005
Total	5,038	5,084	5,339	5,386	5,489	5,528	5,638	5,753	6,325	6,700
Mechanism of Death										
Drowning	36	34	53	42	37	53	36	28	57	50
Seizure	34	31	41	28	35	35	31	48	39	50
Drug Intoxication	44	39	57	52	47	65	80	107	156	134
Asphyxiation	137	108	125	139	118	127	123	105	140	151
Cardiovascular	182	203	219	274	273	330	354	407	498	576
Gunshot/Stab	701	665	609	593	587	597	573	601	629	726
Blunt Injury	1,573	1,619	1,643	1,582	1,686	1,645	1,734	1,711	1,817	1,854
SIDS	1	5	5	3	2	2	1	1	1	3
Intracranial Hemorrhage/Stroke	2,142	2,192	2,385	2,472	2,537	2,479	2,509	2,516	2,768	2,843
Natural Causes	-	2	3	19	34	50	60	83	74	74
Other	158	167	168	168	132	144	137	146	144	196
Unknown	30	19	31	14	1	1	-	-	2	43
Mechanism of Death (%)										
Drowning	0.7%	0.7%	1.0%	0.8%	0.7%	1.0%	0.6%	0.5%	0.9%	0.7%
Seizure	0.7%	0.6%	0.8%	0.5%	0.6%	0.6%	0.5%	0.8%	0.6%	0.7%
Drug Intoxication	0.9%	0.8%	1.1%	1.0%	0.9%	1.2%	1.4%	1.9%	2.5%	2.0%
Asphyxiation	2.7%	2.1%	2.3%	2.6%	2.1%	2.3%	2.2%	1.8%	2.2%	2.3%
Cardiovascular	3.6%	4.0%	4.1%	5.1%	5.0%	6.0%	6.3%	7.1%	7.9%	8.6%
Gunshot/Stab	13.9%	13.1%	11.4%	11.0%	10.7%	10.8%	10.2%	10.4%	9.9%	10.8%
Blunt Injury	31.2%	31.8%	30.8%	29.4%	30.7%	29.8%	30.8%	29.7%	28.7%	27.7%
SIDS	0.0%	0.1%	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Intracranial Hemorrhage/Stroke	42.5%	43.1%	44.7%	45.9%	46.2%	44.8%	44.5%	43.7%	43.8%	42.4%
Natural Causes	-	0.0%	0.1%	0.4%	0.6%	0.9%	1.1%	1.4%	1.2%	1.1%
Other	3.1%	3.3%	3.1%	3.1%	2.4%	2.6%	2.4%	2.5%	2.3%	2.9%
Unknown	0.6%	0.4%	0.6%	0.3%	0.0%	0.0%	-	-	0.0%	0.6%

Source: OPTN/SRTR Data as of May 1, 2006.

Notes:

(%) = Percentages are calculated based on totals including missing and unknown cases.

(-) = None in category.

Includes donors of organs recovered for transplant and not used, as well as those transplanted.

Form changes on April 1, 1994 changed the way Cause of Death, Circumstance of Death, and Mechanism of Death were collected.

Donors are divided into four mutually exclusive and complete categories. All donors meeting the criteria for Expanded Criteria Donors for Kidney are classified as ECD, regardless of whether the kidneys were allocated under the ECD system, falling into either the ECD or the ECD-DCD category. Non-ECDs include all other donors, including SCDs and "DCD non-ECDs".

Not all recovered organs are actually transplanted. Data tables pertaining to the recovery and disposition of organs are presented in Section 3, Deceased Donor Organ Recovery and Disposition.