# Table 7.4
# Transplant Recipient Characteristics, 1996 to 2005
# Pancreas After Kidney (PAK) Recipients

| | Year of Transplant | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | 1996 | 1997 | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 |
| **Total** | 113 | 130 | 156 | 220 | 304 | 305 | 375 | 344 | 420 | 344 |
| **Age at Transplant** | | | | | | | | | | |
| 1-5 Years | - | - | - | - | - | - | - | - | - | 1 |
| 11-17 Years | - | - | - | - | - | - | 1 | - | 1 | - |
| 18-34 Years | 30 | 30 | 32 | 42 | 65 | 51 | 73 | 52 | 86 | 62 |
| 35-49 Years | 81 | 91 | 103 | 152 | 189 | 216 | 233 | 241 | 269 | 220 |
| 50-64 Years | 2 | 9 | 21 | 26 | 50 | 37 | 67 | 51 | 64 | 60 |
| 65+ Years | - | - | - | - | - | 1 | 1 | - | - | 1 |
| **Age at Transplant (%)** | | | | | | | | | | |
| 1-5 Years | - | - | - | - | - | - | - | - | - | 0.3% |
| 11-17 Years | - | - | - | - | - | - | 0.3% | - | 0.2% | - |
| 18-34 Years | 26.5% | 23.1% | 20.5% | 19.1% | 21.4% | 16.7% | 19.5% | 15.1% | 20.5% | 18.0% |
| 35-49 Years | 71.7% | 70.0% | 66.0% | 69.1% | 62.2% | 70.8% | 62.1% | 70.1% | 64.0% | 64.0% |
| 50-64 Years | 1.8% | 6.9% | 13.5% | 11.8% | 16.4% | 12.1% | 17.9% | 14.8% | 15.2% | 17.4% |
| 65+ Years | - | - | - | - | - | 0.3% | 0.3% | - | - | 0.3% |
| **Recipient Ethnicity/Race** | | | | | | | | | | |
| White | 107 | 118 | 148 | 201 | 278 | 257 | 319 | 299 | 367 | 282 |
| African American | 3 | 10 | 7 | 12 | 14 | 27 | 30 | 21 | 23 | 35 |
| Hispanic/Latino | 1 | 1 | 1 | 3 | 11 | 16 | 22 | 16 | 25 | 23 |
| Asian | - | 1 | - | - | - | 2 | 3 | 4 | 3 | 2 |
| Other/Multi-race | 2 | - | - | 4 | 1 | 3 | 1 | 4 | 2 | 2 |
| **Recipient Ethnicity/Race (%)** | | | | | | | | | | |
| White | 94.7% | 90.8% | 94.9% | 91.4% | 91.4% | 84.3% | 85.1% | 86.9% | 87.4% | 82.0% |
| African American | 2.7% | 7.7% | 4.5% | 5.5% | 4.6% | 8.9% | 8.0% | 6.1% | 5.5% | 10.2% |
| Hispanic/Latino | 0.9% | 0.8% | 0.6% | 1.4% | 3.6% | 5.2% | 5.9% | 4.7% | 6.0% | 6.7% |
| Asian | - | 0.8% | - | - | - | 0.7% | 0.8% | 1.2% | 0.7% | 0.6% |
| Other/Multi-race | 1.8% | - | - | 1.8% | 0.3% | 1.0% | 0.3% | 1.2% | 0.5% | 0.6% |
| **Recipient Gender** | | | | | | | | | | |
| Female | 49 | 49 | 68 | 92 | 141 | 125 | 158 | 142 | 178 | 150 |
| Male | 64 | 81 | 88 | 128 | 163 | 180 | 217 | 202 | 242 | 194 |
| **Recipient Gender (%)** | | | | | | | | | | |
| Female | 43.4% | 37.7% | 43.6% | 41.8% | 46.4% | 41.0% | 42.1% | 41.3% | 42.4% | 43.6% |
| Male | 56.6% | 62.3% | 56.4% | 58.2% | 53.6% | 59.0% | 57.9% | 58.7% | 57.6% | 56.4% |

Source: OPTN/SRTR Data as of May 1, 2006.
Notes:
(-) = None in category.
These data include multi-organ transplants, other than kidney-pancreas, in which a deceased donor pancreas after kidney (pak) was one of the organs transplanted.

# Table 7.4 (Continued)
# Transplant Recipient Characteristics, 1996 to 2005
# Pancreas After Kidney (PAK) Recipients

| | Year of Transplant | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | 1996 | 1997 | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 |
| **Total** | 113 | 130 | 156 | 220 | 304 | 305 | 375 | 344 | 420 | 344 |
| **Recipient Blood Type** | | | | | | | | | | |
| O | 36 | 54 | 57 | 92 | 122 | 127 | 139 | 147 | 178 | 152 |
| A | 61 | 53 | 80 | 95 | 128 | 133 | 165 | 134 | 163 | 134 |
| B | 13 | 15 | 15 | 24 | 39 | 35 | 49 | 45 | 59 | 41 |
| AB | 3 | 8 | 4 | 9 | 15 | 10 | 22 | 18 | 20 | 17 |
| **Recipient Blood Type (%)** | | | | | | | | | | |
| O | 31.9% | 41.5% | 36.5% | 41.8% | 40.1% | 41.6% | 37.1% | 42.7% | 42.4% | 44.2% |
| A | 54.0% | 40.8% | 51.3% | 43.2% | 42.1% | 43.6% | 44.0% | 39.0% | 38.8% | 39.0% |
| B | 11.5% | 11.5% | 9.6% | 10.9% | 12.8% | 11.5% | 13.1% | 13.1% | 14.0% | 11.9% |
| AB | 2.7% | 6.2% | 2.6% | 4.1% | 4.9% | 3.3% | 5.9% | 5.2% | 4.8% | 4.9% |
| **Previous PA/KP Tx** | | | | | | | | | | |
| No | 80 | 89 | 108 | 138 | 226 | 223 | 302 | 278 | 323 | 273 |
| Yes | 33 | 41 | 48 | 82 | 78 | 82 | 73 | 66 | 97 | 71 |
| **Previous PA/KP Tx (%)** | | | | | | | | | | |
| No | 70.8% | 68.5% | 69.2% | 62.7% | 74.3% | 73.1% | 80.5% | 80.8% | 76.9% | 79.4% |
| Yes | 29.2% | 31.5% | 30.8% | 37.3% | 25.7% | 26.9% | 19.5% | 19.2% | 23.1% | 20.6% |
| **Primary Payment Source** | | | | | | | | | | |
| Private Insurance | 57 | 82 | 109 | 124 | 172 | 153 | 168 | 179 | 201 | 155 |
| Medicare | 37 | 33 | 31 | 78 | 121 | 138 | 193 | 157 | 198 | 169 |
| Medicaid | 7 | 9 | 10 | 10 | 7 | 12 | 9 | 8 | 16 | 13 |
| Other | 8 | 5 | 5 | 6 | 4 | 2 | 5 | - | 5 | 3 |
| Unknown | 4 | 1 | 1 | 2 | - | - | - | - | - | 4 |
| **Primary Payment Source (%)** | | | | | | | | | | |
| Private Insurance | 50.4% | 63.1% | 69.9% | 56.4% | 56.6% | 50.2% | 44.8% | 52.0% | 47.9% | 45.1% |
| Medicare | 32.7% | 25.4% | 19.9% | 35.5% | 39.8% | 45.2% | 51.5% | 45.6% | 47.1% | 49.1% |
| Medicaid | 6.2% | 6.9% | 6.4% | 4.5% | 2.3% | 3.9% | 2.4% | 2.3% | 3.8% | 3.8% |
| Other | 7.1% | 3.8% | 3.2% | 2.7% | 1.3% | 0.7% | 1.3% | - | 1.2% | 0.9% |
| Unknown | 3.5% | 0.8% | 0.6% | 0.9% | - | - | - | - | - | 1.2% |

Source: OPTN/SRTR Data as of May 1, 2006.
Notes:
(-) = None in category.
These data include multi-organ transplants, other than kidney-pancreas, in which a deceased donor pancreas after kidney (pak) was one of the organs transplanted.

# Table 7.4 (Continued)
# Transplant Recipient Characteristics, 1996 to 2005
# Pancreas After Kidney (PAK) Recipients

| | Year of Transplant | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | 1996 | 1997 | 1998 | 1999 | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 |
| **Total** | 113 | 130 | 156 | 220 | 304 | 305 | 375 | 344 | 420 | 344 |
| **Recipient Residency** | | | | | | | | | | |
| U.S. Resident | 112 | 127 | 151 | 217 | 303 | 305 | 375 | 344 | 420 | 344 |
| Nonresident Alien | - | - | 1 | - | - | - | - | - | - | - |
| Unknown | 1 | 3 | 4 | 3 | 1 | - | - | - | - | - |
| **Recipient Residency (%)** | | | | | | | | | | |
| U.S. Resident | 99.1% | 97.7% | 96.8% | 98.6% | 99.7% | 100.0% | 100.0% | 100.0% | 100.0% | 100.0% |
| Nonresident Alien | - | - | 0.6% | - | - | - | - | - | - | - |
| Unknown | 0.9% | 2.3% | 2.6% | 1.4% | 0.3% | - | - | - | - | - |
| **Hospitalized at Tx** | | | | | | | | | | |
| Not Hospitalized | 109 | 125 | 149 | 211 | 296 | 294 | 369 | 339 | 414 | 329 |
| Hospitalized | 3 | 5 | 4 | 6 | 5 | 8 | 5 | 5 | 5 | 9 |
| In Intensive Care | - | - | 2 | 2 | 3 | 3 | 1 | - | 1 | 2 |
| Unknown | 1 | - | 1 | 1 | - | - | - | - | - | 4 |
| **Hospitalized at Tx (%)** | | | | | | | | | | |
| Not Hospitalized | 96.5% | 96.2% | 95.5% | 95.9% | 97.4% | 96.4% | 98.4% | 98.5% | 98.6% | 95.6% |
| Hospitalized | 2.7% | 3.8% | 2.6% | 2.7% | 1.6% | 2.6% | 1.3% | 1.5% | 1.2% | 2.6% |
| In Intensive Care | - | - | 1.3% | 0.9% | 1.0% | 1.0% | 0.3% | - | 0.2% | 0.6% |
| Unknown | 0.9% | - | 0.6% | 0.5% | - | - | - | - | - | 1.2% |
| **Cold Ischemic Time** | | | | | | | | | | |
| 0-11 Hours | 30 | 27 | 26 | 38 | 65 | 74 | 90 | 82 | 129 | 119 |
| 12-21 Hours | 58 | 70 | 86 | 110 | 144 | 130 | 165 | 149 | 166 | 135 |
| 22-31 Hours | 12 | 20 | 23 | 37 | 28 | 25 | 38 | 20 | 32 | 27 |
| 32-41 Hours | 1 | - | 1 | 3 | - | - | 1 | - | 2 | 1 |
| 42+ Hours | 2 | 1 | - | - | 1 | - | - | 2 | - | - |
| Unknown | 10 | 12 | 20 | 32 | 66 | 76 | 81 | 91 | 91 | 62 |
| **Cold Ischemic Time (%)** | | | | | | | | | | |
| 0-11 Hours | 26.5% | 20.8% | 16.7% | 17.3% | 21.4% | 24.3% | 24.0% | 23.8% | 30.7% | 34.6% |
| 12-21 Hours | 51.3% | 53.8% | 55.1% | 50.0% | 47.4% | 42.6% | 44.0% | 43.3% | 39.5% | 39.2% |
| 22-31 Hours | 10.6% | 15.4% | 14.7% | 16.8% | 9.2% | 8.2% | 10.1% | 5.8% | 7.6% | 7.8% |
| 32-41 Hours | 0.9% | - | 0.6% | 1.4% | - | - | 0.3% | - | 0.5% | 0.3% |
| 42+ Hours | 1.8% | 0.8% | - | - | 0.3% | - | - | 0.6% | - | - |
| Unknown | 8.8% | 9.2% | 12.8% | 14.5% | 21.7% | 24.9% | 21.6% | 26.5% | 21.7% | 18.0% |

Source: OPTN/SRTR Data as of May 1, 2006.
Notes:
(-) = None in category.
These data include multi-organ transplants, other than kidney-pancreas, in which a deceased donor pancreas after kidney (pak) was one of the organs transplanted.