Table 8.14
Unadjusted Patient Survival, Kidney-Pancreas Transplants
Survival at 3 Months, 1 Year, 3 Years, and 5 Years

	3 Months			1 Year			3 Years			5 Years		
	(Tx 2003 - 2004)			(Tx 2003 - 2004)			(Tx 2001 - 2004)			(Tx 1999 - 2004)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Total												
All	1,728	97.7%	0.4%	1,728	95.1%	0.5%	3,497	90.8%	0.5%	5,317	85.8%	0.6%
Age at Tx												
1-5 Years	0	-	-	0	-	-	0	-	-	1	100.0%	0.0%
11-17 Years	0	-	-	0	-	-	0	-	-	1	100.0%	0.0%
18-34 Years	423	98.1%	0.7%	423	96.0%	1.0%	880	92.0%	1.0%	1,352	87.6%	1.2%
35-49 Years	1,011	97.8%	0.5%	1,011	95.7%	0.6%	2,043	91.3%	0.7%	3,171	86.0%	0.8%
50-64 Years	292	96.9%	1.0%	292	91.8%	1.6%	569	86.7%	1.6%	785	81.8%	1.8%
65+ Years	2	100.0%	0.0%	2	100.0%	0.0%	5	100.0%	0.0%	7	50.0%	35.4%
Recipient Ethnicity/Race												
White	1,278	98.1%	0.4%	1,278	95.2%	0.6%	2,681	90.9%	0.6%	4,198	86.0%	0.7%
African American	262	96.9%	1.1%	262	95.0%	1.3%	474	89.1%	1.6%	661	82.9%	1.9%
Hispanic/Latino	155	96.8%	1.4%	155	95.5%	1.7%	281	93.4%	1.7%	377	88.7%	2.2%
Asian	22	100.0%	0.0%	22	100.0%	0.0%	44	92.0%	4.5%	54	85.2%	6.7%
Other/Multi-race	11	81.8%	11.6%	11	72.7%	13.4%	17	82.4%	9.2%	27	79.1%	8.6%
Recipient Gender												
Female	665	98.3%	0.5%	665	96.7%	0.7%	1,375	91.2%	0.9%	2,120	85.7%	1.0%
Male	1,063	97.4%	0.5%	1,063	94.2%	0.7%	2,122	90.5%	0.7%	3,197	85.8%	0.8%
Recipient Blood Type												
O	817	97.2%	0.6%	817	94.7%	0.8%	1,602	89.5%	0.9%	2,422	85.6%	0.9%
A	633	98.1%	0.5%	633	95.7%	0.8%	1,347	91.6%	0.8%	2,060	85.8%	1.0%
B	199	98.5%	0.9%	199	94.5%	1.6%	405	93.5%	1.3%	617	87.3%	1.7%
AB	79	98.7%	1.3%	79	96.2%	2.2%	143	88.4%	3.1%	218	83.1%	3.2%

Source: OPTN/SRTR Data as of May 1, 2006.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on Kidney-Pancreas transplants.

Multi-organ transplants are excluded.

Table 8.14 (Continued)
Unadjusted Patient Survival, Kidney-Pancreas Transplants
Survival at 3 Months, 1 Year, 3 Years, and 5 Years

	3 Months			1 Year			3 Years			5 Years		
	(Tx 2003 - 2004)			(Tx 2003 - 2004)			(Tx 2001 - 2004)			(Tx 1999 - 2004)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Total												
All	1,728	97.7%	0.4%	1,728	95.1%	0.5%	3,497	90.8%	0.5%	5,317	85.8%	0.6%
Recipient Residency												
U.S. Resident	1,717	97.7%	0.4%	1,717	95.1%	0.5%	3,478	90.8%	0.5%	5,284	85.8%	0.6%
Nonresident Alien	11	100.0%	0.0%	11	100.0%	0.0%	15	100.0%	0.0%	22	79.5%	15.0%
Unknown	0	-	-	0	-	-	4	50.0%	25.0%	11	72.7%	13.4%
Hospitalized at Tx												
Not Hospitalized	1,697	97.8%	0.4%	1,697	95.3%	0.5%	3,444	90.9%	0.5%	5,238	85.9%	0.6%
Hospitalized	24	95.8%	4.1%	24	87.5%	6.8%	43	83.2%	6.8%	64	84.1%	5.0%
In Intensive Care	7	100.0%	0.0%	7	71.4%	17.1%	10	66.7%	16.1%	15	43.5%	19.7%
Donor Age												
<1 Year	0	-	-	0	-	-	1	100.0%	0.0%	2	100.0%	0.0%
1-5 Years	3	100.0%	0.0%	3	100.0%	0.0%	5	100.0%	0.0%	11	90.9%	8.7%
6-10 Years	28	100.0%	0.0%	28	100.0%	0.0%	64	93.2%	3.3%	98	92.4%	3.1%
11-17 Years	337	98.5%	0.7%	337	94.7%	1.2%	669	90.9%	1.3%	1,042	86.5%	1.3%
18-34 Years	950	97.6%	0.5%	950	95.6%	0.7%	1,887	90.8%	0.8%	2,787	86.5%	0.8%
35-49 Years	348	96.8%	0.9%	348	94.0%	1.3%	755	90.4%	1.2%	1,213	83.6%	1.3%
50-64 Years	62	100.0%	0.0%	62	95.2%	2.7%	115	91.3%	2.6%	162	81.5%	4.0%
65+ Years	0	-	-	0	-	-	1	0.0%	0.0%	2	50.0%	35.4%

Source: OPTN/SRTR Data as of May 1, 2006.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on Kidney-Pancreas transplants.

Multi-organ transplants are excluded.

Table 8.14 (Continued)
Unadjusted Patient Survival, Kidney-Pancreas Transplants
Survival at 3 Months, 1 Year, 3 Years, and 5 Years

	3 Months			1 Year			3 Years			5 Years		
	(Tx 2003 - 2004)			(Tx 2003 - 2004)			(Tx 2001 - 2004)			(Tx 1999 - 2004)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Total												
All	1,728	97.7%	0.4%	1,728	95.1%	0.5%	3,497	90.8%	0.5%	5,317	85.8%	0.6%
Cold Ischemic Time												
0-11 Hours	672	97.8%	0.6%	672	95.2%	0.8%	1,301	90.3%	0.9%	1,912	85.6%	1.0%
12-21 Hours	643	97.0%	0.7%	643	95.2%	0.8%	1,303	91.3%	0.9%	2,063	86.2%	1.0%
22-31 Hours	61	100.0%	0.0%	61	93.4%	3.2%	172	91.6%	2.3%	334	84.0%	2.3%
32-41 Hours	5	100.0%	0.0%	5	80.0%	17.9%	10	90.0%	9.5%	15	86.7%	8.8%
42+ Hours	3	100.0%	0.0%	3	100.0%	0.0%	4	+	+	6	75.0%	21.7%
Unknown	344	98.5%	0.6%	344	95.3%	1.1%	707	90.5%	1.2%	987	86.0%	1.4%
Yearly Center Volume												
0-3	263	96.2%	1.2%	263	93.2%	1.6%	571	89.9%	1.4%	704	84.3%	1.8%
4-6	241	97.9%	0.9%	241	96.3%	1.2%	384	90.3%	1.7%	857	83.4%	1.6%
7-9	220	98.2%	0.9%	220	96.4%	1.3%	481	92.7%	1.4%	539	89.0%	1.6%
10-16	428	97.7%	0.7%	428	94.2%	1.1%	854	91.0%	1.1%	1,693	87.6%	1.0%
17+	576	98.3%	0.5%	576	95.8%	0.8%	1,207	90.4%	1.0%	1,524	84.8%	1.2%

Source: OPTN/SRTR Data as of May 1, 2006.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on Kidney-Pancreas transplants.

Multi-organ transplants are excluded.

Table 8.14 (Continued)
Unadjusted Patient Survival, Kidney-Pancreas Transplants
Survival at 3 Months, 1 Year, 3 Years, and 5 Years

	3 Months			1 Year			3 Years			5 Years		
	(Tx 2003 - 2004)			(Tx 2003 - 2004)			(Tx 2001 - 2004)			(Tx 1999 - 2004)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Total												
All	1,728	97.7%	0.4%	1,728	95.1%	0.5%	3,497	90.8%	0.5%	5,317	85.8%	0.6%
A Locus Mismatch												
0	155	98.1%	1.1%	155	97.4%	1.3%	399	88.6%	1.8%	637	88.0%	1.5%
1	756	97.1%	0.6%	756	94.4%	0.8%	1,504	91.0%	0.8%	2,268	85.4%	1.0%
2	816	98.3%	0.5%	816	95.3%	0.7%	1,593	91.3%	0.8%	2,411	85.5%	0.9%
Unknown	1	100.0%	0.0%	1	100.0%	0.0%	1	+	+	1	+	+
B Locus Mismatch												
0	52	96.2%	2.7%	52	96.2%	2.7%	175	89.5%	2.5%	320	86.1%	2.2%
1	470	98.5%	0.6%	470	96.0%	0.9%	980	91.1%	1.0%	1,514	87.2%	1.1%
2	1,205	97.5%	0.4%	1,205	94.8%	0.6%	2,341	90.8%	0.7%	3,482	85.1%	0.8%
Unknown	1	100.0%	0.0%	1	100.0%	0.0%	1	+	+	1	+	+
DR Locus Mismatch												
0	149	96.0%	1.6%	149	92.6%	2.1%	350	88.4%	1.9%	534	85.7%	1.8%
1	709	98.3%	0.5%	709	96.3%	0.7%	1,441	92.6%	0.8%	2,251	86.7%	0.9%
2	870	97.6%	0.5%	870	94.6%	0.8%	1,706	89.7%	0.8%	2,529	85.0%	0.9%
Unknown	0	-	-	0	-	-	0	-	-	3	100.0%	0.0%
Total Mismatch												
0	20	95.0%	4.9%	20	95.0%	4.9%	100	89.3%	3.2%	183	86.8%	2.7%
1	20	100.0%	0.0%	20	100.0%	0.0%	40	88.2%	6.6%	69	87.1%	4.6%
2	53	98.1%	1.9%	53	96.2%	2.6%	120	89.2%	3.3%	181	87.9%	3.0%
3	250	97.6%	1.0%	250	94.0%	1.5%	515	90.1%	1.5%	762	86.3%	1.6%
4	432	98.4%	0.6%	432	97.0%	0.8%	888	92.1%	1.0%	1,403	86.8%	1.2%
5	600	96.5%	0.8%	600	94.0%	1.0%	1,171	90.9%	0.9%	1,752	84.9%	1.1%
6	352	99.1%	0.5%	352	95.2%	1.1%	662	90.2%	1.3%	963	84.6%	1.5%
Unknown	1	100.0%	0.0%	1	100.0%	0.0%	1	+	+	4	100.0%	0.0%

Source: OPTN/SRTR Data as of May 1, 2006.
Notes:
(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.
Cohorts are transplants performed during the years listed at the top of the table.
Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.
Center volume = Center's yearly transplants performed during the base period, based on Kidney-Pancreas transplants.
Multi-organ transplants are excluded.