Table 10.14
Unadjusted Patient Survival, Intestine Transplants
Survival at 3 Months, 1 Year, 3 Years, and 5 Years

	3 Months			1 Year			3 Years			5 Years		
	(Tx 2003 - 2004)			(Tx 2003 - 2004)			(Tx 2001 - 2004)			(Tx 1999 - 2004)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Total												
All	242	88.8%	2.0%	242	80.2%	2.6%	438	62.7%	2.8%	563	53.0%	2.9%
Age at Tx												
<1 Year	30	93.3%	4.6%	30	66.7%	8.6%	63	59.7%	6.5%	84	51.0%	5.8%
1-5 Years	93	84.9%	3.7%	93	79.6%	4.2%	152	59.9%	5.1%	194	53.4%	4.6%
6-10 Years	14	92.9%	6.9%	14	85.7%	9.4%	27	65.8%	10.3%	36	69.0%	8.4%
11-17 Years	16	93.8%	6.1%	16	93.8%	6.1%	26	76.3%	11.9%	30	61.3%	18.9%
18-34 Years	25	88.0%	6.5%	25	80.0%	8.0%	51	61.3%	7.7%	70	41.2%	8.5%
35-49 Years	40	90.0%	4.7%	40	85.0%	5.6%	75	68.9%	6.6%	99	56.9%	7.6%
50-64 Years	22	95.5%	4.4%	22	86.4%	7.3%	41	55.2%	10.4%	47	48.7%	10.0%
65+ Years	2	50.0%	35.4%	2	0.0%	0.0%	3	33.3%	27.2%	3	+	+
Recipient Ethnicity/Race												
White	176	89.2%	2.3%	176	81.8%	2.9%	310	63.4%	3.3%	392	54.3%	3.7%
African American	25	84.0%	7.3%	25	76.0%	8.5%	56	61.3%	7.1%	75	48.0%	6.6%
Hispanic/Latino	30	100.0%	0.0%	30	86.7%	6.2%	58	63.4%	7.8%	78	54.3%	6.8%
Asian	8	62.5%	17.1%	8	50.0%	17.7%	10	50.0%	15.8%	13	35.9%	17.3%
Other/Multi-race	3	66.7%	27.2%	3	33.3%	27.2%	4	50.0%	25.0%	5	60.0%	21.9%
Recipient Gender												
Female	122	84.4%	3.3%	122	77.9%	3.8%	222	65.8%	3.6%	279	54.3%	4.5%
Male	120	93.3%	2.3%	120	82.5%	3.5%	216	59.4%	4.2%	284	51.4%	3.9%
Recipient Blood Type												
O	120	90.8%	2.6%	120	81.7%	3.5%	191	67.6%	4.1%	261	55.4%	4.4%
A	87	87.4%	3.6%	87	78.2%	4.4%	169	60.8%	4.5%	209	53.9%	4.4%
B	27	85.2%	6.8%	27	81.5%	7.5%	58	60.1%	7.2%	69	48.6%	7.1%
AB	8	87.5%	11.7%	8	75.0%	15.3%	20	40.8%	12.8%	24	42.4%	11.4%

Source: OPTN/SRTR Data as of May 1, 2006.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on intestine transplants.

Multi-organ transplants other than intestine with liver and/or pancreas are excluded.

Table 10.14 (Continued)
Unadjusted Patient Survival, Intestine Transplants
Survival at 3 Months, 1 Year, 3 Years, and 5 Years

	3 Months			1 Year			3 Years			5 Years		
	(Tx 2003 - 2004)			(Tx 2003 - 2004)			(Tx 2001 - 2004)			(Tx 1999 - 2004)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Total												
All	242	88.8%	2.0%	242	80.2%	2.6%	438	62.7%	2.8%	563	53.0%	2.9%
Recipient Residency												
U.S. Resident	237	89.0%	2.0%	237	80.2%	2.6%	425	63.5%	2.8%	542	53.8%	3.0%
Nonresident Alien	4	75.0%	21.7%	4	75.0%	21.7%	12	29.2%	16.2%	20	36.4%	12.6%
Unknown	1	100.0%	0.0%	1	100.0%	0.0%	1	+	+	1	+	+
Hospitalized at Tx												
Not Hospitalized	157	92.4%	2.1%	157	84.7%	2.9%	290	67.9%	3.3%	362	57.2%	3.9%
Hospitalized	53	90.6%	4.0%	53	81.1%	5.4%	95	54.8%	6.5%	125	50.5%	5.6%
In Intensive Care	32	68.8%	8.2%	32	56.3%	8.8%	53	47.8%	7.8%	76	36.4%	6.8%
Life Support at Tx												
No	233	90.6%	1.9%	233	82.0%	2.5%	422	64.1%	2.8%	539	54.3%	3.0%
Yes	9	44.4%	16.6%	9	33.3%	15.7%	16	28.6%	11.8%	24	23.4%	8.9%
Primary Diagnosis												
Short Gut Syndrome	176	88.1%	2.4%	176	78.4%	3.1%	330	62.4%	3.1%	421	54.3%	3.2%
Functional Bowel Problem	45	97.8%	2.2%	45	91.1%	4.2%	75	65.5%	7.2%	101	49.2%	7.5%
Other	20	75.0%	9.7%	20	70.0%	10.2%	32	58.3%	10.6%	40	49.5%	11.0%
Unknown	1	100.0%	0.0%	1	100.0%	0.0%	1	+	+	1	+	+

Source: OPTN/SRTR Data as of May 1, 2006.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on intestine transplants.

Multi-organ transplants other than intestine with liver and/or pancreas are excluded.

Table 10.14 (Continued)
Unadjusted Patient Survival, Intestine Transplants
Survival at 3 Months, 1 Year, 3 Years, and 5 Years

	3 Months			1 Year			3 Years			5 Years		
	(Tx 2003 - 2004)			(Tx 2003 - 2004)			(Tx 2001 - 2004)			(Tx 1999 - 2004)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Total												
All	242	88.8%	2.0%	242	80.2%	2.6%	438	62.7%	2.8%	563	53.0%	2.9%
Cold Ischemic Time												
0-5 Hours	24	79.2%	8.3%	24	79.2%	8.3%	40	67.3%	9.2%	53	47.8%	11.4%
6-10 Hours	186	91.9%	2.0%	186	81.2%	2.9%	350	63.3%	3.0%	437	53.7%	3.4%
11-15 Hours	12	91.7%	8.0%	12	91.7%	8.0%	23	55.2%	13.8%	36	59.4%	9.5%
16-20 Hours	1	100.0%	0.0%	1	100.0%	0.0%	1	+	+	3	66.7%	27.2%
Unknown	19	68.4%	10.7%	19	63.2%	11.1%	24	47.2%	15.0%	34	36.1%	11.7%
Yearly Center Volume												
0-1	6	83.3%	15.2%	6	66.7%	19.2%	22	63.6%	10.3%	32	30.0%	14.7%
2-7	57	77.2%	5.6%	57	70.2%	6.1%	66	53.6%	8.0%	75	51.9%	7.2%
8+	179	92.7%	1.9%	179	83.8%	2.8%	350	64.7%	3.0%	456	54.8%	3.2%
Donor Age												
<1 Year	70	85.7%	4.2%	70	72.9%	5.3%	128	59.7%	4.8%	157	55.8%	4.5%
1-5 Years	61	88.5%	4.1%	61	82.0%	4.9%	107	62.4%	5.6%	146	52.6%	5.5%
6-10 Years	26	96.2%	3.8%	26	88.5%	6.3%	41	67.2%	9.9%	60	58.8%	8.4%
11-17 Years	28	89.3%	5.8%	28	85.7%	6.6%	52	77.1%	6.8%	66	63.1%	7.7%
18-34 Years	45	91.1%	4.2%	45	86.7%	5.1%	79	63.0%	7.0%	95	31.6%	12.3%
35-49 Years	11	90.9%	8.7%	11	63.6%	14.5%	23	44.5%	12.3%	31	54.2%	9.7%
50-64 Years	1	0.0%	0.0%	1	0.0%	0.0%	7	57.1%	18.7%	7	+	+
65+ Years	0	-	-	0	-	-	1	0.0%	0.0%	1	0.0%	0.0%

Source: OPTN/SRTR Data as of May 1, 2006.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on intestine transplants.

Multi-organ transplants other than intestine with liver and/or pancreas are excluded.