Table 9.14a
Unadjusted Patient Survival, Deceased Donor Liver Transplants
Survival at 3 Months, 1 Year, 3 Years, and 5 Years

	3 Months			1 Year			3 Years			5 Years		
	(Tx 2003 - 2004)			(Tx 2003 - 2004)			(Tx 2001 - 2004)			(Tx 1999 - 2004)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Total												
All	9,613	93.2%	0.3%	9,613	86.9%	0.3%	17,892	79.0%	0.3%	25,762	73.4%	0.3%
Age at Tx												
<1 Year	217	94.0%	1.6%	217	92.2%	1.8%	410	88.2%	1.7%	616	81.9%	1.7%
1-5 Years	228	93.9%	1.6%	228	89.9%	2.0%	462	87.4%	1.6%	668	85.2%	1.5%
6-10 Years	112	94.6%	2.1%	112	92.9%	2.4%	187	87.9%	2.8%	289	89.1%	2.0%
11-17 Years	189	96.8%	1.3%	189	93.7%	1.8%	402	88.8%	1.8%	564	83.5%	2.0%
18-34 Years	500	88.6%	1.4%	500	84.8%	1.6%	940	81.3%	1.4%	1,376	76.6%	1.4%
35-49 Years	2,581	93.9%	0.5%	2,581	87.9%	0.6%	5,196	80.4%	0.6%	8,055	74.8%	0.6%
50-64 Years	4,884	93.6%	0.3%	4,884	86.8%	0.5%	8,783	77.7%	0.5%	12,087	71.9%	0.5%
65+ Years	902	90.4%	1.0%	902	81.0%	1.3%	1,512	70.8%	1.4%	2,107	62.1%	1.4%
Recipient Ethnicity/Race												
White	6,978	93.3%	0.3%	6,978	86.8%	0.4%	13,049	78.9%	0.4%	18,983	73.3%	0.4%
African American	907	92.5%	0.9%	907	84.5%	1.2%	1,638	74.9%	1.2%	2,310	67.2%	1.2%
Hispanic/Latino	1,193	93.5%	0.7%	1,193	87.8%	0.9%	2,248	81.8%	0.9%	3,169	76.7%	0.9%
Asian	453	92.9%	1.2%	453	88.7%	1.5%	831	81.0%	1.6%	1,115	77.4%	1.6%
Other/Multi-race	82	95.1%	2.4%	82	91.5%	3.1%	126	77.4%	4.6%	185	76.1%	3.6%
Recipient Gender												
Female	3,330	92.5%	0.5%	3,330	86.5%	0.6%	6,214	79.9%	0.6%	9,205	73.8%	0.6%
Male	6,283	93.6%	0.3%	6,283	87.0%	0.4%	11,678	78.5%	0.4%	16,557	73.1%	0.4%
Recipient Blood Type												
O	4,176	93.0%	0.4%	4,176	86.5%	0.5%	7,560	78.5%	0.5%	10,852	72.6%	0.5%
A	3,600	93.6%	0.4%	3,600	87.0%	0.6%	6,960	79.1%	0.5%	10,113	73.7%	0.5%
B	1,368	93.1%	0.7%	1,368	87.7%	0.9%	2,460	79.7%	0.9%	3,482	74.6%	0.9%
AB	469	92.8%	1.2%	469	86.1%	1.6%	912	80.3%	1.5%	1,315	74.8%	1.5%

Source: OPTN/SRTR Data as of May 1, 2006.
Notes:
(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.
Cohorts are transplants performed during the years listed at the top of the table.
Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.
Center volume = Center's yearly transplants performed during the base period, based on liver transplants.
Multi-organ transplants are excluded.
Medical urgency status codes have changed over time. See Technical Notes chapter for further information. footnote9

Table 9.14a (Continued)
Unadjusted Patient Survival, Deceased Donor Liver Transplants
Survival at 3 Months, 1 Year, 3 Years, and 5 Years

	3 Months			1 Year			3 Years			5 Years		
	(Tx 2003 - 2004)			(Tx 2003 - 2004)			(Tx 2001 - 2004)			(Tx 1999 - 2004)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Total												
All	9,613	93.2%	0.3%	9,613	86.9%	0.3%	17,892	79.0%	0.3%	25,762	73.4%	0.3%
Recipient Residency												
U.S. Resident	9,523	93.2%	0.3%	9,523	86.8%	0.3%	17,679	78.9%	0.3%	25,372	73.2%	0.3%
Nonresident Alien	90	94.4%	2.4%	90	91.1%	3.0%	212	83.0%	2.8%	376	82.1%	2.1%
Unknown	0	-	-	0	-	-	1	100.0%	0.0%	14	57.1%	13.2%
Hospitalized at Tx												
Not Hospitalized	7,103	94.6%	0.3%	7,103	88.3%	0.4%	12,755	80.6%	0.4%	17,991	75.2%	0.4%
Hospitalized	1,378	92.2%	0.7%	1,378	84.8%	1.0%	2,542	75.9%	1.0%	3,451	70.5%	1.0%
In Intensive Care	1,132	86.0%	1.0%	1,132	80.2%	1.2%	2,595	73.7%	0.9%	4,304	68.0%	0.8%
Unknown	0	-	-	0	-	-	0	-	-	16	81.3%	9.8%
Life Support at Tx												
No	9,060	93.9%	0.3%	9,060	87.5%	0.3%	16,681	79.7%	0.4%	23,792	74.2%	0.4%
Yes	553	81.6%	1.6%	553	75.9%	1.8%	1,211	68.8%	1.4%	1,954	62.7%	1.2%
Unknown	0	-	-	0	-	-	0	-	-	16	81.3%	9.8%
Primary Diagnosis												
Non-Cholestatic Cirrhosis	5,937	93.6%	0.3%	5,937	86.5%	0.4%	11,393	78.0%	0.4%	16,727	71.6%	0.4%
Cholestatic Liver Disease/Cirrhosis	856	93.3%	0.9%	856	89.3%	1.1%	1,675	83.5%	1.0%	2,513	80.7%	0.9%
Acute Hepatic Necrosis	747	89.8%	1.1%	747	84.3%	1.3%	1,379	75.7%	1.3%	2,085	71.4%	1.2%
Biliary Atresia	313	94.6%	1.3%	313	93.6%	1.4%	598	90.5%	1.3%	892	89.0%	1.1%
Metabolic Diseases	307	93.2%	1.4%	307	88.6%	1.8%	597	84.2%	1.7%	864	81.3%	1.6%
Malignant Neoplasms	759	93.1%	0.9%	759	85.8%	1.3%	1,188	74.3%	1.5%	1,350	64.5%	2.2%
Other	694	92.8%	1.0%	694	86.9%	1.3%	1,062	82.4%	1.3%	1,331	76.4%	1.5%

Source: OPTN/SRTR Data as of May 1, 2006.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on liver transplants.

Multi-organ transplants are excluded.

Medical urgency status codes have changed over time. See Technical Notes chapter for further information. footnote9

Table 9.14a (Continued)
Unadjusted Patient Survival, Deceased Donor Liver Transplants
Survival at 3 Months, 1 Year, 3 Years, and 5 Years

	3 Months			1 Year			3 Years			5 Years		
	(Tx 2003 - 2004)			(Tx 2003 - 2004)			(Tx 2001 - 2004)			(Tx 1999 - 2004)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Total												
All	9,613	93.2%	0.3%	9,613	86.9%	0.3%	17,892	79.0%	0.3%	25,762	73.4%	0.3%
Waiting List Status at Tx												
1	669	87.1%	1.3%	669	84.0%	1.4%	1,305	80.4%	1.2%	1,962	75.1%	1.1%
2A	0	-	-	0	-	-	1,124	73.0%	1.3%	2,768	67.2%	0.9%
2B	0	-	-	0	-	-	2,688	79.9%	0.8%	7,486	74.4%	0.5%
3	0	-	-	0	-	-	441	80.7%	1.9%	1,207	77.2%	1.3%
MELD 6-10	441	93.9%	1.1%	441	85.3%	1.7%	603	75.8%	2.2%	603	+	+
MELD 11-20	2,848	94.2%	0.4%	2,848	88.7%	0.6%	3,939	81.0%	0.8%	3,939	+	+
MELD 21-30	1,947	93.2%	0.6%	1,947	86.0%	0.8%	2,539	79.9%	1.0%	2,539	+	+
MELD >30	1,130	88.8%	0.9%	1,130	80.5%	1.2%	1,490	71.8%	1.5%	1,490	+	+
PELD <11	161	96.9%	1.4%	161	95.7%	1.6%	234	95.1%	1.4%	234	+	+
PELD 11-20	77	98.7%	1.3%	77	97.4%	1.8%	119	92.2%	3.2%	119	+	+
PELD 21-30	49	95.9%	2.8%	49	87.8%	4.7%	76	86.8%	3.9%	76	+	+
PELD >30	16	81.3%	9.8%	16	68.8%	11.6%	23	78.3%	8.6%	23	+	+
HCC T1	182	98.4%	0.9%	182	91.2%	2.1%	322	84.7%	2.3%	322	+	+
HCC T2	1,405	95.7%	0.5%	1,405	88.4%	0.9%	2,087	75.6%	1.2%	2,087	+	+
Other Exceptions	684	94.3%	0.9%	684	89.0%	1.2%	895	84.3%	1.5%	895	+	+
Other Status	4	75.0%	21.7%	4	75.0%	21.7%	7	85.7%	13.2%	12	71.4%	14.4%
Yearly Center Volume												
0-9	191	93.2%	1.8%	191	88.0%	2.4%	370	76.1%	2.7%	676	77.4%	1.9%
10-19	408	94.9%	1.1%	408	88.0%	1.6%	874	78.8%	1.6%	1,024	69.4%	1.9%
20-34	1,042	92.8%	0.8%	1,042	86.5%	1.1%	2,404	78.8%	0.9%	3,698	73.2%	0.9%
35-56	1,387	93.1%	0.7%	1,387	86.9%	0.9%	3,208	77.3%	0.9%	4,741	73.9%	0.8%
57+	6,585	93.2%	0.3%	6,585	86.8%	0.4%	11,036	79.6%	0.4%	15,623	73.3%	0.4%

Source: OPTN/SRTR Data as of May 1, 2006.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on liver transplants.

Multi-organ transplants are excluded.

Medical urgency status codes have changed over time. See Technical Notes chapter for further information. footnote9

Table 9.14a (Continued)
Unadjusted Patient Survival, Deceased Donor Liver Transplants
Survival at 3 Months, 1 Year, 3 Years, and 5 Years

	3 Months			1 Year			3 Years			5 Years		
	(Tx 2003 - 2004)			(Tx 2003 - 2004)			(Tx 2001 - 2004)			(Tx 1999 - 2004)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Total												
All	9,613	93.2%	0.3%	9,613	86.9%	0.3%	17,892	79.0%	0.3%	25,762	73.4%	0.3%
Cold Ischemic Time												
0-5 Hours	2,305	94.9%	0.5%	2,305	89.2%	0.6%	4,089	81.2%	0.7%	5,441	76.4%	0.7%
6-10 Hours	4,906	94.1%	0.3%	4,906	87.9%	0.5%	8,978	80.2%	0.5%	12,759	74.6%	0.5%
11-15 Hours	1,013	92.2%	0.8%	1,013	85.8%	1.1%	1,999	75.5%	1.1%	2,960	70.2%	1.0%
16-20 Hours	97	86.6%	3.5%	97	71.1%	4.6%	195	68.0%	3.6%	308	64.9%	3.1%
21+ Hours	56	89.3%	4.1%	56	85.7%	4.7%	94	76.1%	5.3%	149	76.6%	4.1%
Unknown	1,236	88.2%	0.9%	1,236	80.4%	1.1%	2,537	74.7%	0.9%	4,145	69.1%	0.8%
Donor Age												
<1 Year	78	93.6%	2.8%	78	88.5%	3.6%	150	82.4%	3.4%	243	80.7%	2.7%
1-5 Years	218	96.3%	1.3%	218	94.0%	1.6%	432	90.9%	1.5%	655	87.5%	1.4%
6-10 Years	161	91.3%	2.2%	161	88.2%	2.5%	372	84.3%	2.0%	597	80.7%	1.9%
11-17 Years	829	94.7%	0.8%	829	90.2%	1.0%	1,634	83.7%	1.0%	2,482	78.4%	1.0%
18-34 Years	2,678	94.0%	0.5%	2,678	88.8%	0.6%	5,135	81.4%	0.6%	7,415	76.7%	0.6%
35-49 Years	2,462	94.1%	0.5%	2,462	87.6%	0.7%	4,558	79.3%	0.7%	6,561	73.5%	0.7%
50-64 Years	2,254	92.1%	0.6%	2,254	83.9%	0.8%	3,988	75.0%	0.8%	5,587	67.7%	0.8%
65+ Years	933	89.9%	1.0%	933	81.4%	1.3%	1,623	70.2%	1.3%	2,220	62.0%	1.4%
Unknown	0	-	-	0	-	-	0	-	-	2	100.0%	0.0%

Source: OPTN/SRTR Data as of May 1, 2006.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on liver transplants.

Multi-organ transplants are excluded.

Medical urgency status codes have changed over time. See Technical Notes chapter for further information. footnote9