Table 6.7
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1996 to 2004
Rates for Recipients during First Year after Pancreas Transplant Alone (PTA) Transplantation

Recipient Age at Tx	Year of Transplant								
	1996	1997	1998	1999	2000	2001	2002	2003	2004
Total									
Patients	42	63	63	99	99	109	128	104	121
Deaths	0	5	1	4	0	3	4	6	4
Rate	0.0	84.6	16.0	41.2	0.0	27.9	31.8	60.0	33.6
6-10 Years									
Patients	-	1	-	-	-	-	-	-	-
Deaths	-	0	-	-	-	-	-	-	-
Rate	-	*	-	-	-	-	-	-	-
11-17 Years									
Patients	-	-	2	-	-	-	-	1	1
Deaths	-	-	0	-	-	-	-	0	0
Rate	-	-	*	-	-	-	-	*	*
18-34 Years									
Patients	16	27	19	30	29	28	32	27	35
Deaths	0	4	1	1	0	2	2	0	0
Rate	0.0	166.5	54.3	33.6	0.0	74.1	64.4	0.0	0.0
35-49 Years									
Patients	24	29	40	59	51	61	77	59	70
Deaths	0	1	0	3	0	1	2	4	3
Rate	0.0	35.6	0.0	52.4	0.0	16.5	26.4	70.2	44.0
50-64 Years									
Patients	2	5	2	10	19	20	18	16	14
Deaths	0	0	0	0	0	0	0	2	1
Rate	*	*	*	0.0	0.0	0.0	0.0	142.4	73.2
65+ Years									
Patients	-	1	-	-	-	-	1	1	1
Deaths	-	0	-	-	-	-	0	0	0
Rate	-	*	-	-	-	-	*	*	*

Source: OPTN/SRTR Data as of May 1, 2006.
Notes:
(-) = None in category.
(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.
Multi-organ transplants are excluded.
Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Table 6.7 (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1996 to 2004
Rates for Recipients during First Year after Pancreas Transplant Alone (PTA) Transplantation

Ethnicity/Race	Year of Transplant								
	1996	1997	1998	1999	2000	2001	2002	2003	2004
Total									
Patients	42	63	63	99	99	109	128	104	121
Deaths	0	5	1	4	0	3	4	6	4
Rate	0.0	84.6	16.0	41.2	0.0	27.9	31.8	60.0	33.6
White									
Patients	42	60	58	97	94	104	123	99	114
Deaths	0	5	0	4	0	3	4	6	4
Rate	0.0	89.1	0.0	42.1	0.0	29.2	33.1	63.1	35.7
African American									
Patients	-	1	3	1	2	1	1	2	3
Deaths	-	0	1	0	0	0	0	0	0
Rate	-	*	*	*	*	*	*	*	*
Hispanic/Latino									
Patients	-	1	2	1	2	3	2	3	4
Deaths	-	0	0	0	0	0	0	0	0
Rate	-	*	*	*	*	*	*	*	*
Asian									
Patients	-	-	-	-	1	-	-	-	-
Deaths	-	-	-	-	0	-	-	-	-
Rate	-	-	-	-	*	-	-	-	-
Other/Multi-race									
Patients	-	1	-	-	-	1	2	-	-
Deaths	-	0	-	-	-	0	0	-	-
Rate	-	*	-	-	-	*	*	-	-

Source: OPTN/SRTR Data as of May 1, 2006.
Notes:
(-) = None in category.
(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.
Multi-organ transplants are excluded.
Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Table 6.7 (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1996 to 2004
Rates for Recipients during First Year after Pancreas Transplant Alone (PTA) Transplantation

Gender	Year of Transplant								
	1996	1997	1998	1999	2000	2001	2002	2003	2004
Total									
Patients	42	63	63	99	99	109	128	104	121
Deaths	0	5	1	4	0	3	4	6	4
Rate	0.0	84.6	16.0	41.2	0.0	27.9	31.8	60.0	33.6
Female									
Patients	22	39	39	66	48	60	74	69	79
Deaths	0	4	0	4	0	1	2	4	3
Rate	0.0	111.3	0.0	62.5	0.0	16.8	27.2	60.0	38.8
Male									
Patients	20	24	24	33	51	49	54	35	42
Deaths	0	1	1	0	0	2	2	2	1
Rate	0.0	43.2	42.7	0.0	0.0	41.7	38.2	59.9	24.1

Source: OPTN/SRTR Data as of May 1, 2006.
Notes:
(-) = None in category.
(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.
Multi-organ transplants are excluded.
Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Table 6.7 (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1996 to 2004
Rates for Recipients during First Year after Pancreas Transplant Alone (PTA) Transplantation

Blood Type	Year of Transplant								
	1996	1997	1998	1999	2000	2001	2002	2003	2004
Total									
Patients	42	63	63	99	99	109	128	104	121
Deaths	0	5	1	4	0	3	4	6	4
Rate	0.0	84.6	16.0	41.2	0.0	27.9	31.8	60.0	33.6
O									
Patients	18	23	30	36	39	48	66	45	49
Deaths	0	3	0	2	0	1	2	4	2
Rate	0.0	143.6	0.0	56.3	0.0	21.0	30.8	93.2	41.7
A									
Patients	16	29	21	46	43	52	47	45	50
Deaths	0	2	1	2	0	2	2	2	1
Rate	0.0	73.6	49.0	44.9	0.0	39.2	43.6	46.4	20.1
B									
Patients	6	6	9	12	12	5	10	10	17
Deaths	0	0	0	0	0	0	0	0	1
Rate	*	*	*	0.0	0.0	*	0.0	0.0	61.6
AB									
Patients	2	5	3	5	5	4	5	4	5
Deaths	0	0	0	0	0	0	0	0	0
Rate	*	*	*	*	*	*	*	*	*

Source: OPTN/SRTR Data as of May 1, 2006.
Notes:
(-) = None in category.
(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.
Multi-organ transplants are excluded.
Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Table 6.7 (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1996 to 2004
Rates for Recipients during First Year after Pancreas Transplant Alone (PTA) Transplantation

Residency	Year of Transplant								
	1996	1997	1998	1999	2000	2001	2002	2003	2004
Total									
Patients	42	63	63	99	99	109	128	104	121
Deaths	0	5	1	4	0	3	4	6	4
Rate	0.0	84.6	16.0	41.2	0.0	27.9	31.8	60.0	33.6
U.S. Resident									
Patients	41	62	62	98	99	108	128	103	121
Deaths	0	5	1	4	0	3	4	6	4
Rate	0.0	86.1	16.3	41.6	0.0	28.1	31.8	60.6	33.6
Nonresident Alien									
Patients	-	-	-	-	-	1	-	1	-
Deaths	-	-	-	-	-	0	-	0	-
Rate	-	-	-	-	-	*	-	*	-
Unknown									
Patients	1	1	1	1	-	-	-	-	-
Deaths	0	0	0	0	-	-	-	-	-
Rate	*	*	*	*	-	-	-	-	-

Source: OPTN/SRTR Data as of May 1, 2006.
Notes:
(-) = None in category.
(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.
Multi-organ transplants are excluded.
Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Table 6.7 (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1996 to 2004
Rates for Recipients during First Year after Pancreas Transplant Alone (PTA) Transplantation

Previous Tx Any Organ	Year of Transplant								
	1996	1997	1998	1999	2000	2001	2002	2003	2004
Total									
Patients	42	63	63	99	99	109	128	104	121
Deaths	0	5	1	4	0	3	4	6	4
Rate	0.0	84.6	16.0	41.2	0.0	27.9	31.8	60.0	33.6
No									
Patients	35	57	54	86	92	100	115	95	99
Deaths	0	5	1	3	0	3	3	6	4
Rate	0.0	94.2	18.7	35.4	0.0	30.4	26.6	65.9	41.3
Yes									
Patients	7	6	9	13	7	9	13	9	22
Deaths	0	0	0	1	0	0	1	0	0
Rate	*	*	*	81.5	*	*	77.3	*	0.0

Source: OPTN/SRTR Data as of May 1, 2006.
Notes:
(-) = None in category.
(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.
Multi-organ transplants are excluded.
Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Table 6.7 (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1996 to 2004
Rates for Recipients during First Year after Pancreas Transplant Alone (PTA) Transplantation

Hospitalized at Tx	Year of Transplant								
	1996	1997	1998	1999	2000	2001	2002	2003	2004
Total									
Patients	42	63	63	99	99	109	128	104	121
Deaths	0	5	1	4	0	3	4	6	4
Rate	0.0	84.6	16.0	41.2	0.0	27.9	31.8	60.0	33.6
Not Hospitalized									
Patients	42	62	62	95	96	108	125	102	119
Deaths	0	4	1	3	0	3	4	5	4
Rate	0.0	67.8	16.3	32.0	0.0	28.1	32.5	50.5	34.2
Hospitalized									
Patients	-	1	-	3	2	1	3	2	1
Deaths	-	1	-	1	0	0	0	1	0
Rate	-	*	-	*	*	*	*	*	*
In Intensive Care									
Patients	-	-	1	-	1	-	-	-	-
Deaths	-	-	0	-	0	-	-	-	-
Rate	-	-	*	-	*	-	-	-	-
Unknown									
Patients	-	-	-	1	-	-	-	-	1
Deaths	-	-	-	0	-	-	-	-	0
Rate	-	-	-	*	-	-	-	-	*

Source: OPTN/SRTR Data as of May 1, 2006.
Notes:
(-) = None in category.
(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.
Multi-organ transplants are excluded.
Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Table 6.7 (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1996 to 2004
Rates for Recipients during First Year after Pancreas Transplant Alone (PTA) Transplantation

Donor Age	Year of Transplant								
	1996	1997	1998	1999	2000	2001	2002	2003	2004
Total									
Patients	42	63	63	99	99	109	128	104	121
Deaths	0	5	1	4	0	3	4	6	4
Rate	0.0	84.6	16.0	41.2	0.0	27.9	31.8	60.0	33.6
<1 Year									
Patients	-	-	-	-	-	1	-	-	-
Deaths	-	-	-	-	-	0	-	-	-
Rate	-	-	-	-	-	*	-	-	-
6-10 Years									
Patients	-	4	-	1	2	1	-	1	6
Deaths	-	1	-	0	0	0	-	0	0
Rate	-	*	-	*	*	*	-	*	*
11-17 Years									
Patients	14	16	17	27	17	21	22	22	31
Deaths	0	0	0	1	0	1	0	0	1
Rate	0.0	0.0	0.0	37.4	0.0	48.8	0.0	0.0	32.8
18-34 Years									
Patients	25	34	27	39	51	50	75	54	62
Deaths	0	4	0	1	0	1	3	3	3
Rate	0.0	128.9	0.0	25.8	0.0	20.2	41.1	57.0	49.7
35-49 Years									
Patients	2	9	16	28	23	34	26	25	21
Deaths	0	0	1	2	0	1	1	3	0
Rate	*	*	64.9	75.4	0.0	29.7	38.6	134.0	0.0
50-64 Years									
Patients	1	-	3	4	6	2	5	2	1
Deaths	0	-	0	0	0	0	0	0	0
Rate	*	-	*	*	*	*	*	*	*

Source: OPTN/SRTR Data as of May 1, 2006.
Notes:
(-) = None in category.
(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.
Multi-organ transplants are excluded.
Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Table 6.7 (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1996 to 2004
Rates for Recipients during First Year after Pancreas Transplant Alone (PTA) Transplantation

Level of HLA Mismatch (Total)	Year of Transplant								
	1996	1997	1998	1999	2000	2001	2002	2003	2004
Total									
Patients	42	63	63	99	99	109	128	104	121
Deaths	0	5	1	4	0	3	4	6	4
Rate	0.0	84.6	16.0	41.2	0.0	27.9	31.8	60.0	33.6
A Locus Mismatch									
0									
Patients	13	12	16	19	20	25	22	23	29
Deaths	0	1	0	0	0	1	0	3	0
Rate	0.0	90.6	0.0	0.0	0.0	40.8	0.0	138.6	0.0
1									
Patients	22	33	31	50	50	56	62	46	57
Deaths	0	4	0	2	0	2	3	2	4
Rate	0.0	133.1	0.0	40.8	0.0	36.3	49.8	45.2	72.9
2									
Patients	7	18	16	30	29	28	44	35	35
Deaths	0	0	1	2	0	0	1	1	0
Rate	*	0.0	64.9	68.9	0.0	0.0	22.9	29.3	0.0
Unknown									
Patients	0	0	0	0	0	0	0	0	0
Deaths	0	0	0	0	0	0	0	0	0
Rate	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
B Locus Mismatch									
0									
Patients	7	7	8	12	12	19	16	16	17
Deaths	0	0	0	0	0	1	0	1	1
Rate	*	*	*	0.0	0.0	54.1	0.0	65.5	60.7
1									
Patients	17	26	30	48	50	46	46	35	54
Deaths	0	3	1	3	0	1	1	3	2
Rate	0.0	125.3	34.0	64.8	0.0	21.9	22.1	91.0	37.6
2									
Patients	18	30	25	39	37	44	66	53	50
Deaths	0	2	0	1	0	1	3	2	1
Rate	0.0	71.1	0.0	25.8	0.0	23.0	46.4	38.6	20.3

(Continued)

Source: OPTN/SRTR Data as of May 1, 2006.
Notes:
(-) = None in category.
(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.
Multi-organ transplants are excluded.
Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Table 6.7 (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1996 to 2004
Rates for Recipients during First Year after Pancreas Transplant Alone (PTA) Transplantation

Level of HLA Mismatch (Total)	Year of Transplant								
	1996	1997	1998	1999	2000	2001	2002	2003	2004
B Locus Mismatch									
Unknown									
Patients	-	-	-	-	-	-	-	-	-
Deaths	-	-	-	-	-	-	-	-	-
Rate	-	-	-	-	-	-	-	-	-
DR Locus Mismatch									
0									
Patients	5	10	10	16	12	18	12	13	19
Deaths	0	1	0	0	0	2	0	0	0
Rate	*	109.2	0.0	0.0	0.0	117.8	0.0	0.0	0.0
1									
Patients	27	32	34	41	50	54	62	49	57
Deaths	0	3	0	1	0	1	1	2	2
Rate	0.0	100.5	0.0	24.8	0.0	18.6	16.3	41.6	35.7
2									
Patients	10	21	19	41	37	37	54	42	45
Deaths	0	1	1	3	0	0	3	4	2
Rate	0.0	49.8	54.3	75.4	0.0	0.0	57.0	102.6	45.6
Unknown									
Patients	-	-	-	1	-	-	-	-	-
Deaths	-	-	-	0	-	-	-	-	-
Rate	-	-	-	*	-	-	-	-	-
Total Mismatch									
0									
Patients	-	2	1	3	1	4	4	2	6
Deaths	-	0	0	0	0	1	0	0	0
Rate	-	*	*	*	*	*	*	*	*
1									
Patients	4	2	5	7	5	6	7	6	6
Deaths	0	0	0	0	0	0	0	0	0
Rate	*	*	*	*	*	*	*	*	*
2									
Patients	11	12	12	14	17	16	13	10	23
Deaths	0	2	0	0	0	0	0	2	1
Rate	0.0	196.2	0.0	0.0	0.0	0.0	0.0	220.4	44.5

(Continued)

Source: OPTN/SRTR Data as of May 1, 2006.
Notes:
(-) = None in category.
(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.
Multi-organ transplants are excluded.
Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Table 6.7 (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1996 to 2004
Rates for Recipients during First Year after Pancreas Transplant Alone (PTA) Transplantation

Level of HLA Mismatch (Total)	Year of Transplant								
	1996	1997	1998	1999	2000	2001	2002	2003	2004
Total Mismatch									
3									
Patients	8	15	14	19	25	38	27	25	24
Deaths	0	1	0	1	0	2	1	1	1
Rate	*	67.8	0.0	54.7	0.0	53.8	38.1	41.6	42.5
4									
Patients	10	9	16	21	21	15	23	23	19
Deaths	0	1	0	0	0	0	0	1	1
Rate	0.0	*	0.0	0.0	0.0	0.0	0.0	43.8	53.6
5									
Patients	8	16	10	25	22	18	32	31	30
Deaths	0	1	1	3	0	0	2	2	1
Rate	*	66.3	106.4	126.2	0.0	0.0	64.4	68.7	34.2
6									
Patients	1	7	5	9	8	12	22	7	13
Deaths	0	0	0	0	0	0	1	0	0
Rate	*	*	*	*	*	0.0	46.3	*	0.0
Unknown									
Patients	-	-	-	1	-	-	-	-	-
Deaths	-	-	-	0	-	-	-	-	-
Rate	-	-	-	*	-	-	-	-	-

Source: OPTN/SRTR Data as of May 1, 2006.
Notes:
(-) = None in category.
(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.
Multi-organ transplants are excluded.
Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Table 6.7 (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1996 to 2004
Rates for Recipients during First Year after Pancreas Transplant Alone (PTA) Transplantation

Cold Ischemic Time	Year of Transplant								
	1996	1997	1998	1999	2000	2001	2002	2003	2004
Total									
Patients	42	63	63	99	99	109	128	104	121
Deaths	0	5	1	4	0	3	4	6	4
Rate	0.0	84.6	16.0	41.2	0.0	27.9	31.8	60.0	33.6
0-11 Hours									
Patients	7	10	12	18	21	11	19	19	31
Deaths	0	1	0	2	0	0	1	1	1
Rate	*	102.6	0.0	117.4	0.0	0.0	54.8	55.5	32.8
12-21 Hours									
Patients	24	37	36	55	41	60	59	53	54
Deaths	0	2	0	0	0	3	1	2	2
Rate	0.0	56.7	0.0	0.0	0.0	51.1	17.2	38.6	37.9
22-31 Hours									
Patients	4	12	7	12	16	15	16	11	11
Deaths	0	1	1	1	0	0	0	1	1
Rate	*	90.6	*	88.7	0.0	0.0	0.0	97.4	93.9
32-41 Hours									
Patients	2	-	1	1	-	-	-	3	1
Deaths	0	-	0	0	-	-	-	1	0
Rate	*	-	*	*	-	-	-	*	*
42+ Hours									
Patients	2	-	-	-	-	-	1	-	-
Deaths	0	-	-	-	-	-	0	-	-
Rate	*	-	-	-	-	-	*	-	-
Unknown									
Patients	3	4	7	13	21	23	33	18	24
Deaths	0	1	0	1	0	0	2	1	0
Rate	*	*	*	78.4	0.0	0.0	61.5	58.4	0.0

Source: OPTN/SRTR Data as of May 1, 2006.
Notes:
(-) = None in category.
(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.
Multi-organ transplants are excluded.
Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.