Table 7.3
Reported Deaths and Annual Death Rates Per 1,000 Patient-Years at Risk, 1996 to 2005
Pancreas After Kidney (PAK) Waiting List

Age This Year		Year									
		1996	1997	1998	1999	2000	2001	2002	2003	2004	2005
Total											
	Patients	245	274	315	470	771	1,027	1,218	1,326	1,492	1,435
	Deaths	1	7	5	5	10	16	17	16	26	24
	Rate	7.4	47.3	31.3	25.0	26.3	28.1	23.4	19.0	27.7	24.4
1-5 Years											
	Patients	-	-	-	-	-	-	-	-	1	1
	Deaths	-	-	-	-	-	-	-	-	-	-
	Rate	-	-	-	-	-	-	-	-	*	*
11-17 Years											
	Patients	-	-	-	-	-	-	-	1	1	1
	Deaths	-	-	-	-	-	-	-	-	-	-
	Rate	-	-	-	-	-	-	-	*	*	*
18-34 Years											
	Patients	55	51	48	96	141	183	204	198	233	200
	Deaths	-	1	-	1	-	3	2	2	2	3
	Rate	-	37.5	-	26.6	-	31.2	17.3	15.7	15.1	22.1
35-49 Years											
	Patients	177	199	230	314	508	670	780	871	930	866
	Deaths	1	5	5	4	9	10	9	11	17	11
	Rate	10.4	45.8	41.9	29.4	35.5	26.9	19.2	20.1	28.5	18.5
50-64 Years											
	Patients	13	23	37	60	122	171	230	252	322	358
	Deaths	-	1	-	-	1	3	6	3	7	10
	Rate	-	82.6	-	-	16.7	30.2	43.0	18.5	33.9	40.5
65+ Years											
	Patients	-	1	-	-	-	3	4	4	5	9
	Deaths	-	-	-	-	-	-	-	-	-	-
	Rate	-	*	-	-	-	*	*	*	*	*

Source: OPTN/SRTR Data as of May 1, 2006.
Notes:
Patients alive on the waiting list at any time during the year are counted. Period at risk begins the later of January 1 or waiting list registration and ends on the earlier of December 31, date of death, or date of removal for other reasons. Please see Technical Notes for further details about death rate computation.
(-) = None in category.
(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Table 7.3 (Continued)
Reported Deaths and Annual Death Rates Per 1,000 Patient-Years at Risk, 1996 to 2005
Pancreas After Kidney (PAK) Waiting List

Ethnicity/Race		Year									
		1996	1997	1998	1999	2000	2001	2002	2003	2004	2005
Total											
	Patients	245	274	315	470	771	1,027	1,218	1,326	1,492	1,435
	Deaths	1	7	5	5	10	16	17	16	26	24
	Rate	7.4	47.3	31.3	25.0	26.3	28.1	23.4	19.0	27.7	24.4
White											
	Patients	221	252	289	416	666	873	1,038	1,116	1,249	1,174
	Deaths	1	7	4	5	8	13	14	12	21	19
	Rate	8.3	51.6	27.3	28.1	24.9	27.1	22.8	16.9	26.5	23.8
African American											
	Patients	16	18	20	33	64	83	97	109	127	151
	Deaths	-	-	-	-	1	2	3	2	3	4
	Rate	-	-	-	-	27.8	37.7	49.3	29.6	37.4	38.1
Hispanic/Latino											
	Patients	4	3	3	14	33	53	65	81	99	89
	Deaths	-	-	-	-	1	1	-	2	2	-
	Rate	*	*	*	-	56.9	37.4	-	42.5	35.0	-
Asian											
	Patients	2	1	2	3	5	11	10	10	10	12
	Deaths	-	-	1	-	-	-	-	-	-	-
	Rate	*	*	*	*	*	-	-	-	-	-
Other/Multi-race											
	Patients	2	-	1	4	3	7	8	10	7	9
	Deaths	-	-	-	-	-	-	-	-	-	1
	Rate	*	-	*	*	*	*	*	-	*	*

Source: OPTN/SRTR Data as of May 1, 2006.
Notes:
Patients alive on the waiting list at any time during the year are counted. Period at risk begins the later of January 1 or waiting list registration and ends on the earlier of December 31, date of death, or date of removal for other reasons. Please see Technical Notes for further details about death rate computation.
(-) = None in category.
(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Table 7.3 (Continued)
Reported Deaths and Annual Death Rates Per 1,000 Patient-Years at Risk, 1996 to 2005
Pancreas After Kidney (PAK) Waiting List

Gender		Year									
		1996	1997	1998	1999	2000	2001	2002	2003	2004	2005
Total											
	Patients	245	274	315	470	771	1,027	1,218	1,326	1,492	1,435
	Deaths	1	7	5	5	10	16	17	16	26	24
	Rate	7.4	47.3	31.3	25.0	26.3	28.1	23.4	19.0	27.7	24.4
Female											
	Patients	108	124	137	204	341	439	515	571	658	655
	Deaths	1	4	2	1	3	7	7	9	11	11
	Rate	17.0	58.9	29.8	11.6	18.0	28.9	22.5	24.8	26.6	24.9
Male											
	Patients	137	150	178	266	430	588	703	755	834	780
	Deaths	-	3	3	4	7	9	10	7	15	13
	Rate	-	37.5	32.4	35.0	32.8	27.5	24.1	14.6	28.5	23.9

Source: OPTN/SRTR Data as of May 1, 2006.
Notes:
Patients alive on the waiting list at any time during the year are counted. Period at risk begins the later of January 1 or waiting list registration and ends on the earlier of December 31, date of death, or date of removal for other reasons. Please see Technical Notes for further details about death rate computation.
(-) = None in category.
(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Table 7.3 (Continued)
Reported Deaths and Annual Death Rates Per 1,000 Patient-Years at Risk, 1996 to 2005
Pancreas After Kidney (PAK) Waiting List

Blood Type		Year									
		1996	1997	1998	1999	2000	2001	2002	2003	2004	2005
Total											
	Patients	245	274	315	470	771	1,027	1,218	1,326	1,492	1,435
	Deaths	1	7	5	5	10	16	17	16	26	24
	Rate	7.4	47.3	31.3	25.0	26.3	28.1	23.4	19.0	27.7	24.4
O											
	Patients	85	116	134	209	339	465	564	628	707	707
	Deaths	-	1	3	4	7	7	9	9	12	14
	Rate	-	16.9	39.2	41.8	40.5	26.2	25.9	22.2	25.9	28.4
A											
	Patients	113	111	135	188	318	412	463	492	563	537
	Deaths	1	4	2	1	2	8	6	4	11	5
	Rate	17.6	65.2	33.6	12.8	12.7	36.5	22.3	13.1	32.5	13.9
B											
	Patients	38	35	33	56	84	112	147	161	171	144
	Deaths	-	2	-	-	1	-	1	3	3	4
	Rate	-	94.7	-	-	26.6	-	11.6	29.0	27.4	39.3
AB											
	Patients	9	12	13	17	30	38	44	45	51	47
	Deaths	-	-	-	-	-	1	1	-	-	1
	Rate	*	-	-	-	-	45.5	43.7	-	-	34.1

Source: OPTN/SRTR Data as of May 1, 2006.
Notes:
Patients alive on the waiting list at any time during the year are counted. Period at risk begins the later of January 1 or waiting list registration and ends on the earlier of December 31, date of death, or date of removal for other reasons. Please see Technical Notes for further details about death rate computation.
(-) = None in category.
(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.