Table 5.10c
Unadjusted Graft Survival, Living Donor Kidney Transplants
Survival at 3 Months, 1 Year, 3 Years, and 5 Years

	3 Months			1 Year			3 Years			5 Years		
	(Tx 2003 - 2004)			(Tx 2003 - 2004)			(Tx 2001 - 2004)			(Tx 1999 - 2004)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Total												
All	13,096	97.2%	0.1%	13,096	95.1%	0.2%	25,336	88.4%	0.2%	35,491	80.3%	0.3%
Age at Tx												
<1 Year	2	100.0%	0.0%	2	100.0%	0.0%	13	92.3%	7.4%	24	95.8%	4.1%
1-5 Years	206	97.6%	1.1%	206	95.1%	1.5%	408	92.6%	1.5%	564	90.5%	1.5%
6-10 Years	144	96.5%	1.5%	144	95.8%	1.7%	316	90.6%	2.0%	464	85.1%	2.4%
11-17 Years	459	96.9%	0.8%	459	94.2%	1.1%	951	87.9%	1.3%	1,380	76.9%	1.7%
18-34 Years	2,836	97.5%	0.3%	2,836	95.6%	0.4%	5,607	87.7%	0.5%	8,135	79.8%	0.6%
35-49 Years	4,163	97.3%	0.2%	4,163	95.4%	0.3%	8,157	89.6%	0.4%	11,675	82.3%	0.5%
50-64 Years	4,199	97.2%	0.3%	4,199	95.2%	0.3%	7,898	88.4%	0.4%	10,699	80.3%	0.6%
65+ Years	1,087	96.6%	0.6%	1,087	93.2%	0.8%	1,986	84.0%	1.0%	2,550	70.4%	1.5%
Recipient Ethnicity/Race												
White	8,580	97.2%	0.2%	8,580	95.0%	0.2%	16,942	88.7%	0.3%	23,888	81.1%	0.4%
African American	1,921	97.1%	0.4%	1,921	94.1%	0.5%	3,734	83.1%	0.8%	5,220	71.4%	0.9%
Hispanic/Latino	1,614	97.5%	0.4%	1,614	96.0%	0.5%	3,050	90.9%	0.6%	4,254	84.0%	0.8%
Asian	485	98.6%	0.5%	485	98.1%	0.6%	953	93.4%	1.0%	1,345	87.0%	1.4%
Other/Multi-race	144	95.8%	1.7%	144	92.3%	2.2%	260	87.6%	2.3%	341	82.6%	2.8%
Unknown	352	96.9%	0.9%	352	96.0%	1.1%	397	93.8%	1.8%	443	82.8%	4.9%
Recipient Gender												
Female	5,410	96.6%	0.2%	5,410	94.4%	0.3%	10,481	87.8%	0.4%	14,739	79.9%	0.5%
Male	7,686	97.7%	0.2%	7,686	95.6%	0.2%	14,855	88.8%	0.3%	20,752	80.6%	0.4%
Recipient Blood Type												
O	5,977	97.4%	0.2%	5,977	95.4%	0.3%	11,606	88.4%	0.4%	16,196	80.9%	0.4%
A	4,934	97.2%	0.2%	4,934	94.8%	0.3%	9,535	88.5%	0.4%	13,415	79.8%	0.5%
B	1,692	97.0%	0.4%	1,692	95.3%	0.5%	3,251	87.4%	0.7%	4,560	79.2%	0.9%
AB	493	96.1%	0.9%	493	94.7%	1.0%	944	89.6%	1.2%	1,318	81.2%	1.6%
Unknown	0	-	-	0	-	-	0	-	-	2	100.0%	0.0%
Previous Kidney Tx												
No	11,693	97.3%	0.1%	11,693	95.3%	0.2%	22,629	88.7%	0.3%	31,851	80.7%	0.3%
Yes	1,403	96.6%	0.5%	1,403	93.9%	0.6%	2,707	85.5%	0.8%	3,640	76.5%	1.0%

Source: OPTN/SRTR Data as of May 1, 2006.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Graft survival follows individual transplants until graft failure. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on kidney and kidney-pancreas transplants.

Multi-organ transplants are excluded.

Dialysis needed within first week excludes patients whose graft failed before the end of the week. footnote9

Table 5.10c (Continued)
Unadjusted Graft Survival, Living Donor Kidney Transplants
Survival at 3 Months, 1 Year, 3 Years, and 5 Years

	3 Months			1 Year			3 Years			5 Years		
	(Tx 2003 - 2004)			(Tx 2003 - 2004)			(Tx 2001 - 2004)			(Tx 1999 - 2004)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Total												
All	13,096	97.2%	0.1%	13,096	95.1%	0.2%	25,336	88.4%	0.2%	35,491	80.3%	0.3%
Recipient Residency												
U.S. Resident	12,974	97.3%	0.1%	12,974	95.1%	0.2%	25,081	88.3%	0.2%	35,108	80.3%	0.3%
Nonresident Alien	122	95.9%	1.8%	122	94.1%	2.2%	253	89.6%	2.3%	369	81.2%	4.0%
Unknown	0	-	-	0	-	-	2	100.0%	0.0%	14	83.3%	10.8%
Hospitalized at Tx												
Not Hospitalized	12,839	97.3%	0.1%	12,839	95.2%	0.2%	24,769	88.5%	0.2%	34,674	80.4%	0.3%
Hospitalized	235	94.9%	1.4%	235	90.9%	1.9%	521	83.3%	1.9%	743	76.6%	2.2%
In Intensive Care	22	95.5%	4.4%	22	90.9%	6.1%	46	81.7%	6.9%	71	67.1%	7.2%
Unknown	0	-	-	0	-	-	0	-	-	3	66.7%	27.2%
Life Support at Tx												
Unknown	13,096	97.2%	0.1%	13,096	95.1%	0.2%	25,336	88.4%	0.2%	35,491	80.3%	0.3%
Primary Diagnosis												
Glomerular Diseases	3,972	97.6%	0.2%	3,972	95.6%	0.3%	7,698	89.1%	0.4%	10,933	82.0%	0.5%
Diabetes	2,752	96.8%	0.3%	2,752	94.2%	0.4%	5,388	85.9%	0.6%	7,435	75.8%	0.7%
Hypertensive Nephrosclerosis	1,695	97.7%	0.4%	1,695	95.5%	0.5%	3,040	87.0%	0.8%	4,120	76.9%	1.0%
Polycystic Kidneys	1,321	98.2%	0.4%	1,321	97.3%	0.4%	2,448	93.3%	0.6%	3,284	88.1%	0.9%
Tubular and Interstitial Diseases	886	97.0%	0.6%	886	94.3%	0.8%	1,729	87.3%	1.0%	2,508	79.9%	1.1%
Renovascular & Other Vascular Diseases	435	97.2%	0.8%	435	95.3%	1.0%	959	88.9%	1.2%	1,391	75.3%	1.7%
Congenital, Rare Familial, & Metabolic Disorders	592	96.8%	0.7%	592	94.9%	0.9%	1,120	89.3%	1.1%	1,529	83.9%	1.4%
Neoplasms	56	98.2%	1.8%	56	98.2%	1.8%	116	94.0%	2.4%	157	84.3%	4.4%
Other	1,163	95.7%	0.6%	1,163	93.6%	0.7%	2,260	88.3%	0.8%	3,270	82.6%	0.9%
Unknown	224	97.3%	1.1%	224	94.5%	1.5%	578	86.6%	1.6%	864	77.7%	1.9%

Source: OPTN/SRTR Data as of May 1, 2006.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Graft survival follows individual transplants until graft failure. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on kidney and kidney-pancreas transplants.

Multi-organ transplants are excluded.

Dialysis needed within first week excludes patients whose graft failed before the end of the week. footnote9

Table 5.10c (Continued)
Unadjusted Graft Survival, Living Donor Kidney Transplants
Survival at 3 Months, 1 Year, 3 Years, and 5 Years

	3 Months			1 Year			3 Years			5 Years		
	(Tx 2003 - 2004)			(Tx 2003 - 2004)			(Tx 2001 - 2004)			(Tx 1999 - 2004)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Total												
All	13,096	97.2%	0.1%	13,096	95.1%	0.2%	25,336	88.4%	0.2%	35,491	80.3%	0.3%
Yearly Center Volume												
0-12	217	97.2%	1.1%	217	94.9%	1.5%	487	85.8%	1.9%	732	77.8%	2.2%
13-28	749	97.2%	0.6%	749	95.3%	0.8%	1,572	87.3%	1.0%	2,358	81.4%	1.1%
29-47	941	96.2%	0.6%	941	93.5%	0.8%	2,159	87.1%	0.8%	3,228	81.0%	0.9%
48-81	2,897	97.2%	0.3%	2,897	94.9%	0.4%	5,505	88.9%	0.5%	8,470	79.7%	0.6%
82+	8,292	97.4%	0.2%	8,292	95.4%	0.2%	15,613	88.5%	0.3%	20,703	80.4%	0.4%
Dialysis Needed Within First Week After Tx												
No	12,510	98.5%	0.1%	12,510	96.5%	0.2%	24,175	89.9%	0.2%	33,792	81.8%	0.3%
Yes	586	70.0%	1.9%	586	66.5%	2.0%	1,160	57.0%	1.6%	1,679	50.7%	1.5%
Unknown	0	-	-	0	-	-	1	100.0%	0.0%	20	80.0%	8.9%
Donor Age												
11-17 Years	1	100.0%	0.0%	1	100.0%	0.0%	4	100.0%	0.0%	5	+	+
18-34 Years	4,307	97.7%	0.2%	4,307	95.9%	0.3%	8,391	89.4%	0.4%	11,813	81.5%	0.5%
35-49 Years	6,146	97.2%	0.2%	6,146	95.2%	0.3%	11,894	88.2%	0.4%	16,702	80.1%	0.4%
50-64 Years	2,523	96.7%	0.4%	2,523	94.1%	0.5%	4,805	87.1%	0.6%	6,635	79.3%	0.7%
65+ Years	119	93.3%	2.3%	119	86.3%	3.2%	242	83.3%	2.6%	331	71.0%	3.6%
Unknown	0	-	-	0	-	-	0	-	-	5	50.0%	35.4%
Relation of Donor to Recipient												
Parent	1,559	96.6%	0.5%	1,559	94.1%	0.6%	3,238	87.2%	0.7%	4,753	79.5%	0.8%
Offspring	2,272	97.4%	0.3%	2,272	95.3%	0.4%	4,455	87.6%	0.6%	6,176	78.0%	0.8%
Sibling	3,848	97.8%	0.2%	3,848	96.2%	0.3%	7,700	90.7%	0.4%	11,327	83.5%	0.5%
Other Relative	983	97.0%	0.5%	983	94.5%	0.7%	1,943	85.9%	1.0%	2,698	77.4%	1.2%
Spouse	1,510	96.5%	0.5%	1,510	94.1%	0.6%	2,937	86.6%	0.8%	4,174	77.8%	0.9%
Other Unrelated	2,741	97.2%	0.3%	2,741	95.0%	0.4%	4,777	88.2%	0.6%	6,012	80.6%	0.8%
Unknown	183	97.3%	1.2%	183	92.7%	1.9%	286	88.2%	2.2%	351	76.2%	3.9%

Source: OPTN/SRTR Data as of May 1, 2006.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Graft survival follows individual transplants until graft failure. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on kidney and kidney-pancreas transplants.

Multi-organ transplants are excluded.

Dialysis needed within first week excludes patients whose graft failed before the end of the week. footnote9

Table 5.10c (Continued)
Unadjusted Graft Survival, Living Donor Kidney Transplants
Survival at 3 Months, 1 Year, 3 Years, and 5 Years

	3 Months			1 Year			3 Years			5 Years		
	(Tx 2003 - 2004)			(Tx 2003 - 2004)			(Tx 2001 - 2004)			(Tx 1999 - 2004)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Total												
All	13,096	97.2%	0.1%	13,096	95.1%	0.2%	25,336	88.4%	0.2%	35,491	80.3%	0.3%
A Locus Mismatch												
0	3,162	98.2%	0.2%	3,162	96.8%	0.3%	6,438	90.8%	0.4%	9,255	83.4%	0.6%
1	7,027	96.9%	0.2%	7,027	94.6%	0.3%	13,561	87.6%	0.3%	18,980	79.3%	0.4%
2	2,812	97.3%	0.3%	2,812	95.0%	0.4%	5,139	87.4%	0.6%	6,831	78.7%	0.8%
Unknown	95	90.5%	3.0%	95	84.9%	3.7%	198	85.6%	2.7%	425	79.0%	2.4%
B Locus Mismatch												
0	2,240	98.6%	0.3%	2,240	97.1%	0.4%	4,577	91.5%	0.5%	6,615	84.2%	0.7%
1	6,767	97.1%	0.2%	6,767	95.0%	0.3%	13,280	87.7%	0.3%	18,722	79.7%	0.4%
2	3,994	96.9%	0.3%	3,994	94.5%	0.4%	7,282	87.5%	0.5%	9,731	78.9%	0.6%
Unknown	95	90.5%	3.0%	95	84.9%	3.7%	197	85.5%	2.7%	423	78.9%	2.4%
DR Locus Mismatch												
0	2,956	97.9%	0.3%	2,956	96.4%	0.3%	5,940	90.6%	0.5%	8,528	83.2%	0.6%
1	7,052	97.0%	0.2%	7,052	94.8%	0.3%	13,683	87.5%	0.3%	19,223	79.3%	0.4%
2	2,987	97.2%	0.3%	2,987	95.1%	0.4%	5,503	88.0%	0.5%	7,281	79.4%	0.7%
Unknown	101	91.1%	2.8%	101	85.9%	3.5%	210	86.3%	2.5%	459	79.4%	2.3%
Total Mismatch												
0	1,196	98.8%	0.3%	1,196	98.1%	0.4%	2,500	93.2%	0.6%	3,675	87.7%	0.8%
1	794	97.7%	0.5%	794	96.3%	0.7%	1,626	89.8%	0.9%	2,319	79.9%	1.3%
2	2,416	97.8%	0.3%	2,416	95.8%	0.4%	4,758	89.1%	0.5%	6,783	80.5%	0.7%
3	3,779	96.6%	0.3%	3,779	94.3%	0.4%	7,407	86.8%	0.5%	10,402	78.8%	0.6%
4	1,699	97.2%	0.4%	1,699	94.5%	0.6%	3,153	88.4%	0.7%	4,340	79.9%	0.9%
5	2,006	96.8%	0.4%	2,006	94.3%	0.5%	3,714	86.7%	0.7%	4,977	78.9%	0.9%
6	1,105	97.4%	0.5%	1,105	95.9%	0.6%	1,967	88.3%	0.9%	2,534	78.7%	1.3%
Unknown	101	91.1%	2.8%	101	85.9%	3.5%	211	85.9%	2.6%	461	79.3%	2.3%

Source: OPTN/SRTR Data as of May 1, 2006.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Graft survival follows individual transplants until graft failure. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on kidney and kidney-pancreas transplants.

Multi-organ transplants are excluded.

Dialysis needed within first week excludes patients whose graft failed before the end of the week. footnote9