Table 5.14a
Unadjusted Patient Survival, Deceased Donor non-ECD Kidney Transplants
Survival at 3 Months, 1 Year, 3 Years, and 5 Years

	3 Months			1 Year			3 Years			5 Years		
	(Tx 2003 - 2004)			(Tx 2003 - 2004)			(Tx 2001 - 2004)			(Tx 1999 - 2004)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Total												
All	12,543	98.2%	0.1%	12,543	95.7%	0.2%	24,433	89.6%	0.2%	35,920	82.8%	0.3%
Age at Tx												
<1 Year	1	100.0%	0.0%	1	100.0%	0.0%	1	+	+	2	100.0%	0.0%
1-5 Years	90	100.0%	0.0%	90	97.8%	1.6%	173	95.6%	1.7%	253	92.1%	2.2%
6-10 Years	122	100.0%	0.0%	122	99.2%	0.8%	227	95.1%	1.7%	312	95.0%	1.5%
11-17 Years	431	99.3%	0.4%	431	98.1%	0.7%	744	96.4%	0.9%	1,073	95.6%	0.8%
18-34 Years	1,679	99.5%	0.2%	1,679	98.5%	0.3%	3,418	96.2%	0.4%	5,304	93.3%	0.4%
35-49 Years	3,756	98.8%	0.2%	3,756	97.2%	0.3%	7,552	92.7%	0.4%	11,341	88.2%	0.4%
50-64 Years	4,964	97.6%	0.2%	4,964	94.3%	0.3%	9,529	86.8%	0.4%	13,757	77.5%	0.5%
65+ Years	1,500	96.7%	0.5%	1,500	92.2%	0.7%	2,789	79.5%	0.9%	3,878	63.9%	1.1%
Recipient Ethnicity/Race												
White	5,895	98.2%	0.2%	5,895	95.3%	0.3%	11,830	88.9%	0.3%	17,877	81.9%	0.4%
African American	3,906	98.1%	0.2%	3,906	95.5%	0.3%	7,548	88.9%	0.4%	10,920	82.0%	0.5%
Hispanic/Latino	1,792	98.2%	0.3%	1,792	96.5%	0.4%	3,370	92.5%	0.5%	4,706	86.6%	0.7%
Asian	781	98.6%	0.4%	781	96.7%	0.6%	1,391	92.9%	0.8%	1,981	88.2%	1.0%
Other/Multi-race	168	98.8%	0.8%	168	97.6%	1.2%	292	88.1%	2.4%	434	80.9%	2.5%
Unknown	1	100.0%	0.0%	1	100.0%	0.0%	2	100.0%	0.0%	2	+	+
Recipient Gender												
Female	4,994	98.6%	0.2%	4,994	96.2%	0.3%	9,812	90.7%	0.3%	14,388	84.1%	0.4%
Male	7,549	97.9%	0.2%	7,549	95.3%	0.2%	14,621	88.8%	0.3%	21,532	82.0%	0.4%
Recipient Blood Type												
O	5,687	98.1%	0.2%	5,687	95.7%	0.3%	10,913	90.0%	0.3%	15,908	83.0%	0.4%
A	4,585	98.4%	0.2%	4,585	95.8%	0.3%	9,165	89.3%	0.4%	13,542	82.8%	0.4%
B	1,653	98.1%	0.3%	1,653	95.3%	0.5%	3,087	88.8%	0.7%	4,532	82.3%	0.8%
AB	618	98.1%	0.6%	618	95.8%	0.8%	1,268	89.8%	1.0%	1,938	82.7%	1.1%

Source: OPTN/SRTR Data as of May 1, 2006.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on kidney and kidney-pancreas transplants.

Multi-organ transplants are excluded.

Dialysis needed within first week excludes patients whose graft failed before the end of the week. footnote9

Table 5.14a (Continued)
Unadjusted Patient Survival, Deceased Donor non-ECD Kidney Transplants
Survival at 3 Months, 1 Year, 3 Years, and 5 Years

	3 Months			1 Year			3 Years			5 Years		
	(Tx 2003 - 2004)			(Tx 2003 - 2004)			(Tx 2001 - 2004)			(Tx 1999 - 2004)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Total												
All	12,543	98.2%	0.1%	12,543	95.7%	0.2%	24,433	89.6%	0.2%	35,920	82.8%	0.3%
Recipient Residency												
U.S. Resident	12,476	98.2%	0.1%	12,476	95.7%	0.2%	24,265	89.5%	0.2%	35,667	82.7%	0.3%
Nonresident Alien	63	100.0%	0.0%	63	100.0%	0.0%	157	97.5%	1.3%	227	96.0%	1.4%
Unknown	4	100.0%	0.0%	4	100.0%	0.0%	11	85.7%	13.2%	26	77.3%	9.1%
Hospitalized at Tx												
Not Hospitalized	12,346	98.2%	0.1%	12,346	95.8%	0.2%	24,007	89.7%	0.2%	35,264	82.9%	0.3%
Hospitalized	175	96.0%	1.5%	175	90.9%	2.2%	388	84.4%	2.1%	583	79.3%	2.1%
In Intensive Care	21	95.2%	4.6%	21	85.7%	7.6%	37	69.2%	9.8%	67	69.5%	6.2%
Unknown	1	100.0%	0.0%	1	100.0%	0.0%	1	+	+	6	60.0%	21.9%
Life Support at Tx												
Unknown	12,543	98.2%	0.1%	12,543	95.7%	0.2%	24,433	89.6%	0.2%	35,920	82.8%	0.3%
Primary Diagnosis												
Glomerular Diseases	3,060	98.6%	0.2%	3,060	96.6%	0.3%	6,091	93.2%	0.4%	9,173	89.1%	0.4%
Diabetes	2,993	97.0%	0.3%	2,993	92.8%	0.5%	5,718	82.9%	0.6%	8,228	72.3%	0.7%
Hypertensive Nephrosclerosis	2,630	98.1%	0.3%	2,630	96.0%	0.4%	4,975	89.6%	0.5%	7,042	81.5%	0.6%
Polycystic Kidneys	1,102	98.9%	0.3%	1,102	97.1%	0.5%	2,229	93.8%	0.6%	3,374	87.8%	0.8%
Tubular and Interstitial Diseases	667	99.0%	0.4%	667	97.2%	0.6%	1,285	90.4%	1.0%	1,966	86.4%	1.0%
Renovascular & Other Vascular Diseases	705	98.3%	0.5%	705	96.3%	0.7%	1,424	89.6%	0.9%	2,118	80.8%	1.2%
Congenital, Rare Familial, & Metabolic Disorders	336	99.4%	0.4%	336	97.9%	0.8%	605	94.5%	1.1%	919	92.5%	1.1%
Neoplasms	39	97.4%	2.5%	39	94.9%	3.5%	75	71.4%	6.6%	110	58.5%	6.8%
Other	1,006	99.2%	0.3%	1,006	96.9%	0.5%	2,021	91.2%	0.7%	2,978	85.4%	0.9%
Unknown	5	80.0%	17.9%	5	80.0%	17.9%	10	80.0%	12.6%	12	83.3%	10.8%

Source: OPTN/SRTR Data as of May 1, 2006.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on kidney and kidney-pancreas transplants.

Multi-organ transplants are excluded.

Dialysis needed within first week excludes patients whose graft failed before the end of the week. footnote9

Table 5.14a (Continued)
Unadjusted Patient Survival, Deceased Donor non-ECD Kidney Transplants
Survival at 3 Months, 1 Year, 3 Years, and 5 Years

	3 Months			1 Year			3 Years			5 Years		
	(Tx 2003 - 2004)			(Tx 2003 - 2004)			(Tx 2001 - 2004)			(Tx 1999 - 2004)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Total												
All	12,543	98.2%	0.1%	12,543	95.7%	0.2%	24,433	89.6%	0.2%	35,920	82.8%	0.3%
Cold Ischemic Time												
0-11 Hours	2,326	98.2%	0.3%	2,326	95.6%	0.4%	4,285	90.1%	0.5%	5,858	83.9%	0.7%
12-21 Hours	5,140	98.5%	0.2%	5,140	96.3%	0.3%	9,890	89.9%	0.4%	14,407	83.3%	0.4%
22-31 Hours	2,793	98.1%	0.3%	2,793	95.6%	0.4%	5,597	89.2%	0.5%	8,618	82.0%	0.5%
32-41 Hours	481	97.5%	0.7%	481	94.0%	1.1%	1,029	87.9%	1.2%	1,712	79.2%	1.2%
42+ Hours	81	93.8%	2.7%	81	92.6%	2.9%	197	87.5%	2.6%	307	71.6%	3.5%
Unknown	1,722	97.7%	0.4%	1,722	94.7%	0.5%	3,435	89.2%	0.6%	5,018	83.8%	0.7%
Yearly Center Volume												
0-12	165	98.2%	1.0%	165	96.4%	1.5%	433	93.0%	1.4%	693	85.1%	1.7%
13-28	1,048	97.8%	0.5%	1,048	94.9%	0.7%	1,943	89.2%	0.9%	3,172	83.8%	0.9%
29-47	1,353	97.8%	0.4%	1,353	95.2%	0.6%	2,736	88.8%	0.7%	4,238	81.1%	0.8%
48-81	2,938	98.1%	0.3%	2,938	95.6%	0.4%	5,399	88.7%	0.5%	8,230	82.0%	0.6%
82+	7,039	98.4%	0.2%	7,039	95.9%	0.2%	13,922	90.0%	0.3%	19,587	83.3%	0.4%
Dialysis Needed Within First Week After Tx												
No	9,779	98.6%	0.1%	9,779	96.5%	0.2%	19,112	91.3%	0.2%	28,048	85.2%	0.3%
Yes	2,763	96.9%	0.3%	2,763	92.9%	0.5%	5,320	83.4%	0.6%	7,835	74.5%	0.7%
Unknown	1	100.0%	0.0%	1	100.0%	0.0%	1	+	+	37	75.2%	7.2%
Donor Age												
<1 Year	26	100.0%	0.0%	26	100.0%	0.0%	87	88.5%	3.7%	147	79.5%	3.9%
1-5 Years	378	98.7%	0.6%	378	96.3%	1.0%	757	92.2%	1.1%	1,142	89.0%	1.2%
6-10 Years	337	98.5%	0.7%	337	96.1%	1.0%	797	88.2%	1.3%	1,248	81.5%	1.4%
11-17 Years	1,323	98.5%	0.3%	1,323	96.3%	0.5%	2,601	91.9%	0.6%	3,964	86.6%	0.7%
18-34 Years	4,321	98.3%	0.2%	4,321	96.2%	0.3%	8,394	91.3%	0.4%	12,104	84.9%	0.4%
35-49 Years	4,365	98.2%	0.2%	4,365	95.5%	0.3%	8,385	88.1%	0.4%	12,394	80.9%	0.5%
50-64 Years	1,793	97.6%	0.4%	1,793	94.2%	0.6%	3,412	87.1%	0.7%	4,921	78.2%	0.8%

Source: OPTN/SRTR Data as of May 1, 2006.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on kidney and kidney-pancreas transplants.

Multi-organ transplants are excluded.

Dialysis needed within first week excludes patients whose graft failed before the end of the week. footnote9

Table 5.14a (Continued)
Unadjusted Patient Survival, Deceased Donor non-ECD Kidney Transplants
Survival at 3 Months, 1 Year, 3 Years, and 5 Years

	3 Months			1 Year			3 Years			5 Years		
	(Tx 2003 - 2004)			(Tx 2003 - 2004)			(Tx 2001 - 2004)			(Tx 1999 - 2004)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Total												
All	12,543	98.2%	0.1%	12,543	95.7%	0.2%	24,433	89.6%	0.2%	35,920	82.8%	0.3%
A Locus Mismatch												
0	2,626	98.5%	0.2%	2,626	96.3%	0.4%	5,136	89.8%	0.5%	7,713	82.8%	0.6%
1	4,290	98.3%	0.2%	4,290	96.1%	0.3%	8,586	90.2%	0.4%	12,671	83.2%	0.4%
2	5,626	97.9%	0.2%	5,626	95.1%	0.3%	10,709	89.0%	0.4%	15,522	82.5%	0.4%
Unknown	1	100.0%	0.0%	1	100.0%	0.0%	2	100.0%	0.0%	14	77.1%	11.7%
B Locus Mismatch												
0	2,284	98.7%	0.2%	2,284	96.5%	0.4%	4,789	90.3%	0.5%	7,443	82.2%	0.6%
1	3,119	98.1%	0.2%	3,119	95.5%	0.4%	7,365	90.2%	0.4%	11,542	83.6%	0.4%
2	7,139	98.1%	0.2%	7,139	95.5%	0.2%	12,277	88.8%	0.4%	16,921	82.6%	0.4%
Unknown	1	100.0%	0.0%	1	100.0%	0.0%	2	100.0%	0.0%	14	77.1%	11.7%
DR Locus Mismatch												
0	3,499	98.7%	0.2%	3,499	96.3%	0.3%	7,243	90.4%	0.4%	10,823	83.1%	0.5%
1	5,335	98.1%	0.2%	5,335	95.8%	0.3%	10,047	90.0%	0.4%	14,951	83.3%	0.4%
2	3,702	97.8%	0.2%	3,702	94.8%	0.4%	7,134	88.2%	0.4%	10,115	81.9%	0.5%
Unknown	7	100.0%	0.0%	7	100.0%	0.0%	9	100.0%	0.0%	31	84.4%	7.3%
Total Mismatch												
0	1,931	98.7%	0.3%	1,931	96.5%	0.4%	3,666	90.7%	0.6%	5,286	83.0%	0.7%
1	148	100.0%	0.0%	148	97.3%	1.3%	454	89.1%	1.6%	937	82.0%	1.5%
2	581	98.5%	0.5%	581	95.5%	0.9%	1,641	89.4%	0.8%	2,708	83.4%	0.9%
3	1,694	98.3%	0.3%	1,694	96.3%	0.5%	3,951	90.4%	0.5%	6,246	82.8%	0.6%
4	3,167	98.2%	0.2%	3,167	95.7%	0.4%	5,865	90.1%	0.5%	8,468	83.5%	0.5%
5	3,486	98.0%	0.2%	3,486	95.6%	0.3%	5,907	89.3%	0.5%	8,184	83.0%	0.6%
6	1,529	97.6%	0.4%	1,529	93.9%	0.6%	2,940	86.8%	0.7%	4,059	81.0%	0.8%
Unknown	7	100.0%	0.0%	7	100.0%	0.0%	9	100.0%	0.0%	32	85.0%	7.1%

Source: OPTN/SRTR Data as of May 1, 2006.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on kidney and kidney-pancreas transplants.

Multi-organ transplants are excluded.

Dialysis needed within first week excludes patients whose graft failed before the end of the week. footnote9