Table 10.8
Adjusted Graft Survival, Intestine Transplants
Survival at 3 Months, 1 Year, 3 Years, and 5 Years

	3 Months			1 Year			3 Years			5 Years		
	(Tx 2003 - 2004)			(Tx 2003 - 2004)			(Tx 2001 - 2004)			(Tx 1999 - 2004)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Total												
All	254	87.0%	2.1%	254	77.1%	2.6%	468	55.7%	2.9%	612	47.5%	2.8%
Age at Tx												
<1 Year	30	90.0%	5.4%	30	63.3%	8.6%	64	53.6%	6.8%	85	43.2%	6.2%
1-5 Years	94	85.1%	3.6%	94	77.6%	4.3%	158	57.3%	5.0%	210	49.9%	4.3%
6-10 Years	15	80.0%	9.9%	15	73.3%	11.0%	30	50.8%	11.0%	42	60.2%	8.1%
11-17 Years	17	94.1%	5.5%	17	94.1%	5.5%	32	68.6%	10.1%	37	39.8%	15.6%
18-34 Years	28	78.6%	7.6%	28	71.4%	8.4%	56	51.3%	7.4%	75	39.6%	7.9%
35-49 Years	45	91.1%	4.2%	45	82.0%	5.7%	82	56.3%	7.1%	111	47.5%	6.6%
50-64 Years	23	95.7%	4.2%	23	87.0%	6.9%	43	53.3%	10.1%	49	50.4%	9.9%
65+ Years	2	50.0%	25.0%	2	0.0%	0.0%	3	33.3%	20.0%	3	33.3%	20.0%
Recipient Ethnicity/Race												
White	187	87.7%	2.4%	187	78.6%	3.0%	335	55.4%	3.5%	427	47.0%	3.6%
African American	25	80.0%	7.9%	25	76.0%	8.4%	59	56.4%	7.0%	82	38.9%	6.6%
Hispanic/Latino	31	96.8%	3.1%	31	80.8%	7.0%	60	57.9%	7.8%	85	57.0%	5.9%
Asian	8	62.2%	16.0%	8	49.5%	16.4%	10	49.8%	14.8%	13	46.1%	13.0%
Other/Multi-race	3	67.0%	22.2%	3	33.8%	20.3%	4	49.7%	21.0%	5	60.3%	19.2%
Recipient Gender												
Female	125	82.4%	3.4%	125	74.3%	3.9%	232	61.0%	3.8%	295	47.1%	4.7%
Male	129	91.5%	2.4%	129	79.9%	3.5%	236	50.5%	4.3%	317	47.0%	3.5%

Source: OPTN/SRTR Data as of May 1, 2006.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Graft survival follows individual transplants until graft failure. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on intestine transplants.

Multi-organ transplants other than intestine with liver and/or pancreas are excluded.

Survival rates are adjusted to the characteristics of the 3 month and 1 year cohort. See Technical Notes for details.

Table 10.8 (Continued)
Adjusted Graft Survival, Intestine Transplants
Survival at 3 Months, 1 Year, 3 Years, and 5 Years

	3 Months			1 Year			3 Years			5 Years		
	(Tx 2003 - 2004)			(Tx 2003 - 2004)			(Tx 2001 - 2004)			(Tx 1999 - 2004)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Total												
All	254	87.0%	2.1%	254	77.1%	2.6%	468	55.7%	2.9%	612	47.5%	2.8%
Primary Diagnosis												
Short Gut Syndrome	185	86.6%	2.5%	185	77.4%	3.1%	352	55.6%	3.3%	458	47.7%	3.1%
Functional Bowel Problem	47	93.9%	3.4%	47	81.6%	5.6%	82	59.9%	6.4%	110	50.5%	6.4%
Other	21	74.1%	10.0%	21	64.0%	11.0%	33	48.8%	11.1%	42	36.5%	11.9%
Unknown	1	+	+	1	+	+	1	+	+	2	+	+

Source: OPTN/SRTR Data as of May 1, 2006.
Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.
Cohorts are transplants performed during the years listed at the top of the table.
Graft survival follows individual transplants until graft failure. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.
Center volume = Center's yearly transplants performed during the base period, based on intestine transplants.
Multi-organ transplants other than intestine with liver and/or pancreas are excluded.
Survival rates are adjusted to the characteristics of the 3 month and 1 year cohort. See Technical Notes for details.