Table 8.7
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1996 to 2004
Rates for Recipients during First Year after Kidney-Pancreas Transplantation

Recipient Age at Tx	Year of Transplant								
	1996	1997	1998	1999	2000	2001	2002	2003	2004
Total									
Patients	848	841	967	930	908	886	902	866	880
Deaths	51	43	59	47	44	51	45	38	48
Rate	62.6	53.0	63.8	52.4	50.2	60.1	51.7	45.2	56.5
1-5 Years									
Patients	-	-	-	1	-	-	-	-	-
Deaths	-	-	-	0	-	-	-	-	-
Rate	-	-	-	*	-	-	-	-	-
11-17 Years									
Patients	-	-	-	1	-	-	-	-	-
Deaths	-	-	-	0	-	-	-	-	-
Rate	-	-	-	*	-	-	-	-	-
18-34 Years									
Patients	290	296	302	249	227	243	218	230	196
Deaths	12	9	14	7	8	12	9	12	6
Rate	42.6	31.1	48.0	28.7	36.2	51.2	42.4	54.2	31.2
35-49 Years									
Patients	514	490	580	586	555	505	541	504	520
Deaths	33	30	36	33	28	27	28	16	28
Rate	67.0	63.9	64.8	58.8	52.3	55.6	53.7	32.5	55.6
50-64 Years									
Patients	44	55	85	93	124	138	140	130	164
Deaths	6	4	9	7	8	12	8	10	14
Rate	147.1	76.5	114.9	78.6	67.5	92.9	59.2	79.8	90.7
65+ Years									
Patients	-	-	-	-	2	-	3	2	-
Deaths	-	-	-	-	0	-	0	0	-
Rate	-	-	-	-	*	-	*	*	-

Source: OPTN/SRTR Data as of May 1, 2006.
Notes:
(-) = None in category.
(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.
Multi-organ transplants are excluded.
Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Table 8.7 (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1996 to 2004
Rates for Recipients during First Year after Kidney-Pancreas Transplantation

Ethnicity/Race	Year of Transplant								
	1996	1997	1998	1999	2000	2001	2002	2003	2004
Total									
Patients	848	841	967	930	908	886	902	866	880
Deaths	51	43	59	47	44	51	45	38	48
Rate	62.6	53.0	63.8	52.4	50.2	60.1	51.7	45.2	56.5
White									
Patients	709	699	808	765	770	707	711	631	662
Deaths	43	36	48	38	38	36	35	28	35
Rate	63.0	53.3	62.1	51.5	51.0	52.8	51.0	45.6	54.6
African American									
Patients	91	86	92	103	84	111	104	139	124
Deaths	6	2	5	6	5	8	9	6	7
Rate	70.0	23.7	56.5	60.8	62.9	76.2	92.2	45.0	58.5
Hispanic/Latino									
Patients	36	46	58	52	44	54	73	78	78
Deaths	2	5	5	3	0	6	1	3	4
Rate	57.6	119.8	90.3	60.6	0.0	122.7	13.7	39.7	53.6
Asian									
Patients	9	8	6	6	4	9	13	12	10
Deaths	0	0	1	0	0	1	0	0	0
Rate	*	*	*	*	*	*	0.0	0.0	0.0
Other/Multi-race									
Patients	3	2	3	4	6	5	1	6	6
Deaths	0	0	0	0	1	0	0	1	2
Rate	*	*	*	*	*	*	*	*	*

Source: OPTN/SRTR Data as of May 1, 2006.
Notes:
(-) = None in category.
(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.
Multi-organ transplants are excluded.
Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Table 8.7 (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1996 to 2004
Rates for Recipients during First Year after Kidney-Pancreas Transplantation

Gender	Year of Transplant								
	1996	1997	1998	1999	2000	2001	2002	2003	2004
Total									
Patients	848	841	967	930	908	886	902	866	880
Deaths	51	43	59	47	44	51	45	38	48
Rate	62.6	53.0	63.8	52.4	50.2	60.1	51.7	45.2	56.5
Female									
Patients	362	368	394	362	388	375	345	330	345
Deaths	23	23	17	18	16	21	17	12	12
Rate	66.4	65.2	44.8	51.6	42.5	58.2	50.8	37.3	35.6
Male									
Patients	486	473	573	568	520	511	557	536	535
Deaths	28	20	42	29	28	30	28	26	36
Rate	59.8	43.6	77.0	53.0	55.9	61.5	52.2	50.1	70.2

Source: OPTN/SRTR Data as of May 1, 2006.
Notes:
(-) = None in category.
(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.
Multi-organ transplants are excluded.
Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Table 8.7 (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1996 to 2004
Rates for Recipients during First Year after Kidney-Pancreas Transplantation

Blood Type	Year of Transplant								
	1996	1997	1998	1999	2000	2001	2002	2003	2004
Total									
Patients	848	841	967	930	908	886	902	866	880
Deaths	51	43	59	47	44	51	45	38	48
Rate	62.6	53.0	63.8	52.4	50.2	60.1	51.7	45.2	56.5
O									
Patients	391	425	454	422	401	390	401	430	395
Deaths	20	23	26	22	23	24	21	18	25
Rate	53.1	56.5	60.0	54.1	60.0	64.2	54.4	43.0	66.2
A									
Patients	344	320	370	362	362	351	369	300	341
Deaths	23	17	23	18	17	21	17	12	17
Rate	69.6	54.8	64.8	51.7	48.5	62.7	47.5	41.2	51.4
B									
Patients	82	66	104	102	114	110	100	95	104
Deaths	7	3	7	4	4	4	3	6	5
Rate	90.0	46.9	69.7	40.0	35.6	37.5	30.6	65.9	49.1
AB									
Patients	31	30	39	44	31	35	32	41	40
Deaths	1	0	3	3	0	2	4	2	1
Rate	33.2	0.0	83.0	71.3	0.0	59.8	138.1	50.4	25.3

Source: OPTN/SRTR Data as of May 1, 2006.
Notes:
(-) = None in category.
(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.
Multi-organ transplants are excluded.
Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Table 8.7 (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1996 to 2004
Rates for Recipients during First Year after Kidney-Pancreas Transplantation

Residency	Year of Transplant								
	1996	1997	1998	1999	2000	2001	2002	2003	2004
Total									
Patients	848	841	967	930	908	886	902	866	880
Deaths	51	43	59	47	44	51	45	38	48
Rate	62.6	53.0	63.8	52.4	50.2	60.1	51.7	45.2	56.5
U.S. Resident									
Patients	835	828	952	923	901	883	897	861	874
Deaths	49	40	57	47	42	51	44	38	48
Rate	61.0	50.0	62.5	52.8	48.2	60.3	50.7	45.5	56.9
Nonresident Alien									
Patients	6	3	8	4	3	3	1	5	6
Deaths	2	1	0	0	1	0	0	0	0
Rate	*	*	*	*	*	*	*	*	*
Unknown									
Patients	7	10	7	3	4	-	4	-	-
Deaths	0	2	2	0	1	-	1	-	-
Rate	*	227.9	*	*	*	-	*	-	-

Source: OPTN/SRTR Data as of May 1, 2006.
Notes:
(-) = None in category.
(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.
Multi-organ transplants are excluded.
Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Table 8.7 (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1996 to 2004
Rates for Recipients during First Year after Kidney-Pancreas Transplantation

Previous Tx Any Organ	Year of Transplant								
	1996	1997	1998	1999	2000	2001	2002	2003	2004
Total									
Patients	848	841	967	930	908	886	902	866	880
Deaths	51	43	59	47	44	51	45	38	48
Rate	62.6	53.0	63.8	52.4	50.2	60.1	51.7	45.2	56.5
No									
Patients	812	795	923	874	860	837	849	829	816
Deaths	51	38	56	40	41	42	43	36	38
Rate	65.5	49.4	63.3	47.3	49.4	52.0	52.5	44.7	48.0
Yes									
Patients	36	46	44	56	48	49	53	37	64
Deaths	0	5	3	7	3	9	2	2	10
Rate	0.0	118.5	72.8	138.9	64.6	215.2	38.1	56.5	173.2

Source: OPTN/SRTR Data as of May 1, 2006.
Notes:
(-) = None in category.
(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.
Multi-organ transplants are excluded.
Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Table 8.7 (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1996 to 2004
Rates for Recipients during First Year after Kidney-Pancreas Transplantation

Previous KI/KP Tx	Year of Transplant								
	1996	1997	1998	1999	2000	2001	2002	2003	2004
Total									
Patients	848	841	967	930	908	886	902	866	880
Deaths	51	43	59	47	44	51	45	38	48
Rate	62.6	53.0	63.8	52.4	50.2	60.1	51.7	45.2	56.5
No									
Patients	814	797	924	876	862	841	852	831	818
Deaths	51	38	56	40	41	43	43	36	39
Rate	65.3	49.3	63.3	47.2	49.2	53.1	52.3	44.6	49.2
Yes									
Patients	34	44	43	54	46	45	50	35	62
Deaths	0	5	3	7	3	8	2	2	9
Rate	0.0	124.4	74.6	144.6	67.5	207.4	40.4	59.9	159.6

Source: OPTN/SRTR Data as of May 1, 2006.
Notes:
(-) = None in category.
(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.
Multi-organ transplants are excluded.
Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Table 8.7 (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1996 to 2004
Rates for Recipients during First Year after Kidney-Pancreas Transplantation

Previous PA/KP Tx	Year of Transplant								
	1996	1997	1998	1999	2000	2001	2002	2003	2004
Total									
Patients	848	841	967	930	908	886	902	866	880
Deaths	51	43	59	47	44	51	45	38	48
Rate	62.6	53.0	63.8	52.4	50.2	60.1	51.7	45.2	56.5
No									
Patients	838	832	957	916	898	868	891	855	867
Deaths	51	41	58	45	43	49	45	37	47
Rate	63.4	51.0	63.3	50.9	49.6	58.9	52.3	44.5	56.1
Yes									
Patients	10	9	10	14	10	18	11	11	13
Deaths	0	2	1	2	1	2	0	1	1
Rate	0.0	*	110.8	162.9	102.2	122.3	0.0	97.5	82.1

Source: OPTN/SRTR Data as of May 1, 2006.
Notes:
(-) = None in category.
(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.
Multi-organ transplants are excluded.
Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Table 8.7 (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1996 to 2004
Rates for Recipients during First Year after Kidney-Pancreas Transplantation

Hospitalized at Tx	Year of Transplant								
	1996	1997	1998	1999	2000	2001	2002	2003	2004
Total									
Patients	848	841	967	930	908	886	902	866	880
Deaths	51	43	59	47	44	51	45	38	48
Rate	62.6	53.0	63.8	52.4	50.2	60.1	51.7	45.2	56.5
Not Hospitalized									
Patients	835	833	957	914	898	877	888	851	864
Deaths	50	41	59	44	43	48	45	38	43
Rate	62.3	51.0	64.5	49.8	49.5	57.0	52.5	46.0	51.4
Hospitalized									
Patients	9	7	5	11	10	9	11	12	12
Deaths	1	2	0	1	1	3	0	0	3
Rate	*	*	*	99.8	108.7	*	0.0	0.0	301.9
In Intensive Care									
Patients	4	1	5	5	-	-	3	3	4
Deaths	0	0	0	2	-	-	0	0	2
Rate	*	*	*	*	-	-	*	*	*

Source: OPTN/SRTR Data as of May 1, 2006.
Notes:
(-) = None in category.
(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.
Multi-organ transplants are excluded.
Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Table 8.7 (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1996 to 2004
Rates for Recipients during First Year after Kidney-Pancreas Transplantation

PRA at Transplant	Year of Transplant								
	1996	1997	1998	1999	2000	2001	2002	2003	2004
Total									
Patients	848	841	967	930	908	886	902	866	880
Deaths	51	43	59	47	44	51	45	38	48
Rate	62.6	53.0	63.8	52.4	50.2	60.1	51.7	45.2	56.5
0%-9%									
Patients	21	21	22	178	802	741	748	693	668
Deaths	0	1	2	9	36	43	36	32	34
Rate	0.0	49.7	94.9	52.2	46.4	60.5	49.8	47.6	52.6
10%-79%									
Patients	1	3	3	14	39	53	53	65	71
Deaths	0	1	0	1	1	1	4	1	7
Rate	*	*	*	75.4	26.2	19.2	78.1	15.5	105.1
80%+									
Patients	-	-	1	8	14	9	7	10	18
Deaths	-	-	0	2	3	2	0	2	3
Rate	-	-	*	*	233.3	*	*	230.6	187.8
Unknown									
Patients	826	817	941	730	53	83	94	98	123
Deaths	51	41	57	35	4	5	5	3	4
Rate	64.3	52.0	63.3	49.7	78.7	63.3	55.3	31.5	33.2

Source: OPTN/SRTR Data as of May 1, 2006.
Notes:
(-) = None in category.
(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.
Multi-organ transplants are excluded.
Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Table 8.7 (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1996 to 2004
Rates for Recipients during First Year after Kidney-Pancreas Transplantation

Donor Age	Year of Transplant								
	1996	1997	1998	1999	2000	2001	2002	2003	2004
Total									
Patients	848	841	967	930	908	886	902	866	880
Deaths	51	43	59	47	44	51	45	38	48
Rate	62.6	53.0	63.8	52.4	50.2	60.1	51.7	45.2	56.5
<1 Year									
Patients	-	1	3	1	-	-	1	-	-
Deaths	-	0	0	0	-	-	0	-	-
Rate	-	*	*	*	-	-	*	-	-
1-5 Years									
Patients	-	1	-	3	3	1	1	1	2
Deaths	-	0	-	0	1	0	0	0	0
Rate	-	*	-	*	*	*	*	*	*
6-10 Years									
Patients	13	13	24	21	14	24	13	18	10
Deaths	0	1	0	0	0	1	1	0	0
Rate	0.0	80.9	0.0	0.0	0.0	43.0	80.4	0.0	0.0
11-17 Years									
Patients	192	174	201	190	186	168	168	170	173
Deaths	8	7	10	6	7	6	7	6	12
Rate	43.1	41.2	51.5	32.4	38.5	36.7	42.6	35.9	71.6
18-34 Years									
Patients	409	421	464	444	458	466	479	478	480
Deaths	25	22	28	20	20	23	23	23	21
Rate	63.4	54.3	62.9	46.5	45.1	51.1	49.7	49.8	45.2
35-49 Years									
Patients	207	198	234	240	228	196	215	173	179
Deaths	17	12	18	17	16	17	10	8	13
Rate	86.9	63.4	81.7	74.7	74.0	92.5	48.5	47.9	76.6
50-64 Years									
Patients	26	33	39	30	19	30	25	26	36
Deaths	1	1	3	4	0	3	4	1	2
Rate	39.5	31.2	82.4	146.7	0.0	109.2	171.3	38.8	56.8
65+ Years									
Patients	1	-	2	1	-	1	-	-	-
Deaths	0	-	0	0	-	1	-	-	-

(Continued)

Source: OPTN/SRTR Data as of May 1, 2006.
Notes:
(-) = None in category.
(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.
Multi-organ transplants are excluded.
Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Table 8.7 (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1996 to 2004
Rates for Recipients during First Year after Kidney-Pancreas Transplantation

Donor Age	Year of Transplant								
	1996	1997	1998	1999	2000	2001	2002	2003	2004
65+ Years									
Rate	*	-	*	*	-	*	-	-	-

Source: OPTN/SRTR Data as of May 1, 2006.
Notes:
(-) = None in category.
(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.
Multi-organ transplants are excluded.
Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Table 8.7 (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1996 to 2004
Rates for Recipients during First Year after Kidney-Pancreas Transplantation

Level of HLA Mismatch (Total)	Year of Transplant								
	1996	1997	1998	1999	2000	2001	2002	2003	2004
Total									
Patients	848	841	967	930	908	886	902	866	880
Deaths	51	43	59	47	44	51	45	38	48
Rate	62.6	53.0	63.8	52.4	50.2	60.1	51.7	45.2	56.5
A Locus Mismatch									
0									
Patients	82	108	137	128	116	124	126	72	89
Deaths	3	4	11	7	5	6	3	3	1
Rate	37.5	38.2	84.8	57.4	44.0	50.0	24.1	43.1	11.3
1									
Patients	394	357	409	386	385	375	382	382	379
Deaths	20	19	19	18	18	21	18	20	22
Rate	52.3	55.3	48.0	48.0	48.4	58.3	48.8	54.1	60.6
2									
Patients	369	372	420	416	407	387	394	411	412
Deaths	28	19	29	22	21	24	24	15	25
Rate	80.1	52.8	72.7	55.0	53.6	65.1	63.6	37.5	62.8
Unknown									
Patients	3	4	1	0	0	0	0	1	0
Deaths	0	1	0	0	0	0	0	0	0
Rate	*	*	*	0.0	0.0	0.0	0.0	*	0.0
B Locus Mismatch									
0									
Patients	36	45	75	76	73	65	62	27	30
Deaths	2	1	5	3	4	4	0	1	1
Rate	57.8	22.3	69.2	40.8	56.5	64.1	0.0	38.2	34.4
1									
Patients	291	247	280	281	260	249	264	233	245
Deaths	14	10	17	9	12	15	10	7	14
Rate	49.7	41.6	63.3	32.7	47.9	63.4	38.9	30.7	59.2
2									
Patients	518	544	611	573	575	572	576	605	605
Deaths	35	31	37	35	28	32	35	30	33
Rate	70.6	59.4	63.4	63.9	50.4	58.2	63.4	51.3	56.5

(Continued)

Source: OPTN/SRTR Data as of May 1, 2006.
Notes:
(-) = None in category.
(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.
Multi-organ transplants are excluded.
Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Table 8.7 (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1996 to 2004
Rates for Recipients during First Year after Kidney-Pancreas Transplantation

Level of HLA Mismatch (Total)	Year of Transplant								
	1996	1997	1998	1999	2000	2001	2002	2003	2004
B Locus Mismatch									
Unknown									
Patients	3	5	1	-	-	-	-	1	-
Deaths	0	1	0	-	-	-	-	0	-
Rate	*	*	*	-	-	-	-	*	-
DR Locus Mismatch									
0									
Patients	82	89	102	95	91	105	103	86	69
Deaths	5	4	5	6	6	10	1	7	5
Rate	63.8	46.0	50.4	66.4	68.9	103.2	9.8	86.6	76.2
1									
Patients	407	383	430	422	397	363	375	343	370
Deaths	20	17	28	18	21	14	15	8	18
Rate	50.8	45.7	68.2	44.1	55.1	39.7	41.1	23.6	50.3
2									
Patients	355	364	434	412	418	418	424	437	441
Deaths	26	21	26	23	17	27	29	23	25
Rate	76.7	60.4	62.7	58.0	41.8	67.6	71.8	54.6	58.7
Unknown									
Patients	4	5	1	1	2	-	-	-	-
Deaths	0	1	0	0	0	-	-	-	-
Rate	*	*	*	*	*	-	-	-	-
Total Mismatch									
0									
Patients	11	21	46	43	42	45	39	12	12
Deaths	0	0	5	3	3	3	0	1	0
Rate	0.0	0.0	115.6	74.1	73.8	69.5	0.0	89.7	0.0
1									
Patients	8	10	13	18	11	11	9	9	11
Deaths	1	1	0	0	1	1	0	0	0
Rate	*	104.5	0.0	0.0	99.2	99.8	*	*	0.0
2									
Patients	50	37	36	26	37	31	36	25	28
Deaths	3	0	2	0	1	1	1	2	0
Rate	62.0	0.0	57.9	0.0	27.6	33.0	28.5	85.5	0.0

(Continued)

Source: OPTN/SRTR Data as of May 1, 2006.
Notes:
(-) = None in category.
(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.
Multi-organ transplants are excluded.
Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Table 8.7 (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1996 to 2004
Rates for Recipients during First Year after Kidney-Pancreas Transplantation

Level of HLA Mismatch (Total)	Year of Transplant								
	1996	1997	1998	1999	2000	2001	2002	2003	2004
Total Mismatch									
3									
Patients	152	133	134	130	123	126	143	126	128
Deaths	4	8	7	7	5	8	4	7	9
Rate	26.7	62.2	54.3	55.8	42.1	67.1	28.5	57.2	74.0
4									
Patients	245	239	276	282	235	234	228	218	220
Deaths	14	12	11	11	14	11	9	2	11
Rate	59.6	52.2	40.9	40.2	62.1	48.6	40.4	9.2	51.7
5									
Patients	238	266	308	280	306	280	295	296	307
Deaths	17	11	25	16	11	17	17	18	19
Rate	74.7	42.7	86.0	59.5	36.9	63.5	60.1	63.5	64.6
6									
Patients	140	129	152	150	152	159	152	179	174
Deaths	12	10	9	10	9	10	14	8	9
Rate	90.7	81.9	62.4	69.9	61.5	65.7	98.5	46.0	52.9
Unknown									
Patients	4	6	2	1	2	-	-	1	-
Deaths	0	1	0	0	0	-	-	0	-
Rate	*	*	*	*	*	-	-	*	-

Source: OPTN/SRTR Data as of May 1, 2006.
Notes:
(-) = None in category.
(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.
Multi-organ transplants are excluded.
Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Table 8.7 (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1996 to 2004
Rates for Recipients during First Year after Kidney-Pancreas Transplantation

Cold Ischemic Time	Year of Transplant								
	1996	1997	1998	1999	2000	2001	2002	2003	2004
Total									
Patients	848	841	967	930	908	886	902	866	880
Deaths	51	43	59	47	44	51	45	38	48
Rate	62.6	53.0	63.8	52.4	50.2	60.1	51.7	45.2	56.5
0-11 Hours									
Patients	288	300	326	290	321	298	336	341	338
Deaths	21	17	19	8	14	17	20	16	16
Rate	76.4	59.0	60.8	28.2	45.0	59.4	62.4	48.3	48.9
12-21 Hours									
Patients	438	397	444	426	342	321	344	319	331
Deaths	20	19	25	24	10	15	14	12	21
Rate	46.9	49.5	58.5	58.6	29.8	48.5	41.8	38.8	66.2
22-31 Hours									
Patients	73	89	90	88	78	67	47	29	33
Deaths	7	4	4	6	8	2	1	2	2
Rate	104.9	46.3	46.1	72.4	110.2	30.5	21.3	71.4	62.3
32-41 Hours									
Patients	2	3	1	2	3	3	2	3	2
Deaths	1	0	0	0	1	0	0	1	0
Rate	*	*	*	*	*	*	*	*	*
42+ Hours									
Patients	3	-	-	1	1	-	1	1	2
Deaths	0	-	-	0	0	-	0	0	0
Rate	*	-	-	*	*	-	*	*	*
Unknown									
Patients	44	52	106	123	163	197	172	173	174
Deaths	2	3	11	9	11	17	10	7	9
Rate	47.3	60.5	112.6	76.9	70.9	92.1	60.4	41.4	53.2

Source: OPTN/SRTR Data as of May 1, 2006.
Notes:
(-) = None in category.
(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.
Multi-organ transplants are excluded.
Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.