Table 10.3
Reported Deaths and Annual Death Rates Per 1,000 Patient-Years at Risk, 1996 to 2005
Intestine Waiting List

Age This Year		Year									
		1996	1997	1998	1999	2000	2001	2002	2003	2004	2005
Total											
	Patients	157	192	211	212	247	320	349	356	393	453
	Deaths	24	44	48	47	27	44	52	48	56	57
	Rate	343.6	581.6	579.2	493.9	252.6	317.5	315.4	306.0	323.3	317.4
<1 Year											
	Patients	7	18	26	15	32	32	35	34	33	55
	Deaths	-	4	4	2	2	7	6	5	6	8
	Rate	*	878.2	700.7	536.5	335.3	1,011.5	683.8	737.4	810.5	908.9
1-5 Years											
	Patients	75	86	91	99	105	139	141	153	164	176
	Deaths	17	31	26	25	17	29	29	23	25	35
	Rate	533.9	907.5	740.0	552.1	352.5	443.5	395.6	334.0	320.8	477.0
6-10 Years											
	Patients	22	24	19	22	26	28	35	31	40	40
	Deaths	2	1	1	1	1	2	-	2	1	-
	Rate	174.6	91.1	73.3	66.3	61.0	111.3	-	93.3	36.7	-
11-17 Years											
	Patients	12	14	15	7	15	23	32	27	25	37
	Deaths	1	2	3	1	1	-	4	2	1	4
	Rate	204.5	274.4	649.9	*	103.7	-	219.0	110.3	63.2	181.5
18-34 Years											
	Patients	20	21	20	28	24	28	41	40	38	56
	Deaths	-	4	2	7	2	1	6	7	5	4
	Rate	-	571.2	206.7	681.2	178.5	92.4	468.4	520.8	335.2	203.0
35-49 Years											
	Patients	15	21	28	28	24	37	43	47	48	44
	Deaths	3	1	9	7	2	2	3	5	11	4
	Rate	465.4	131.4	879.6	654.5	270.0	152.7	140.4	288.2	806.9	317.7
50-64 Years											
	Patients	6	8	12	13	19	31	21	21	40	43
	Deaths	1	1	3	4	2	3	4	4	6	2
	Rate	*	*	773.9	672.5	261.0	309.1	538.8	408.7	422.4	135.8
65+ Years											
	Patients	-	-	-	-	2	2	1	3	5	2
	Deaths	-	-	-	-	-	-	-	-	1	-
	Rate	-	-	-	-	*	*	*	*	*	*

Source: OPTN/SRTR Data as of May 1, 2006.
Notes:
Patients alive on the waiting list at any time during the year are counted. Period at risk begins the later of January 1 or waiting list registration and ends on the earlier of December 31, date of death, or date of removal for other reasons. Please see Technical Notes for further details about death rate computation.
(-) = None in category.
(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Table 10.3 (Continued)
Reported Deaths and Annual Death Rates Per 1,000 Patient-Years at Risk, 1996 to 2005
Intestine Waiting List

Ethnicity/Race		Year									
		1996	1997	1998	1999	2000	2001	2002	2003	2004	2005
Total											
	Patients	157	192	211	212	247	320	349	356	393	453
	Deaths	24	44	48	47	27	44	52	48	56	57
	Rate	343.6	581.6	579.2	493.9	252.6	317.5	315.4	306.0	323.3	317.4
White											
	Patients	111	140	145	141	155	216	240	242	250	286
	Deaths	17	34	31	33	13	29	32	29	36	31
	Rate	337.7	644.3	539.4	520.5	195.6	331.2	283.6	278.6	335.3	275.1
African American											
	Patients	24	25	35	42	52	59	53	51	69	86
	Deaths	5	4	9	12	9	8	7	9	13	12
	Rate	534.9	347.1	744.3	623.6	379.9	249.3	236.1	311.3	376.3	365.4
Hispanic/Latino											
	Patients	16	19	24	22	32	39	48	50	59	67
	Deaths	-	4	4	2	5	7	11	8	6	11
	Rate	-	560.5	392.8	212.5	390.4	440.2	574.2	402.7	231.0	399.2
Asian											
	Patients	5	6	5	6	8	5	5	8	13	10
	Deaths	1	2	3	-	-	-	1	2	1	2
	Rate	*	*	*	*	*	*	*	*	230.9	348.3
Other/Multi-race											
	Patients	1	2	2	1	-	1	3	5	2	4
	Deaths	1	-	1	-	-	-	1	-	-	1
	Rate	*	*	*	*	-	*	*	*	*	*

Source: OPTN/SRTR Data as of May 1, 2006.
Notes:
Patients alive on the waiting list at any time during the year are counted. Period at risk begins the later of January 1 or waiting list registration and ends on the earlier of December 31, date of death, or date of removal for other reasons. Please see Technical Notes for further details about death rate computation.
(-) = None in category.
(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Table 10.3 (Continued)
Reported Deaths and Annual Death Rates Per 1,000 Patient-Years at Risk, 1996 to 2005
Intestine Waiting List

Gender		Year									
		1996	1997	1998	1999	2000	2001	2002	2003	2004	2005
Total											
	Patients	157	192	211	212	247	320	349	356	393	453
	Deaths	24	44	48	47	27	44	52	48	56	57
	Rate	343.6	581.6	579.2	493.9	252.6	317.5	315.4	306.0	323.3	317.4
Female											
	Patients	70	94	95	99	109	153	155	155	193	216
	Deaths	12	22	19	28	10	19	25	21	22	18
	Rate	346.3	583.9	448.9	600.2	204.1	285.5	330.6	312.5	265.1	203.5
Male											
	Patients	87	98	116	113	138	167	194	201	200	237
	Deaths	12	22	29	19	17	25	27	27	34	39
	Rate	341.0	579.4	715.1	391.7	293.7	347.0	302.5	301.2	376.9	427.9

Source: OPTN/SRTR Data as of May 1, 2006.
Notes:
Patients alive on the waiting list at any time during the year are counted. Period at risk begins the later of January 1 or waiting list registration and ends on the earlier of December 31, date of death, or date of removal for other reasons. Please see Technical Notes for further details about death rate computation.
(-) = None in category.
(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Table 10.3 (Continued)
Reported Deaths and Annual Death Rates Per 1,000 Patient-Years at Risk, 1996 to 2005
Intestine Waiting List

Blood Type		Year									
		1996	1997	1998	1999	2000	2001	2002	2003	2004	2005
Total											
	Patients	157	192	211	212	247	320	349	356	393	453
	Deaths	24	44	48	47	27	44	52	48	56	57
	Rate	343.6	581.6	579.2	493.9	252.6	317.5	315.4	306.0	323.3	317.4
O											
	Patients	63	88	97	99	124	145	149	173	190	214
	Deaths	13	26	25	17	14	24	21	19	30	27
	Rate	432.0	823.7	726.1	404.0	277.2	383.6	273.9	253.0	369.3	322.8
A											
	Patients	64	70	80	75	80	110	134	125	136	158
	Deaths	5	11	15	20	8	15	16	19	17	20
	Rate	169.5	378.8	459.0	557.4	216.9	343.1	282.4	343.8	284.0	322.7
B											
	Patients	21	22	26	30	33	55	49	44	54	57
	Deaths	4	5	6	7	4	5	13	8	8	7
	Rate	571.6	487.3	488.4	488.9	254.7	195.7	519.5	419.9	322.0	263.8
AB											
	Patients	9	12	8	8	10	10	17	14	13	24
	Deaths	2	2	2	3	1	-	2	2	1	3
	Rate	*	418.0	*	*	264.5	-	306.2	268.7	137.9	403.9

Source: OPTN/SRTR Data as of May 1, 2006.
Notes:
Patients alive on the waiting list at any time during the year are counted. Period at risk begins the later of January 1 or waiting list registration and ends on the earlier of December 31, date of death, or date of removal for other reasons. Please see Technical Notes for further details about death rate computation.
(-) = None in category.
(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Table 10.3 (Continued)
Reported Deaths and Annual Death Rates Per 1,000 Patient-Years at Risk, 1996 to 2005
Intestine Waiting List

Primary Diagnosis (Collected for listings after 1994)	Year									
	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005
Total										
Patients	157	192	211	212	247	320	349	356	393	453
Deaths	24	44	48	47	27	44	52	48	56	57
Rate	343.6	581.6	579.2	493.9	252.6	317.5	315.4	306.0	323.3	317.4
Short Gut Syndrome										
Patients	70	103	117	106	120	143	144	154	152	197
Deaths	8	28	32	30	16	18	20	28	16	23
Rate	273.6	686.1	717.0	590.9	299.9	269.0	272.8	400.6	233.4	280.3
Functional Bowel Problem										
Patients	17	17	17	19	13	25	31	29	42	46
Deaths	3	7	4	5	1	4	2	1	5	4
Rate	420.3	1,265.0	542.0	559.7	186.3	372.8	135.6	63.5	270.3	237.5
Other										
Patients	30	36	47	56	82	116	131	127	138	154
Deaths	4	2	8	8	7	18	17	15	20	22
Rate	279.2	130.4	439.7	369.1	204.7	396.0	301.1	308.1	341.7	399.2
Unknown										
Patients	40	36	30	31	32	36	43	46	61	56
Deaths	9	7	4	4	3	4	13	4	15	8
Rate	470.3	501.2	315.7	290.0	215.0	257.8	639.1	177.5	543.4	312.8

Source: OPTN/SRTR Data as of May 1, 2006.
Notes:
Patients alive on the waiting list at any time during the year are counted. Period at risk begins the later of January 1 or waiting list registration and ends on the earlier of December 31, date of death, or date of removal for other reasons. Please see Technical Notes for further details about death rate computation.
(-) = None in category.
(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.