Table 8.6g
Immunosuppression Use for Maintenance Between Discharge and One Year Following Transplantation, 1995 to 2004
Recipients with Kidney-Pancreas Transplants

	Year of Transplant									
	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
Transplants	919	861	853	972	942	915	891	905	871	881
Tx with Follow-up Immunosuppression Info	825	774	781	870	860	841	818	822	783	773
Corticosteroids										
Any in Category	99.9%	100.0%	99.9%	99.7%	99.5%	95.6%	93.4%	89.4%	81.7%	75.4%
Steroids	99.9%	100.0%	99.9%	99.7%	99.5%	95.6%	93.4%	89.4%	81.7%	75.4%
Cyclosporine										
Any in Category	67.4%	61.8%	48.7%	36.2%	31.0%	23.1%	17.0%	13.5%	11.9%	8.8%
Cyclosporin	33.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%
Sandimmmune	16.1%	12.9%	8.6%	4.1%	5.0%	3.1%	1.8%	1.3%	0.6%	0.5%
Neoral	17.5%	48.8%	40.1%	32.1%	25.8%	18.8%	12.2%	8.9%	9.2%	6.9%
Gengraf	0.0%	0.0%	0.0%	0.0%	0.2%	1.2%	2.8%	3.2%	2.0%	1.4%
Eon	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%
Tacrolimus										
Any in Category	46.8%	50.9%	62.4%	75.3%	80.7%	84.2%	89.4%	89.8%	87.5%	87.5%
Tacrolimus	46.8%	50.9%	62.4%	75.3%	80.7%	84.2%	89.4%	89.8%	87.5%	87.5%
Antimetabolites										
Any in Category	89.2%	94.1%	96.2%	96.8%	95.7%	87.5%	80.4%	82.2%	82.5%	86.3%
Mycophenolate Mofetil	31.2%	72.1%	82.2%	85.1%	87.4%	81.2%	77.5%	79.8%	80.3%	79.7%
Mycophenolate Sodium	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	4.8%
Azathioprine	57.8%	22.0%	14.0%	11.7%	8.3%	6.3%	2.9%	2.4%	2.2%	1.7%
Leflunomide	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Cytoxan	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
mTOR Inhibitors										
Any in Category	0.0%	0.0%	0.1%	2.0%	5.2%	20.9%	31.2%	27.7%	27.5%	24.3%
Sirolimus	0.0%	0.0%	0.1%	0.9%	4.8%	20.6%	31.1%	27.7%	27.5%	24.3%
Everolimus	0.0%	0.0%	0.0%	1.0%	0.5%	0.4%	0.1%	0.0%	0.0%	0.0%

Source: OPTN/SRTR Data as of May 1, 2006.
Notes:
Percentages are calculated based on the total number of patients with any immunosuppression use between discharge and one year following transplantation.
Individual drug percentages will not necessarily add up to the drug category percentages, as patients may be prescribed more than one drug within the same category.