Table 10.7
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1996 to 2004
Rates for Recipients during First Year after Intestine Transplantation

Recipient Age at Tx	Year of Transplant								
	1996	1997	1998	1999	2000	2001	2002	2003	2004
Total									
Patients	41	61	66	67	77	111	103	109	145
Deaths	14	26	22	25	21	34	27	20	30
Rate	456.7	584.7	442.8	515.3	347.9	394.9	325.2	208.1	243.1
<1 Year									
Patients	2	3	11	11	10	19	15	10	20
Deaths	1	2	6	6	6	7	4	3	7
Rate	*	*	955.6	945.7	1,221.6	506.9	337.0	331.3	449.1
1-5 Years									
Patients	15	26	24	23	29	35	29	43	51
Deaths	4	12	7	8	12	14	10	7	12
Rate	340.3	657.9	377.1	469.4	604.5	531.3	456.1	186.3	286.9
6-10 Years									
Patients	6	9	3	5	7	5	10	5	10
Deaths	2	1	0	1	0	1	4	1	2
Rate	*	*	*	*	*	*	516.5	*	245.1
11-17 Years									
Patients	2	5	10	2	3	3	12	11	6
Deaths	2	3	3	0	0	0	4	1	0
Rate	*	*	378.0	*	*	*	475.1	99.1	*
18-34 Years									
Patients	9	9	6	9	10	14	14	15	13
Deaths	2	4	1	4	1	4	0	4	2
Rate	*	*	*	*	107.6	355.1	0.0	312.6	175.3
35-49 Years									
Patients	6	7	9	15	14	22	15	20	25
Deaths	3	3	4	5	1	4	3	3	3
Rate	*	*	*	447.7	76.2	220.3	245.1	168.8	131.8
50-64 Years									
Patients	1	2	3	2	4	12	8	5	18
Deaths	0	1	1	1	1	4	2	1	2
Rate	*	*	*	*	*	473.7	*	*	115.4
65+ Years									
Patients	-	-	-	-	-	1	-	-	2
Deaths	-	-	-	-	-	0	-	-	2

(Continued)

Source: OPTN/SRTR Data as of May 1, 2006.
Notes:
(-) = None in category.
(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.
Includes intestine only and intestine with liver and/or pancreas transplants.
Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Table 10.7 (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1996 to 2004
Rates for Recipients during First Year after Intestine Transplantation

Recipient Age at Tx	Year of Transplant								
	1996	1997	1998	1999	2000	2001	2002	2003	2004
65+ Years									
Rate	-	-	-	-	-	*	-	-	*

Source: OPTN/SRTR Data as of May 1, 2006.
Notes:
(-) = None in category.
(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.
Includes intestine only and intestine with liver and/or pancreas transplants.
Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Table 10.7 (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1996 to 2004
Rates for Recipients during First Year after Intestine Transplantation

Ethnicity/Race	Year of Transplant								
	1996	1997	1998	1999	2000	2001	2002	2003	2004
Total									
Patients	41	61	66	67	77	111	103	109	145
Deaths	14	26	22	25	21	34	27	20	30
Rate	456.7	584.7	442.8	515.3	347.9	394.9	325.2	208.1	243.1
White									
Patients	30	44	46	45	47	77	71	86	101
Deaths	11	19	17	15	9	21	16	15	19
Rate	494.3	590.4	503.4	436.6	225.6	340.7	271.2	196.6	218.4
African American									
Patients	5	11	7	11	12	19	15	9	16
Deaths	1	4	3	7	7	8	6	2	4
Rate	*	479.4	*	1,243.6	1,110.5	595.7	586.1	*	308.9
Hispanic/Latino									
Patients	4	6	12	9	16	13	16	11	20
Deaths	2	3	1	3	4	4	5	2	2
Rate	*	*	89.9	*	308.6	411.2	390.7	197.8	105.8
Asian									
Patients	2	-	1	1	2	2	-	2	6
Deaths	0	-	1	0	1	1	-	1	3
Rate	*	-	*	*	*	*	-	*	*
Other/Multi-race									
Patients	-	-	-	1	-	-	1	1	2
Deaths	-	-	-	0	-	-	0	0	2
Rate	-	-	-	*	-	-	*	*	*

Source: OPTN/SRTR Data as of May 1, 2006.
Notes:
(-) = None in category.
(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.
Includes intestine only and intestine with liver and/or pancreas transplants.
Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Table 10.7 (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1996 to 2004
Rates for Recipients during First Year after Intestine Transplantation

Gender	Year of Transplant								
	1996	1997	1998	1999	2000	2001	2002	2003	2004
Total									
Patients	41	61	66	67	77	111	103	109	145
Deaths	14	26	22	25	21	34	27	20	30
Rate	456.7	584.7	442.8	515.3	347.9	394.9	325.2	208.1	243.1
Female									
Patients	17	32	23	31	32	55	52	46	79
Deaths	6	12	10	15	6	17	15	12	16
Rate	478.5	493.1	659.9	742.8	223.6	406.2	357.0	322.6	240.7
Male									
Patients	24	29	43	36	45	56	51	63	66
Deaths	8	14	12	10	15	17	12	8	14
Rate	441.6	695.4	347.5	353.1	447.4	384.3	292.6	135.9	246.0

Source: OPTN/SRTR Data as of May 1, 2006.
Notes:
(-) = None in category.
(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.
Includes intestine only and intestine with liver and/or pancreas transplants.
Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Table 10.7 (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1996 to 2004
Rates for Recipients during First Year after Intestine Transplantation

Blood Type	Year of Transplant								
	1996	1997	1998	1999	2000	2001	2002	2003	2004
Total									
Patients	41	61	66	67	77	111	103	109	145
Deaths	14	26	22	25	21	34	27	20	30
Rate	456.7	584.7	442.8	515.3	347.9	394.9	325.2	208.1	243.1
O									
Patients	11	25	32	37	42	47	33	59	67
Deaths	3	11	9	13	8	13	7	8	14
Rate	336.6	602.9	349.8	473.3	226.5	339.7	247.8	148.2	243.6
A									
Patients	24	26	29	20	28	39	50	36	55
Deaths	8	9	11	6	10	14	13	7	12
Rate	435.2	445.7	533.0	388.7	483.4	494.6	321.0	220.5	259.2
B									
Patients	5	4	3	7	5	20	11	10	18
Deaths	2	1	1	5	3	6	2	3	3
Rate	*	*	*	*	*	387.6	209.3	377.2	193.1
AB									
Patients	1	6	2	3	2	5	9	4	5
Deaths	1	5	1	1	0	1	5	2	1
Rate	*	*	*	*	*	*	*	*	*

Source: OPTN/SRTR Data as of May 1, 2006.
Notes:
(-) = None in category.
(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.
Includes intestine only and intestine with liver and/or pancreas transplants.
Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Table 10.7 (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1996 to 2004
Rates for Recipients during First Year after Intestine Transplantation

Residency	Year of Transplant								
	1996	1997	1998	1999	2000	2001	2002	2003	2004
Total									
Patients	41	61	66	67	77	111	103	109	145
Deaths	14	26	22	25	21	34	27	20	30
Rate	456.7	584.7	442.8	515.3	347.9	394.9	325.2	208.1	243.1
U.S. Resident									
Patients	34	51	62	64	71	107	96	108	141
Deaths	12	21	21	24	19	32	23	20	29
Rate	479.4	557.1	450.5	516.3	338.7	385.0	290.0	210.3	241.2
Nonresident Alien									
Patients	4	4	4	2	6	4	7	-	4
Deaths	2	3	1	0	2	2	4	-	1
Rate	*	*	*	*	*	*	*	-	*
Unknown									
Patients	3	6	-	1	-	-	-	1	-
Deaths	0	2	-	1	-	-	-	0	-
Rate	*	*	-	*	-	-	-	*	-

Source: OPTN/SRTR Data as of May 1, 2006.
Notes:
(-) = None in category.
(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.
Includes intestine only and intestine with liver and/or pancreas transplants.
Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Table 10.7 (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1996 to 2004
Rates for Recipients during First Year after Intestine Transplantation

Previous Tx Any Organ	Year of Transplant								
	1996	1997	1998	1999	2000	2001	2002	2003	2004
Total									
Patients	41	61	66	67	77	111	103	109	145
Deaths	14	26	22	25	21	34	27	20	30
Rate	456.7	584.7	442.8	515.3	347.9	394.9	325.2	208.1	243.1
No									
Patients	38	55	61	55	69	104	91	100	139
Deaths	12	24	20	21	17	29	21	19	28
Rate	407.4	598.3	431.8	527.1	305.0	347.0	273.7	217.5	234.7
Yes									
Patients	3	6	5	12	8	7	12	9	6
Deaths	2	2	2	4	4	5	6	1	2
Rate	*	*	*	460.9	*	*	951.4	*	*

Source: OPTN/SRTR Data as of May 1, 2006.
Notes:
(-) = None in category.
(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.
Includes intestine only and intestine with liver and/or pancreas transplants.
Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Table 10.7 (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1996 to 2004
Rates for Recipients during First Year after Intestine Transplantation

Life Support Status	Year of Transplant								
	1996	1997	1998	1999	2000	2001	2002	2003	2004
Total									
Patients	41	61	66	67	77	111	103	109	145
Deaths	14	26	22	25	21	34	27	20	30
Rate	456.7	584.7	442.8	515.3	347.9	394.9	325.2	208.1	243.1
Not on Life Support									
Patients	27	57	59	58	72	106	96	107	138
Deaths	9	25	17	17	18	32	22	19	25
Rate	438.4	605.7	365.7	376.0	309.7	385.2	273.0	200.7	207.3
On Life Support									
Patients	3	3	7	9	5	5	7	2	7
Deaths	2	1	5	8	3	2	5	1	5
Rate	*	*	*	*	*	*	*	*	*
Unknown									
Patients	11	1	-	-	-	-	-	-	-
Deaths	3	0	-	-	-	-	-	-	-
Rate	334.1	*	-	-	-	-	-	-	-

Source: OPTN/SRTR Data as of May 1, 2006.
Notes:
(-) = None in category.
(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.
Includes intestine only and intestine with liver and/or pancreas transplants.
Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Table 10.7 (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1996 to 2004
Rates for Recipients during First Year after Intestine Transplantation

Hospitalized at Tx	Year of Transplant								
	1996	1997	1998	1999	2000	2001	2002	2003	2004
Total									
Patients	41	61	66	67	77	111	103	109	145
Deaths	14	26	22	25	21	34	27	20	30
Rate	456.7	584.7	442.8	515.3	347.9	394.9	325.2	208.1	243.1
Not Hospitalized									
Patients	14	33	35	36	45	80	60	76	91
Deaths	3	12	8	6	10	20	12	11	15
Rate	247.0	467.1	269.2	191.4	268.0	305.5	232.1	157.7	185.3
Hospitalized									
Patients	6	19	16	15	18	17	29	21	32
Deaths	4	10	4	7	4	6	10	4	6
Rate	*	763.3	298.3	690.1	262.4	478.8	460.3	217.9	215.9
In Intensive Care									
Patients	10	8	15	16	14	14	14	12	22
Deaths	4	4	10	12	7	8	5	5	9
Rate	620.3	*	1,524.3	1,708.1	897.2	989.3	520.9	627.6	613.7
Unknown									
Patients	11	1	-	-	-	-	-	-	-
Deaths	3	0	-	-	-	-	-	-	-
Rate	334.1	*	-	-	-	-	-	-	-

Source: OPTN/SRTR Data as of May 1, 2006.
Notes:
(-) = None in category.
(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.
Includes intestine only and intestine with liver and/or pancreas transplants.
Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Table 10.7 (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1996 to 2004
Rates for Recipients during First Year after Intestine Transplantation

Primary Diagnosis	Year of Transplant								
	1996	1997	1998	1999	2000	2001	2002	2003	2004
Total									
Patients	41	61	66	67	77	111	103	109	145
Deaths	14	26	22	25	21	34	27	20	30
Rate	456.7	584.7	442.8	515.3	347.9	394.9	325.2	208.1	243.1
Short Gut Syndrome									
Patients	24	49	51	47	59	87	80	80	105
Deaths	9	22	19	18	18	26	19	17	22
Rate	506.5	637.0	524.2	537.3	400.1	384.1	290.6	250.0	246.4
Functional Bowel Problem									
Patients	14	10	9	15	13	18	17	22	25
Deaths	5	4	2	5	3	7	7	2	3
Rate	505.7	504.2	*	439.9	289.2	526.2	589.6	93.3	127.1
Other									
Patients	3	1	6	4	5	6	6	7	14
Deaths	0	0	1	2	0	1	1	1	5
Rate	*	*	*	*	*	*	*	*	526.4

Source: OPTN/SRTR Data as of May 1, 2006.
Notes:
(-) = None in category.
(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.
Includes intestine only and intestine with liver and/or pancreas transplants.
Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Table 10.7 (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1996 to 2004
Rates for Recipients during First Year after Intestine Transplantation

Donor Age	Year of Transplant								
	1996	1997	1998	1999	2000	2001	2002	2003	2004
Total									
Patients	41	61	66	67	77	111	103	109	145
Deaths	14	26	22	25	21	34	27	20	30
Rate	456.7	584.7	442.8	515.3	347.9	394.9	325.2	208.1	243.1
<1 Year									
Patients	7	12	20	19	16	30	28	30	40
Deaths	2	7	8	8	8	11	10	7	12
Rate	*	803.4	571.6	599.8	839.4	463.6	487.5	268.8	378.8
1-5 Years									
Patients	16	22	20	19	25	30	24	26	38
Deaths	5	7	5	9	8	10	6	3	9
Rate	405.0	429.4	315.6	737.1	419.4	446.2	300.8	125.2	291.3
6-10 Years									
Patients	3	10	8	10	13	6	11	11	16
Deaths	1	5	3	0	2	2	3	3	1
Rate	*	724.1	*	0.0	179.3	*	328.0	327.1	63.6
11-17 Years									
Patients	3	6	5	5	10	13	12	16	15
Deaths	1	4	2	2	1	2	1	3	1
Rate	*	*	*	*	109.7	179.7	89.9	218.7	70.2
18-34 Years									
Patients	9	7	10	10	9	22	17	21	29
Deaths	4	2	4	5	2	6	3	2	4
Rate	*	*	584.3	858.9	*	342.3	207.6	104.6	151.5
35-49 Years									
Patients	3	3	3	4	4	7	7	5	6
Deaths	1	1	0	1	0	3	2	2	2
Rate	*	*	*	*	*	*	*	*	*
50-64 Years									
Patients	-	1	-	-	-	3	3	-	1
Deaths	-	0	-	-	-	0	1	-	1
Rate	-	*	-	-	-	*	*	-	*
65+ Years									
Patients	-	-	-	-	-	-	1	-	-
Deaths	-	-	-	-	-	-	1	-	-

(Continued)

Source: OPTN/SRTR Data as of May 1, 2006.
Notes:
(-) = None in category.
(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.
Includes intestine only and intestine with liver and/or pancreas transplants.
Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Table 10.7 (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1996 to 2004
Rates for Recipients during First Year after Intestine Transplantation

Donor Age	Year of Transplant								
	1996	1997	1998	1999	2000	2001	2002	2003	2004
65+ Years									
Rate	-	-	-	-	-	-	*	-	-

Source: OPTN/SRTR Data as of May 1, 2006.
Notes:
(-) = None in category.
(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.
Includes intestine only and intestine with liver and/or pancreas transplants.
Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Table 10.7 (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 1996 to 2004
Rates for Recipients during First Year after Intestine Transplantation

Cold Ischemic Time	Year of Transplant								
	1996	1997	1998	1999	2000	2001	2002	2003	2004
Total									
Patients	41	61	66	67	77	111	103	109	145
Deaths	14	26	22	25	21	34	27	20	30
Rate	456.7	584.7	442.8	515.3	347.9	394.9	325.2	208.1	243.1
0-5 Hours									
Patients	4	1	1	9	4	9	9	15	11
Deaths	1	0	1	3	1	4	2	3	2
Rate	*	*	*	*	*	*	*	242.9	213.9
6-10 Hours									
Patients	12	33	39	43	59	92	86	88	107
Deaths	3	16	12	16	17	29	23	16	21
Rate	322.1	711.2	397.1	501.9	370.7	404.3	335.2	203.4	227.8
11-15 Hours									
Patients	4	10	9	8	8	8	4	5	7
Deaths	1	4	3	3	1	1	1	1	0
Rate	*	530.2	*	*	*	*	*	*	*
16-20 Hours									
Patients	2	-	2	2	1	-	-	-	1
Deaths	1	-	2	1	0	-	-	-	0
Rate	*	-	*	*	*	-	-	-	*
21+ Hours									
Patients	-	1	1	-	-	-	-	-	-
Deaths	-	1	1	-	-	-	-	-	-
Rate	-	*	*	-	-	-	-	-	-
Unknown									
Patients	19	16	14	5	5	2	4	1	19
Deaths	8	5	3	2	2	0	1	0	7
Rate	567.6	389.3	240.9	*	*	*	*	*	505.1

Source: OPTN/SRTR Data as of May 1, 2006.
Notes:
(-) = None in category.
(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.
Includes intestine only and intestine with liver and/or pancreas transplants.
Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.