Table 13.6g
Immunosuppression Use for Maintenance Between Discharge and One Year Following Transplantation, 1995 to 2004
Recipients with Heart-Lung Transplants

	Year of Transplant									
	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
Transplants	69	39	62	47	51	48	27	33	29	39
Tx with Follow-up Immunosuppression Info	53	22	34	24	28	29	21	21	13	28
Corticosteroids										
Any in Category	100.0%	100.0%	100.0%	95.8%	96.4%	100.0%	95.2%	100.0%	92.3%	100.0%
Steroids	100.0%	100.0%	100.0%	95.8%	96.4%	100.0%	95.2%	100.0%	92.3%	100.0%
Cyclosporine										
Any in Category	58.5%	86.4%	55.9%	62.5%	53.6%	58.6%	47.6%	52.4%	38.5%	39.3%
Sandimmmune	34.0%	36.4%	5.9%	0.0%	0.0%	6.9%	0.0%	0.0%	0.0%	0.0%
Neoral	24.5%	50.0%	50.0%	62.5%	53.6%	44.8%	42.9%	47.6%	23.1%	28.6%
Gengraf	0.0%	0.0%	0.0%	0.0%	0.0%	6.9%	4.8%	4.8%	15.4%	10.7%
Tacrolimus										
Any in Category	30.2%	13.6%	47.1%	37.5%	50.0%	58.6%	76.2%	66.7%	76.9%	75.0%
Tacrolimus	30.2%	13.6%	47.1%	37.5%	50.0%	58.6%	76.2%	66.7%	76.9%	75.0%
Antimetabolites										
Any in Category	88.7%	81.8%	88.2%	95.8%	89.3%	93.1%	95.2%	95.2%	84.6%	89.3%
Mycophenolate Mofetil	15.1%	13.6%	23.5%	54.2%	42.9%	48.3%	47.6%	38.1%	38.5%	42.9%
Azathioprine	73.6%	68.2%	64.7%	41.7%	46.4%	44.8%	47.6%	57.1%	46.2%	46.4%
Cytoxan	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
mTOR Inhibitors										
Any in Category	0.0%	0.0%	0.0%	4.2%	3.6%	10.3%	0.0%	9.5%	0.0%	7.1%
Sirolimus	0.0%	0.0%	0.0%	4.2%	3.6%	10.3%	0.0%	9.5%	0.0%	7.1%
Everolimus	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%

Source: OPTN/SRTR Data as of May 1, 2006.
Notes:
Percentages are calculated based on the total number of patients with any immunosuppression use between discharge and one year following transplantation.
Individual drug percentages will not necessarily add up to the drug category percentages, as patients may be prescribed more than one drug within the same category.