Table 1.9b
Immunosuppression Use by Organ
Maintenance Regimen at Discharge, 2005 Transplants

	Organ								
	Kidney	PTA	PAK	KP	Liver	Intest-ine	Heart	Lung	Heart-Lung
Functioning Graft at Discharge	16,005	180	307	885	5,868	153	1,973	1,293	27
With Immunosuppression Info	15,523	178	299	876	5,718	149	1,903	1,269	27
Maintenance Regimen									
--- + MMF/MPA	0.5%	2.8%	2.0%	1.0%	0.2%	0.0%	0.1%	0.0%	0.0%
--- + MMF/MPA + Siro/Evero	0.3%	0.6%	0.3%	0.2%	0.1%	0.0%	0.1%	0.0%	0.0%
--- + MMF/MPA + Steroids	2.0%	0.0%	0.3%	0.5%	0.9%	0.7%	1.2%	0.8%	0.0%
--- + OtherAntimet	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%
--- + OtherAntimet + Siro/Evero	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
--- + OtherAntimet + Steroids	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	1.0%	0.2%	0.0%
--- + Siro/Evero	0.2%	0.0%	0.3%	0.0%	0.2%	0.0%	0.0%	0.0%	0.0%
--- + Siro/Evero + Steroids	0.2%	0.6%	0.3%	0.0%	0.2%	0.7%	0.1%	0.0%	0.0%
--- + Steroids	1.4%	3.9%	3.3%	2.2%	0.8%	2.0%	0.4%	1.0%	0.0%
CyA	0.1%	0.0%	0.0%	0.0%	0.2%	0.0%	0.2%	0.0%	0.0%
CyA + MMF/MPA	1.3%	0.0%	2.0%	0.7%	0.6%	0.0%	1.5%	0.2%	0.0%
CyA + MMF/MPA + OtherAntimet	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.3%	0.0%	0.0%
CyA + MMF/MPA + Siro/Evero	0.0%	0.0%	0.3%	0.3%	0.0%	0.0%	0.0%	0.0%	0.0%
CyA + MMF/MPA + Steroids	10.0%	0.0%	2.3%	1.8%	2.9%	0.0%	31.0%	7.8%	7.4%
CyA + OtherAntimet	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.3%	0.1%	0.0%
CyA + OtherAntimet + Steroids	0.1%	0.0%	0.0%	0.0%	0.2%	0.0%	2.2%	12.2%	37.0%
CyA + Siro/Evero	1.3%	0.0%	1.0%	2.9%	0.3%	0.0%	0.1%	0.0%	0.0%
CyA + Siro/Evero + Steroids	1.2%	0.0%	0.7%	0.9%	0.3%	0.0%	0.4%	0.0%	0.0%
CyA + Steroids	0.4%	0.0%	0.0%	0.0%	1.1%	0.0%	0.7%	1.1%	0.0%
Tac	1.4%	16.9%	3.0%	0.8%	10.1%	25.5%	0.4%	0.4%	0.0%
Tac + MMF/MPA	19.2%	17.4%	17.1%	14.3%	8.6%	0.7%	2.8%	0.6%	0.0%
Tac + MMF/MPA + OtherAntimet	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%
Tac + MMF/MPA + Siro/Evero	0.5%	3.4%	1.7%	1.8%	0.1%	0.0%	0.2%	0.1%	0.0%
Tac + MMF/MPA + Steroids	50.6%	33.7%	54.5%	60.2%	44.8%	10.1%	46.2%	43.7%	44.4%
Tac + OtherAntimet	0.1%	0.0%	0.3%	0.0%	0.3%	0.0%	0.2%	0.6%	0.0%
Tac + OtherAntimet + Siro/Evero	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%
Tac + OtherAntimet + Steroids	0.2%	0.0%	0.7%	0.0%	0.1%	0.0%	0.9%	24.6%	3.7%
Tac + Siro/Evero	1.1%	6.7%	4.3%	6.2%	0.1%	1.3%	0.3%	0.0%	0.0%
Tac + Siro/Evero + Steroids	2.4%	3.4%	2.3%	2.5%	0.9%	10.1%	0.8%	0.2%	0.0%
Tac + Steroids	2.3%	10.1%	0.3%	2.5%	23.9%	49.0%	2.1%	4.9%	3.7%
Other Regimen	3.0%	0.6%	2.7%	1.1%	2.8%	0.0%	6.6%	1.6%	3.7%

Source: OPTN/SRTR Data as of May 1, 2006.

Notes:

Percentages are calculated based on the total number of patients with functioning graft and having any immunosuppression information reported at discharge. They sum to 100 percent for each column.

---: No Calcineurin Inhibitor Use; CyA: Cyclosporine; Tac: Tacrolimus.

MMF: Mycophenolate Mofetil; MPA: Mycophenolate Sodium; Siro: Sirolimus; Evero: Everolimus; OtherAntimet: Antimetabolites excluding MMF/MPA.

"Other Regimen" includes drug combinations that are different from the listed regimens and drugs from the text field entering.