# Table 12.1b
# Waiting List Patient Characteristics at End of Year
# Lung Waiting List
# Active and Inactive Patient Comparison, 2001 to 2005

| | Active | | Inactive | | All | |
|---|---|---|---|---|---|---|
| | 2001-2005 | 2005 | 2001-2005 | 2005 | 2001-2005 | 2005 |
| **Total** | 10,230 | 1,053 | 7,922 | 2,086 | 18,152 | 3,139 |
| **Current Age** | | | | | | |
| <1 Year | 7 | - | 0 | - | 7 | - |
| 1-5 Years | 40 | 11 | 48 | 7 | 88 | 18 |
| 6-10 Years | 119 | 26 | 65 | 9 | 184 | 35 |
| 11-17 Years | 421 | 40 | 239 | 75 | 660 | 115 |
| 18-34 Years | 1,609 | 152 | 1,236 | 322 | 2,845 | 474 |
| 35-49 Years | 2,631 | 242 | 2,494 | 627 | 5,125 | 869 |
| 50-64 Years | 5,051 | 529 | 3,444 | 929 | 8,495 | 1,458 |
| 65+ Years | 352 | 53 | 396 | 117 | 748 | 170 |
| **Current Age (%)** | | | | | | |
| <1 Year | 0.1% | - | 0.0% | - | 0.0% | - |
| 1-5 Years | 0.4% | 1.0% | 0.6% | 0.3% | 0.5% | 0.6% |
| 6-10 Years | 1.2% | 2.5% | 0.8% | 0.4% | 1.0% | 1.1% |
| 11-17 Years | 4.1% | 3.8% | 3.0% | 3.6% | 3.6% | 3.7% |
| 18-34 Years | 15.7% | 14.4% | 15.6% | 15.4% | 15.7% | 15.1% |
| 35-49 Years | 25.7% | 23.0% | 31.5% | 30.1% | 28.2% | 27.7% |
| 50-64 Years | 49.4% | 50.2% | 43.5% | 44.5% | 46.8% | 46.4% |
| 65+ Years | 3.4% | 5.0% | 5.0% | 5.6% | 4.1% | 5.4% |
| **Ethnicity/Race** | | | | | | |
| White | 8,553 | 899 | 6,499 | 1,704 | 15,052 | 2,603 |
| African American | 978 | 79 | 855 | 217 | 1,833 | 296 |
| Hispanic/Latino | 504 | 51 | 389 | 112 | 893 | 163 |
| Asian | 143 | 13 | 158 | 45 | 301 | 58 |
| Other/Multi-race | 47 | 10 | 21 | 8 | 68 | 18 |
| Unknown | 5 | 1 | 0 | 0 | 5 | 1 |
| **Ethnicity/Race (%)** | | | | | | |
| White | 83.6% | 85.4% | 82.0% | 81.7% | 82.9% | 82.9% |
| African American | 9.6% | 7.5% | 10.8% | 10.4% | 10.1% | 9.4% |
| Hispanic/Latino | 4.9% | 4.8% | 4.9% | 5.4% | 4.9% | 5.2% |
| Asian | 1.4% | 1.2% | 2.0% | 2.2% | 1.7% | 1.8% |
| Other/Multi-race | 0.5% | 0.9% | 0.3% | 0.4% | 0.4% | 0.6% |
| Unknown | 0.0% | 0.1% | 0.0% | 0.0% | 0.0% | 0.0% |

Source: OPTN/SRTR Data as of May 1, 2006.
Notes:
(%) = Percentages are based on totals including missing and unknown.
(-) = None in category.

# Table 12.1b (Continued)
# Waiting List Patient Characteristics at End of Year
# Lung Waiting List
# Active and Inactive Patient Comparison, 2001 to 2005

| | Active | | Inactive | | All | |
|---|---|---|---|---|---|---|
| | 2001-2005 | 2005 | 2001-2005 | 2005 | 2001-2005 | 2005 |
| **Total** | 10,230 | 1,053 | 7,922 | 2,086 | 18,152 | 3,139 |
| **Gender** | | | | | | |
| Female | 5,741 | 629 | 4,807 | 1,248 | 10,548 | 1,877 |
| Male | 4,489 | 424 | 3,115 | 838 | 7,604 | 1,262 |
| **Gender (%)** | | | | | | |
| Female | 56.1% | 59.7% | 60.7% | 59.8% | 58.1% | 59.8% |
| Male | 43.9% | 40.3% | 39.3% | 40.2% | 41.9% | 40.2% |
| **Time Waiting** | | | | | | |
| 0-30 Days | 585 | 72 | 29 | 14 | 614 | 86 |
| 31-60 Days | 545 | 56 | 34 | 19 | 579 | 75 |
| 61 Days-< 3 Mos | 543 | 48 | 35 | 19 | 578 | 67 |
| 3-<6 Mos | 1,510 | 123 | 139 | 51 | 1,649 | 174 |
| 6-<12 Mos | 2,310 | 162 | 367 | 129 | 2,677 | 291 |
| 1-<2 Years | 2,873 | 305 | 1,059 | 379 | 3,932 | 684 |
| 2 Years+ | 1,846 | 284 | 6,258 | 1,474 | 8,104 | 1,758 |
| Unknown | 18 | 3 | 1 | 1 | 19 | 4 |
| **Time Waiting (%)** | | | | | | |
| 0-30 Days | 5.7% | 6.8% | 0.4% | 0.7% | 3.4% | 2.7% |
| 31-60 Days | 5.3% | 5.3% | 0.4% | 0.9% | 3.2% | 2.4% |
| 61 Days-< 3 Mos | 5.3% | 4.6% | 0.4% | 0.9% | 3.2% | 2.1% |
| 3-<6 Mos | 14.8% | 11.7% | 1.8% | 2.4% | 9.1% | 5.5% |
| 6-<12 Mos | 22.6% | 15.4% | 4.6% | 6.2% | 14.7% | 9.3% |
| 1-<2 Years | 28.1% | 29.0% | 13.4% | 18.2% | 21.7% | 21.8% |
| 2 Years+ | 18.0% | 27.0% | 79.0% | 70.7% | 44.6% | 56.0% |
| Unknown | 0.2% | 0.3% | 0.0% | 0.0% | 0.1% | 0.1% |

Source: OPTN/SRTR Data as of May 1, 2006.
Notes:
(%) = Percentages are based on totals including missing and unknown.
(-) = None in category.

# Table 12.1b (Continued)
# Waiting List Patient Characteristics at End of Year
# Lung Waiting List
# Active and Inactive Patient Comparison, 2001 to 2005

| | Active | | Inactive | | All | |
|---|---|---|---|---|---|---|
| | 2001-2005 | 2005 | 2001-2005 | 2005 | 2001-2005 | 2005 |
| **Total** | 10,230 | 1,053 | 7,922 | 2,086 | 18,152 | 3,139 |
| **Primary Diagnosis** | | | | | | |
| Emphysema/COPD | 3,225 | 373 | 1,999 | 510 | 5,224 | 883 |
| Cystic Fibrosis | 1,673 | 164 | 1,035 | 299 | 2,708 | 463 |
| Idiopathic Pulmonary Fibrosis | 1,732 | 126 | 1,154 | 340 | 2,886 | 466 |
| Alpha-1-Antitrypsin Deficiency | 599 | 75 | 430 | 107 | 1,029 | 182 |
| Primary Pulmonary Hypertension | 832 | 74 | 1,374 | 326 | 2,206 | 400 |
| Retransplant/Graft Failure | 263 | 23 | 184 | 41 | 447 | 64 |
| Congenital Disease | 186 | 15 | 267 | 59 | 453 | 74 |
| Other | 1,471 | 145 | 1,205 | 315 | 2,676 | 460 |
| Unknown | 249 | 58 | 274 | 89 | 523 | 147 |
| **Primary Diagnosis (%)** | | | | | | |
| Emphysema/COPD | 31.5% | 35.4% | 25.2% | 24.4% | 28.8% | 28.1% |
| Cystic Fibrosis | 16.4% | 15.6% | 13.1% | 14.3% | 14.9% | 14.7% |
| Idiopathic Pulmonary Fibrosis | 16.9% | 12.0% | 14.6% | 16.3% | 15.9% | 14.8% |
| Alpha-1-Antitrypsin Deficiency | 5.9% | 7.1% | 5.4% | 5.1% | 5.7% | 5.8% |
| Primary Pulmonary Hypertension | 8.1% | 7.0% | 17.3% | 15.6% | 12.2% | 12.7% |
| Retransplant/Graft Failure | 2.6% | 2.2% | 2.3% | 2.0% | 2.5% | 2.0% |
| Congenital Disease | 1.8% | 1.4% | 3.4% | 2.8% | 2.5% | 2.4% |
| Other | 14.4% | 13.8% | 15.2% | 15.1% | 14.7% | 14.7% |
| Unknown | 2.4% | 5.5% | 3.5% | 4.3% | 2.9% | 4.7% |

Source: OPTN/SRTR Data as of May 1, 2006.
Notes:
(%) = Percentages are based on totals including missing and unknown.
(-) = None in category.