Table 9.6g
Immunosuppression Use for Maintenance Between Discharge and One Year Following Transplantation, 1995 to 2004
Recipients with Liver Transplants

	Year of Transplant									
	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004
Transplants	3,934	4,082	4,186	4,516	4,751	4,995	5,190	5,331	5,672	6,167
Tx with Follow-up Immunosuppression Info	2,977	3,002	3,180	3,480	3,645	3,891	4,089	4,303	4,570	4,907
Corticosteroids										
Any in Category	96.8%	94.8%	95.0%	93.0%	89.2%	90.5%	89.4%	87.1%	78.5%	75.0%
Steroids	96.8%	94.8%	95.0%	93.0%	89.2%	90.5%	89.4%	87.1%	78.5%	75.0%
Cyclosporine										
Any in Category	50.3%	42.4%	39.7%	33.4%	30.4%	23.3%	18.4%	14.0%	11.8%	11.4%
Cyclosporin	25.8%	0.0%	0.0%	0.0%	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%
Sandimmmune	9.9%	8.8%	5.7%	7.0%	7.0%	5.4%	3.7%	2.0%	0.7%	0.8%
Neoral	14.6%	33.6%	34.0%	26.3%	23.3%	17.2%	13.2%	9.8%	9.0%	9.0%
Gengraf	0.0%	0.0%	0.0%	0.0%	0.1%	0.5%	1.3%	2.0%	1.8%	1.3%
Eon	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.2%	0.2%	0.3%	0.2%
Tacrolimus										
Any in Category	57.4%	64.3%	66.4%	73.4%	76.7%	84.1%	89.0%	90.5%	90.5%	89.7%
Tacrolimus	57.4%	64.3%	66.4%	73.4%	76.7%	84.1%	89.0%	90.5%	90.5%	89.7%
Antimetabolites										
Any in Category	44.4%	45.2%	44.3%	40.3%	49.2%	52.2%	53.5%	53.6%	55.0%	58.9%
Mycophenolate Mofetil	10.2%	23.8%	25.8%	29.7%	40.7%	46.2%	48.8%	49.2%	52.3%	55.3%
Mycophenolate Sodium	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.6%
Azathioprine	34.0%	21.3%	18.2%	10.6%	8.3%	5.9%	4.6%	4.3%	2.7%	2.9%
Leflunomide	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cytoxan	0.2%	0.2%	0.3%	0.0%	0.1%	0.1%	0.1%	0.0%	0.0%	0.0%
mTOR Inhibitors										
Any in Category	0.0%	0.0%	0.0%	1.2%	3.2%	15.1%	16.7%	13.9%	12.2%	14.1%
Sirolimus	0.0%	0.0%	0.0%	1.2%	3.1%	15.1%	16.7%	13.9%	12.2%	14.1%
Everolimus	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%

Source: OPTN/SRTR Data as of May 1, 2006.
Notes:
Percentages are calculated based on the total number of patients with any immunosuppression use between discharge and one year following transplantation.
Individual drug percentages will not necessarily add up to the drug category percentages, as patients may be prescribed more than one drug within the same category.