Table 13.12
Adjusted Patient Survival, Heart-Lung Transplants
Survival at 3 Months, 1 Year, 3 Years, and 5 Years

	3 Months			1 Year			3 Years			5 Years		
	(Tx 2003 - 2004)			(Tx 2003 - 2004)			(Tx 2001 - 2004)			(Tx 1999 - 2004)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Total												
All	63	96.5%	62.5%	63	94.3%	31.6%	122	53.4%	5.2%	216	42.6%	4.0%
Age at Tx												
<1 Year	0	-	-	0	-	-	1	0.0%	0.0%	3	0.0%	0.0%
1-5 Years	2	+	+	2	+	+	3	66.7%	22.2%	8	0.0%	0.0%
6-10 Years	2	+	+	2	+	+	3	50.0%	25.0%	7	38.1%	17.0%
11-17 Years	7	71.4%	15.7%	7	71.4%	15.7%	16	68.8%	11.2%	22	51.1%	14.7%
18-34 Years	18	77.8%	9.5%	18	66.7%	10.7%	32	44.2%	10.1%	57	46.8%	7.4%
35-49 Years	26	69.2%	8.8%	26	50.0%	9.5%	47	45.6%	8.1%	79	37.7%	6.2%
50-64 Years	8	+	+	8	+	+	20	76.5%	10.3%	40	52.2%	9.2%
Recipient Ethnicity/Race												
White	44	95.9%	73.0%	44	93.9%	23.1%	92	59.0%	5.4%	173	42.8%	4.4%
African American	6	97.9%	56.7%	6	95.3%	91.5%	10	22.7%	12.6%	14	38.3%	12.9%
Hispanic/Latino	10	97.4%	94.9%	10	94.3%	67.3%	13	36.0%	16.0%	21	41.9%	11.6%
Asian	2	+	+	2	+	+	2	+	+	3	64.4%	22.6%
Other/Multi-race	1	+	+	1	+	+	5	59.2%	19.5%	5	54.6%	20.5%
Recipient Gender												
Female	33	97.8%	84.3%	33	96.7%	98.9%	69	62.2%	6.5%	126	53.0%	4.8%
Male	30	95.1%	33.4%	30	91.0%	41.0%	53	41.6%	7.9%	90	28.9%	5.9%

Source: OPTN/SRTR Data as of May 1, 2006.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on heart-lung transplants.

Multi-organ transplants are excluded.

Survival rates are adjusted to the characteristics of the 3 month and 1 year cohort. See Technical Notes for details.

Table 13.12 (Continued)
Adjusted Patient Survival, Heart-Lung Transplants
Survival at 3 Months, 1 Year, 3 Years, and 5 Years

	3 Months			1 Year			3 Years			5 Years		
	(Tx 2003 - 2004)			(Tx 2003 - 2004)			(Tx 2001 - 2004)			(Tx 1999 - 2004)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Total												
All	63	96.5%	62.5%	63	94.3%	31.6%	122	53.4%	5.2%	216	42.6%	4.0%
Primary Diagnosis												
Congenital Disease	20	97.4%	29.3%	20	94.1%	20.7%	39	42.5%	9.5%	79	39.3%	6.2%
Primary Pulmonary Hypertension	16	100.0%	0.0%	16	97.9%	84.7%	36	69.0%	8.6%	54	58.2%	8.5%
Cystic Fibrosis	2	92.6%	10.5%	2	92.6%	10.5%	3	70.5%	20.4%	4	50.3%	17.7%
Emphysema/COPD	1	+	+	1	+	+	1	+	+	7	44.5%	20.0%
Other	10	95.6%	43.5%	10	92.6%	62.9%	14	0.0%	0.0%	18	0.0%	0.0%
Unknown	14	91.9%	64.5%	14	91.9%	64.5%	29	55.0%	9.3%	54	37.6%	7.4%

Source: OPTN/SRTR Data as of May 1, 2006.
Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.
Cohorts are transplants performed during the years listed at the top of the table.
Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.
Center volume = Center's yearly transplants performed during the base period, based on heart-lung transplants.
Multi-organ transplants are excluded.
Survival rates are adjusted to the characteristics of the 3 month and 1 year cohort. See Technical Notes for details.