Table 9.14b
Unadjusted Patient Survival, Living Donor Liver Transplants
Survival at 3 Months, 1 Year, 3 Years, and 5 Years

	3 Months			1 Year			3 Years			5 Years		
	(Tx 2003 - 2004)			(Tx 2003 - 2004)			(Tx 2001 - 2004)			(Tx 1999 - 2004)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Total												
All	625	95.8%	0.8%	625	91.2%	1.1%	1,487	82.9%	1.1%	2,108	76.8%	1.1%
Age at Tx												
<1 Year	47	97.9%	2.1%	47	95.7%	2.9%	118	87.8%	3.1%	218	86.6%	2.4%
1-5 Years	46	97.8%	2.2%	46	97.8%	2.2%	114	86.0%	3.3%	187	83.1%	2.8%
6-10 Years	3	100.0%	0.0%	3	100.0%	0.0%	19	78.9%	9.4%	34	79.4%	6.9%
11-17 Years	9	100.0%	0.0%	9	100.0%	0.0%	30	90.0%	5.5%	49	89.5%	4.5%
18-34 Years	46	97.8%	2.2%	46	93.5%	3.6%	108	92.4%	2.6%	148	85.9%	3.7%
35-49 Years	152	96.7%	1.4%	152	93.4%	2.0%	394	83.6%	2.1%	544	77.0%	2.2%
50-64 Years	272	94.9%	1.3%	272	89.0%	1.9%	611	81.2%	1.7%	805	70.3%	2.2%
65+ Years	50	92.0%	3.8%	50	82.0%	5.4%	93	66.9%	5.7%	123	63.2%	5.5%
Recipient Ethnicity/Race												
White	465	95.7%	0.9%	465	91.2%	1.3%	1,111	81.7%	1.3%	1,555	76.5%	1.3%
African American	27	96.3%	3.6%	27	88.9%	6.0%	70	81.9%	4.8%	115	69.2%	5.3%
Hispanic/Latino	75	94.7%	2.6%	75	90.7%	3.4%	204	87.7%	2.4%	303	81.6%	2.4%
Asian	17	100.0%	0.0%	17	100.0%	0.0%	55	87.2%	5.0%	85	80.1%	4.7%
Other/Multi-race	10	100.0%	0.0%	10	100.0%	0.0%	13	75.0%	21.7%	15	+	+
Unknown	31	96.8%	3.2%	31	87.1%	6.0%	34	88.2%	5.5%	35	0.0%	0.0%
Recipient Gender												
Female	284	95.4%	1.2%	284	91.5%	1.7%	643	84.2%	1.6%	950	78.5%	1.6%
Male	341	96.2%	1.0%	341	90.9%	1.6%	844	81.9%	1.4%	1,158	75.4%	1.5%
Recipient Blood Type												
O	312	96.2%	1.1%	312	89.4%	1.7%	751	81.3%	1.5%	1,075	76.2%	1.6%
A	219	95.4%	1.4%	219	93.6%	1.7%	542	85.2%	1.6%	757	78.7%	1.8%
B	78	94.9%	2.5%	78	91.0%	3.2%	163	82.6%	3.3%	235	74.1%	3.5%
AB	16	100.0%	0.0%	16	93.8%	6.1%	31	76.4%	10.1%	41	70.4%	9.1%

Source: OPTN/SRTR Data as of May 1, 2006.
Notes:
(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.
Cohorts are transplants performed during the years listed at the top of the table.
Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.
Center volume = Center's yearly transplants performed during the base period, based on liver transplants.
Multi-organ transplants are excluded.
Medical urgency status codes have changed over time. See Technical Notes chapter for further information. footnote9

Table 9.14b (Continued)
Unadjusted Patient Survival, Living Donor Liver Transplants
Survival at 3 Months, 1 Year, 3 Years, and 5 Years

	3 Months			1 Year			3 Years			5 Years		
	(Tx 2003 - 2004)			(Tx 2003 - 2004)			(Tx 2001 - 2004)			(Tx 1999 - 2004)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Total												
All	625	95.8%	0.8%	625	91.2%	1.1%	1,487	82.9%	1.1%	2,108	76.8%	1.1%
Recipient Residency												
U.S. Resident	616	95.8%	0.8%	616	91.1%	1.1%	1,449	82.8%	1.1%	2,052	76.7%	1.1%
Nonresident Alien	9	100.0%	0.0%	9	100.0%	0.0%	38	84.1%	6.0%	56	78.2%	5.6%
Hospitalized at Tx												
Not Hospitalized	492	97.0%	0.8%	492	92.7%	1.2%	1,173	85.2%	1.1%	1,604	78.5%	1.3%
Hospitalized	87	90.8%	3.1%	87	83.9%	3.9%	200	75.9%	3.3%	327	73.5%	2.8%
In Intensive Care	46	93.5%	3.6%	46	89.1%	4.6%	113	70.4%	4.6%	176	66.8%	3.8%
Unknown	0	-	-	0	-	-	1	100.0%	0.0%	1	+	+
Life Support at Tx												
No	608	96.1%	0.8%	608	91.3%	1.1%	1,421	83.7%	1.1%	2,002	77.5%	1.1%
Yes	17	88.2%	7.8%	17	88.2%	7.8%	65	65.2%	6.1%	105	61.3%	4.8%
Unknown	0	-	-	0	-	-	1	100.0%	0.0%	1	+	+
Primary Diagnosis												
Non-Cholestatic Cirrhosis	308	95.1%	1.2%	308	89.9%	1.7%	778	80.7%	1.5%	1,047	73.7%	1.7%
Cholestatic Liver Disease/Cirrhosis	137	96.4%	1.6%	137	94.9%	1.9%	287	93.9%	1.5%	376	84.7%	2.7%
Acute Hepatic Necrosis	28	96.4%	3.5%	28	92.9%	4.9%	66	75.6%	5.3%	106	71.6%	4.4%
Biliary Atresia	58	100.0%	0.0%	58	100.0%	0.0%	136	90.2%	2.6%	232	87.8%	2.2%
Metabolic Diseases	14	78.6%	11.0%	14	64.3%	12.8%	38	65.9%	8.2%	66	75.1%	5.4%
Malignant Neoplasms	31	100.0%	0.0%	31	80.6%	7.1%	78	63.2%	6.2%	131	53.9%	5.2%
Other	49	95.9%	2.8%	49	91.8%	3.9%	104	85.8%	3.5%	150	84.0%	3.1%

Source: OPTN/SRTR Data as of May 1, 2006.
Notes:
(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.
Cohorts are transplants performed during the years listed at the top of the table.
Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.
Center volume = Center's yearly transplants performed during the base period, based on liver transplants.
Multi-organ transplants are excluded.
Medical urgency status codes have changed over time. See Technical Notes chapter for further information. footnote9

Table 9.14b (Continued)
Unadjusted Patient Survival, Living Donor Liver Transplants
Survival at 3 Months, 1 Year, 3 Years, and 5 Years

	3 Months			1 Year			3 Years			5 Years		
	(Tx 2003 - 2004)			(Tx 2003 - 2004)			(Tx 2001 - 2004)			(Tx 1999 - 2004)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Total												
All	625	95.8%	0.8%	625	91.2%	1.1%	1,487	82.9%	1.1%	2,108	76.8%	1.1%
Waiting List Status at Tx												
1	39	97.4%	2.5%	39	92.3%	4.3%	85	78.8%	4.4%	129	73.1%	4.0%
2A	0	-	-	0	-	-	12	75.0%	12.5%	22	56.8%	13.3%
2B	0	-	-	0	-	-	269	77.3%	2.6%	561	73.2%	2.0%
3	0	-	-	0	-	-	239	82.4%	2.5%	429	77.5%	2.1%
MELD 6-10	115	94.8%	2.1%	115	91.3%	2.6%	166	84.9%	3.3%	166	+	+
MELD 11-20	308	95.8%	1.1%	308	90.9%	1.6%	455	85.3%	2.0%	455	+	+
MELD 21-30	53	98.1%	1.9%	53	90.6%	4.0%	65	87.2%	4.7%	65	+	+
MELD >30	5	60.0%	21.9%	5	40.0%	21.9%	5	+	+	5	+	+
PELD <11	22	90.9%	6.1%	22	90.9%	6.1%	38	89.5%	5.0%	38	+	+
PELD 11-20	21	100.0%	0.0%	21	100.0%	0.0%	32	87.5%	5.8%	32	+	+
PELD 21-30	7	100.0%	0.0%	7	100.0%	0.0%	14	100.0%	0.0%	14	+	+
PELD >30	1	100.0%	0.0%	1	100.0%	0.0%	2	100.0%	0.0%	2	+	+
HCC T1	3	100.0%	0.0%	3	100.0%	0.0%	9	100.0%	0.0%	9	+	+
HCC T2	17	94.1%	5.7%	17	94.1%	5.7%	20	88.2%	8.0%	20	+	+
Other Exceptions	21	100.0%	0.0%	21	100.0%	0.0%	24	100.0%	0.0%	24	+	+
Other Status	13	100.0%	0.0%	13	76.9%	11.7%	52	81.9%	5.5%	137	76.0%	3.8%
Yearly Center Volume												
0-9	13	100.0%	0.0%	13	100.0%	0.0%	44	77.3%	6.3%	67	72.5%	6.9%
10-19	38	86.8%	5.5%	38	84.2%	5.9%	68	83.4%	4.6%	98	85.3%	3.7%
20-34	42	97.6%	2.4%	42	95.2%	3.3%	131	80.4%	3.7%	200	77.4%	3.3%
35-56	128	96.1%	1.7%	128	89.8%	2.7%	310	83.6%	2.3%	438	76.4%	2.3%
57+	404	96.3%	0.9%	404	91.6%	1.4%	934	83.3%	1.3%	1,305	76.4%	1.5%

Source: OPTN/SRTR Data as of May 1, 2006.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on liver transplants.

Multi-organ transplants are excluded.

Medical urgency status codes have changed over time. See Technical Notes chapter for further information. footnote9

Table 9.14b (Continued)
Unadjusted Patient Survival, Living Donor Liver Transplants
Survival at 3 Months, 1 Year, 3 Years, and 5 Years

	3 Months			1 Year			3 Years			5 Years		
	(Tx 2003 - 2004)			(Tx 2003 - 2004)			(Tx 2001 - 2004)			(Tx 1999 - 2004)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Total												
All	625	95.8%	0.8%	625	91.2%	1.1%	1,487	82.9%	1.1%	2,108	76.8%	1.1%
Donor Age												
11-17 Years	0	-	-	0	-	-	1	100.0%	0.0%	1	+	+
18-34 Years	294	96.6%	1.1%	294	92.5%	1.5%	700	84.1%	1.5%	1,019	78.9%	1.5%
35-49 Years	257	94.6%	1.4%	257	91.8%	1.7%	618	82.9%	1.7%	873	76.1%	1.8%
50-64 Years	71	97.2%	2.0%	71	83.1%	4.4%	160	77.6%	3.6%	206	68.6%	4.6%
65+ Years	3	100.0%	0.0%	3	100.0%	0.0%	8	71.4%	17.1%	9	+	+
Relation of Donor to Recipient												
Parent	90	98.9%	1.1%	90	97.8%	1.6%	242	87.0%	2.2%	424	85.3%	1.7%
Offspring	177	94.4%	1.7%	177	88.1%	2.4%	426	78.6%	2.2%	590	70.5%	2.4%
Sibling	115	96.5%	1.7%	115	93.9%	2.2%	266	86.2%	2.4%	368	80.6%	2.6%
Other Relative	58	96.6%	2.4%	58	91.4%	3.7%	135	81.0%	3.7%	199	78.4%	3.1%
Spouse	42	95.2%	3.3%	42	90.5%	4.5%	104	84.3%	3.8%	137	71.3%	5.2%
Other Unrelated	136	94.9%	1.9%	136	88.2%	2.8%	296	83.0%	2.4%	370	72.1%	3.2%
Unknown	7	100.0%	0.0%	7	100.0%	0.0%	18	82.5%	9.2%	20	0.0%	0.0%

Source: OPTN/SRTR Data as of May 1, 2006.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on liver transplants.

Multi-organ transplants are excluded.

Medical urgency status codes have changed over time. See Technical Notes chapter for further information. footnote9