Table 12.14a
Unadjusted Patient Survival, Deceased Donor Lung Transplants
Survival at 3 Months, 1 Year, 3 Years, and 5 Years

	3 Months			1 Year			3 Years			5 Years		
	(Tx 2003 - 2004)			(Tx 2003 - 2004)			(Tx 2001 - 2004)			(Tx 1999 - 2004)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Total												
All	2,151	93.2%	0.5%	2,151	84.9%	0.8%	4,161	66.4%	0.9%	5,925	51.6%	0.9%
Age at Tx												
<1 Year	8	62.5%	17.1%	8	62.5%	17.1%	13	61.5%	13.5%	20	67.5%	11.3%
1-5 Years	2	100.0%	0.0%	2	100.0%	0.0%	10	80.0%	12.6%	16	60.9%	12.5%
6-10 Years	14	92.9%	6.9%	14	85.7%	9.4%	24	82.5%	10.1%	41	69.0%	9.2%
11-17 Years	58	94.8%	2.9%	58	84.5%	4.8%	98	58.7%	6.4%	142	44.8%	5.7%
18-34 Years	285	93.3%	1.5%	285	86.0%	2.1%	533	65.7%	2.5%	759	52.3%	2.5%
35-49 Years	397	94.7%	1.1%	397	87.9%	1.6%	847	69.1%	1.8%	1,266	55.5%	1.8%
50-64 Years	1,230	92.9%	0.7%	1,230	84.7%	1.0%	2,398	66.4%	1.1%	3,373	50.4%	1.2%
65+ Years	157	92.4%	2.1%	157	77.7%	3.3%	238	58.6%	4.0%	308	42.9%	4.3%
Recipient Ethnicity/Race												
White	1,859	93.4%	0.6%	1,859	85.2%	0.8%	3,645	66.7%	0.9%	5,230	52.0%	1.0%
African American	157	93.6%	1.9%	157	83.4%	3.0%	302	66.1%	3.2%	418	46.9%	3.5%
Hispanic/Latino	99	88.9%	3.2%	99	79.8%	4.0%	158	57.7%	4.9%	207	49.6%	4.9%
Asian	26	96.2%	3.8%	26	92.3%	5.2%	40	80.4%	6.8%	47	59.6%	11.4%
Other/Multi-race	8	87.5%	11.7%	8	87.5%	11.7%	14	71.4%	12.1%	21	40.0%	13.8%
Unknown	2	100.0%	0.0%	2	100.0%	0.0%	2	+	+	2	+	+
Recipient Gender												
Female	1,032	93.2%	0.8%	1,032	84.8%	1.1%	2,071	65.6%	1.2%	2,949	51.6%	1.3%
Male	1,119	93.2%	0.8%	1,119	85.0%	1.1%	2,090	67.4%	1.2%	2,976	51.6%	1.3%
Recipient Blood Type												
O	971	93.7%	0.8%	971	85.9%	1.1%	1,824	68.3%	1.3%	2,577	52.1%	1.4%
A	856	92.1%	0.9%	856	83.5%	1.3%	1,700	65.3%	1.4%	2,415	51.1%	1.4%
B	249	96.8%	1.1%	249	87.6%	2.1%	481	64.5%	2.6%	690	51.2%	2.5%
AB	75	88.0%	3.8%	75	78.7%	4.7%	156	63.3%	4.6%	243	51.8%	4.0%

Source: OPTN/SRTR Data as of May 1, 2006.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on lung and heart-lung transplants.

Multi-organ transplants are excluded.

Table 12.14a (Continued)
Unadjusted Patient Survival, Deceased Donor Lung Transplants
Survival at 3 Months, 1 Year, 3 Years, and 5 Years

	3 Months			1 Year			3 Years			5 Years		
	(Tx 2003 - 2004)			(Tx 2003 - 2004)			(Tx 2001 - 2004)			(Tx 1999 - 2004)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Total												
All	2,151	93.2%	0.5%	2,151	84.9%	0.8%	4,161	66.4%	0.9%	5,925	51.6%	0.9%
Recipient Residency												
U.S. Resident	2,144	93.2%	0.5%	2,144	84.9%	0.8%	4,149	66.4%	0.9%	5,897	51.6%	0.9%
Nonresident Alien	6	83.3%	15.2%	6	83.3%	15.2%	11	81.8%	11.6%	23	44.3%	13.5%
Unknown	1	100.0%	0.0%	1	100.0%	0.0%	1	+	+	5	75.0%	21.7%
Hospitalized at Tx												
Not Hospitalized	1,996	93.9%	0.5%	1,996	85.8%	0.8%	3,878	67.1%	0.9%	5,497	52.0%	0.9%
Hospitalized	94	90.4%	3.0%	94	83.0%	3.9%	165	62.8%	4.8%	252	49.7%	4.2%
In Intensive Care	61	73.8%	5.6%	61	57.4%	6.3%	117	47.4%	5.1%	166	35.9%	4.9%
Unknown	0	-	-	0	-	-	1	100.0%	0.0%	10	80.0%	12.6%
Life Support at Tx												
No	2,045	93.7%	0.5%	2,045	85.3%	0.8%	3,963	66.6%	0.9%	5,612	51.6%	0.9%
Yes	106	84.0%	3.6%	106	77.4%	4.1%	197	62.6%	3.9%	303	49.5%	3.7%
Unknown	0	-	-	0	-	-	1	100.0%	0.0%	10	80.0%	12.6%
Primary Diagnosis												
Emphysema/COPD	839	94.5%	0.8%	839	87.2%	1.2%	1,705	68.9%	1.3%	2,483	51.2%	1.4%
Cystic Fibrosis	348	95.4%	1.1%	348	87.1%	1.8%	649	69.0%	2.2%	941	54.0%	2.3%
Idiopathic Pulmonary Fibrosis	504	91.1%	1.3%	504	80.2%	1.8%	870	61.0%	2.0%	1,149	47.1%	2.1%
Alpha-1-Antitrypsin Deficiency	118	94.1%	2.2%	118	91.5%	2.6%	278	68.7%	3.1%	412	54.8%	3.3%
Primary Pulmonary Hypertension	74	82.4%	4.4%	74	79.7%	4.7%	155	64.0%	4.2%	230	54.7%	4.1%
Congenital Disease	17	100.0%	0.0%	17	88.2%	7.8%	33	60.2%	10.1%	61	50.3%	7.7%
Other	229	93.4%	1.6%	229	82.5%	2.5%	448	64.0%	2.7%	623	54.9%	2.6%
Unknown	22	81.8%	8.2%	22	72.7%	9.5%	23	+	+	26	69.2%	9.1%

Source: OPTN/SRTR Data as of May 1, 2006.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on lung and heart-lung transplants.

Multi-organ transplants are excluded.

Table 12.14a (Continued)
Unadjusted Patient Survival, Deceased Donor Lung Transplants
Survival at 3 Months, 1 Year, 3 Years, and 5 Years

	3 Months			1 Year			3 Years			5 Years		
	(Tx 2003 - 2004)			(Tx 2003 - 2004)			(Tx 2001 - 2004)			(Tx 1999 - 2004)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Total												
All	2,151	93.2%	0.5%	2,151	84.9%	0.8%	4,161	66.4%	0.9%	5,925	51.6%	0.9%
Cold Ischemic Time												
0-90 Minutes	16	87.5%	8.3%	16	75.0%	10.8%	39	51.7%	8.9%	58	46.9%	8.1%
91-180 Minutes	215	95.8%	1.4%	215	82.8%	2.6%	468	64.0%	2.5%	744	50.0%	2.3%
181-270 Minutes	631	92.4%	1.1%	631	84.5%	1.4%	1,252	64.6%	1.6%	1,733	47.8%	1.7%
271-360 Minutes	641	93.9%	0.9%	641	87.2%	1.3%	1,155	70.2%	1.6%	1,614	56.3%	1.8%
361-480 Minutes	340	93.2%	1.4%	340	83.2%	2.0%	560	69.6%	2.3%	724	55.7%	2.8%
481+ Minutes	71	93.0%	3.0%	71	87.3%	3.9%	141	72.2%	4.4%	196	60.0%	4.7%
Unknown	237	91.6%	1.8%	237	84.0%	2.4%	546	62.5%	2.3%	856	47.7%	2.2%
Yearly Center Volume												
0-3	40	92.5%	4.2%	40	77.5%	6.6%	103	60.3%	5.2%	228	50.3%	4.0%
4-6	70	92.9%	3.1%	70	81.4%	4.6%	188	56.8%	4.5%	215	47.7%	4.2%
7-11	172	89.0%	2.4%	172	75.6%	3.3%	258	58.2%	3.5%	465	44.9%	3.1%
12-20	334	92.5%	1.4%	334	85.9%	1.9%	919	61.9%	1.9%	1,450	45.5%	1.9%
21+	1,535	93.9%	0.6%	1,535	86.1%	0.9%	2,693	69.6%	1.0%	3,567	55.1%	1.2%
Type of Procedure												
Double Lung	1,171	92.8%	0.8%	1,171	84.9%	1.0%	2,121	69.1%	1.2%	2,893	55.8%	1.3%
Single Lung	980	93.7%	0.8%	980	84.9%	1.1%	2,040	64.0%	1.2%	3,032	48.1%	1.2%
Donor Age												
<1 Year	4	50.0%	25.0%	4	50.0%	25.0%	10	70.0%	14.5%	17	76.5%	10.3%
1-5 Years	14	85.7%	9.4%	14	78.6%	11.0%	26	69.7%	9.8%	44	55.1%	8.9%
6-10 Years	37	97.3%	2.7%	37	91.9%	4.5%	69	70.4%	6.7%	100	52.6%	7.1%
11-17 Years	318	91.8%	1.5%	318	82.7%	2.1%	595	64.5%	2.4%	865	51.2%	2.3%
18-34 Years	926	93.4%	0.8%	926	85.4%	1.2%	1,776	69.7%	1.3%	2,470	53.9%	1.4%
35-49 Years	560	94.1%	1.0%	560	86.8%	1.4%	1,116	64.8%	1.7%	1,649	50.5%	1.6%
50-64 Years	273	92.7%	1.6%	273	82.1%	2.3%	545	60.6%	2.4%	751	45.0%	2.6%
65+ Years	19	94.7%	5.1%	19	78.9%	9.4%	24	59.4%	11.7%	29	64.4%	9.9%

Source: OPTN/SRTR Data as of May 1, 2006.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on lung and heart-lung transplants.

Multi-organ transplants are excluded.