

Table 10.7
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 2000 to 2008
Rates for Recipients during First Year after Intestine Transplantation

Recipient Age at Tx	Year of Transplant								
	2000	2001	2002	2003	2004	2005	2006	2007	2008
Total									
Patients	77	112	103	109	145	161	161	181	175
Deaths	21	35	27	20	30	35	37	41	37
Rate	347.9	404.7	325.2	208.1	243.1	252.6	268.6	267.3	243.5
<1 Year									
Patients	10	20	15	10	20	24	29	35	28
Deaths	6	8	4	3	7	8	11	12	8
Rate	1,221.6	563.1	337.0	331.3	449.1	446.6	511.4	460.3	319.3
1-5 Years									
Patients	29	35	29	43	51	42	47	54	48
Deaths	12	14	10	7	12	11	11	12	10
Rate	604.5	531.3	456.1	186.3	286.9	303.0	269.4	257.4	242.8
6-11 Years									
Patients	7	7	11	6	11	15	6	8	11
Deaths	0	1	4	1	2	1	3	2	1
Rate	*	*	457.5	*	218.4	68.2	*	*	95.0
12-17 Years									
Patients	3	1	11	10	5	6	7	9	4
Deaths	0	0	4	1	0	1	1	2	0
Rate	*	*	539.2	110.0	*	*	*	*	*
18-34 Years									
Patients	10	14	14	15	13	29	32	25	32
Deaths	1	4	0	4	2	3	6	3	6
Rate	107.6	355.1	0.0	312.6	175.3	112.1	215.4	133.1	214.8
35-49 Years									
Patients	14	22	15	20	25	23	23	31	34
Deaths	1	4	3	3	3	6	5	6	7
Rate	76.2	220.3	245.1	168.8	131.8	315.3	248.4	225.4	236.0
50-64 Years									
Patients	4	12	8	5	18	21	15	17	14
Deaths	1	4	2	1	2	5	0	4	4
Rate	*	473.7	*	*	115.4	288.5	0.0	266.2	380.5

(Continued)

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Includes intestine only and intestine with liver and/or pancreas transplants.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Table 10.7 (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 2000 to 2008
Rates for Recipients during First Year after Intestine Transplantation

Recipient Age at Tx	Year of Transplant								
	2000	2001	2002	2003	2004	2005	2006	2007	2008
65+ Years									
Patients	-	1	-	-	2	1	2	2	4
Deaths	-	0	-	-	2	0	0	0	1
Rate	-	*	-	-	*	*	*	*	*

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Includes intestine only and intestine with liver and/or pancreas transplants.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Table 10.7 (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 2000 to 2008
Rates for Recipients during First Year after Intestine Transplantation

Ethnicity/Race	Year of Transplant								
	2000	2001	2002	2003	2004	2005	2006	2007	2008
Total									
Patients	77	112	103	109	145	161	161	181	175
Deaths	21	35	27	20	30	35	37	41	37
Rate	347.9	404.7	325.2	208.1	243.1	252.6	268.6	267.3	243.5
White									
Patients	47	77	71	86	101	107	111	125	114
Deaths	9	21	16	15	19	25	21	30	22
Rate	225.6	340.7	271.2	196.6	218.4	277.0	215.1	282.2	221.9
African American									
Patients	12	20	15	9	16	25	23	28	31
Deaths	7	9	6	2	4	4	8	5	5
Rate	1,110.5	651.0	586.1	*	308.9	181.8	416.8	205.6	179.7
Other/Multi-race									
Patients	-	-	1	1	2	1	4	1	3
Deaths	-	-	0	0	2	0	2	0	2
Rate	-	-	*	*	*	*	*	*	*
Asian									
Patients	2	2	-	2	6	2	3	4	6
Deaths	1	1	-	1	3	1	0	2	2
Rate	*	*	-	*	*	*	*	*	*
Hispanic/Latino									
Patients	16	13	16	11	20	26	20	23	21
Deaths	4	4	5	2	2	5	6	4	6
Rate	308.6	411.2	390.7	197.8	105.8	209.1	397.5	205.7	328.6

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Includes intestine only and intestine with liver and/or pancreas transplants.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Table 10.7 (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 2000 to 2008
Rates for Recipients during First Year after Intestine Transplantation

Gender	Year of Transplant								
	2000	2001	2002	2003	2004	2005	2006	2007	2008
Total									
Patients	77	112	103	109	145	161	161	181	175
Deaths	21	35	27	20	30	35	37	41	37
Rate	347.9	404.7	325.2	208.1	243.1	252.6	268.6	267.3	243.5
Female									
Patients	32	54	52	46	78	89	88	79	86
Deaths	6	17	15	12	15	21	18	13	16
Rate	223.6	416.1	357.0	322.6	226.6	279.0	238.0	184.2	210.1
Male									
Patients	45	58	51	63	67	72	73	102	89
Deaths	15	18	12	8	15	14	19	28	21
Rate	447.4	394.5	292.6	135.9	262.3	221.1	306.0	338.2	277.1

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Includes intestine only and intestine with liver and/or pancreas transplants.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Table 10.7 (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 2000 to 2008
Rates for Recipients during First Year after Intestine Transplantation

Blood Type	Year of Transplant								
	2000	2001	2002	2003	2004	2005	2006	2007	2008
Total									
Patients	77	112	103	109	145	161	161	181	175
Deaths	21	35	27	20	30	35	37	41	37
Rate	347.9	404.7	325.2	208.1	243.1	252.6	268.6	267.3	243.5
A									
Patients	28	40	50	36	55	51	58	74	67
Deaths	10	15	13	7	12	10	17	11	11
Rate	483.4	522.6	321.0	220.5	259.2	224.7	365.7	161.2	186.0
AB									
Patients	2	5	9	4	5	9	7	7	5
Deaths	0	1	5	2	1	1	0	0	1
Rate	*	*	*	*	*	*	*	*	*
B									
Patients	5	20	11	10	18	20	24	22	29
Deaths	3	6	2	3	3	3	5	9	6
Rate	*	387.6	209.3	377.2	193.1	168.6	230.8	572.4	231.6
O									
Patients	42	47	33	59	67	81	72	78	74
Deaths	8	13	7	8	14	21	15	21	19
Rate	226.5	339.7	247.8	148.2	243.6	309.4	239.7	336.5	305.7

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Includes intestine only and intestine with liver and/or pancreas transplants.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Table 10.7 (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 2000 to 2008
Rates for Recipients during First Year after Intestine Transplantation

Residency	Year of Transplant								
	2000	2001	2002	2003	2004	2005	2006	2007	2008
Total									
Patients	77	112	103	109	145	161	161	181	175
Deaths	21	35	27	20	30	35	37	41	37
Rate	347.9	404.7	325.2	208.1	243.1	252.6	268.6	267.3	243.5
U.S. Resident									
Patients	71	108	96	108	141	156	154	174	166
Deaths	19	33	23	20	29	32	36	40	35
Rate	338.7	395.1	290.0	210.3	241.2	236.1	273.6	271.5	243.0
Nonresident Alien									
Patients	6	4	7	-	4	5	7	7	9
Deaths	2	2	4	-	1	3	1	1	2
Rate	*	*	*	-	*	*	*	*	*
Unknown									
Patients	-	-	-	1	-	-	-	-	-
Deaths	-	-	-	0	-	-	-	-	-
Rate	-	-	-	*	-	-	-	-	-

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Includes intestine only and intestine with liver and/or pancreas transplants.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Table 10.7 (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 2000 to 2008
Rates for Recipients during First Year after Intestine Transplantation

Previous Tx Same Organ	Year of Transplant								
	2000	2001	2002	2003	2004	2005	2006	2007	2008
Total									
Patients	77	112	103	109	145	161	161	181	175
Deaths	21	35	27	20	30	35	37	41	37
Rate	347.9	404.7	325.2	208.1	243.1	252.6	268.6	267.3	243.5
No									
Patients	69	105	91	100	142	147	147	162	158
Deaths	17	29	21	19	29	31	32	35	34
Rate	305.0	342.9	273.7	217.5	239.1	242.9	251.0	253.5	249.6
Yes									
Patients	8	7	12	9	3	14	14	19	17
Deaths	4	6	6	1	1	4	5	6	3
Rate	*	*	951.4	*	*	365.3	487.6	391.6	191.1

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Includes intestine only and intestine with liver and/or pancreas transplants.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Table 10.7 (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 2000 to 2008
Rates for Recipients during First Year after Intestine Transplantation

Life Support Status	Year of Transplant								
	2000	2001	2002	2003	2004	2005	2006	2007	2008
Total									
Patients	77	112	103	109	145	161	161	181	175
Deaths	21	35	27	20	30	35	37	41	37
Rate	347.9	404.7	325.2	208.1	243.1	252.6	268.6	267.3	243.5
Not on Life Support									
Patients	72	107	85	93	122	132	138	144	135
Deaths	18	33	17	15	22	28	31	29	22
Rate	309.7	395.4	233.1	182.4	207.6	246.6	261.6	235.2	183.1
On Life Support									
Patients	5	5	18	16	23	29	23	37	40
Deaths	3	2	10	5	8	7	6	12	15
Rate	*	*	988.8	360.4	460.0	279.7	311.9	399.4	472.1

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Includes intestine only and intestine with liver and/or pancreas transplants.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Table 10.7 (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 2000 to 2008
Rates for Recipients during First Year after Intestine Transplantation

Hospitalized at Tx	Year of Transplant								
	2000	2001	2002	2003	2004	2005	2006	2007	2008
Total									
Patients	77	112	103	109	145	161	161	181	175
Deaths	21	35	27	20	30	35	37	41	37
Rate	347.9	404.7	325.2	208.1	243.1	252.6	268.6	267.3	243.5
Not Hospitalized									
Patients	45	80	61	76	88	112	102	130	123
Deaths	10	20	12	11	13	21	18	23	16
Rate	268.0	305.5	227.7	157.7	163.5	212.9	197.0	199.1	141.9
Hospitalized									
Patients	18	18	28	21	35	32	43	33	30
Deaths	4	7	10	4	8	8	11	9	11
Rate	262.4	541.5	482.5	217.9	273.8	303.1	310.0	341.1	464.7
In Intensive Care									
Patients	14	14	14	12	22	17	16	18	22
Deaths	7	8	5	5	9	6	8	9	10
Rate	897.2	989.3	520.9	627.6	613.7	442.5	736.6	787.5	644.2

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Includes intestine only and intestine with liver and/or pancreas transplants.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Table 10.7 (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 2000 to 2008
Rates for Recipients during First Year after Intestine Transplantation

Primary Diagnosis	Year of Transplant								
	2000	2001	2002	2003	2004	2005	2006	2007	2008
Total									
Patients	77	112	103	109	145	161	161	181	175
Deaths	21	35	27	20	30	35	37	41	37
Rate	347.9	404.7	325.2	208.1	243.1	252.6	268.6	267.3	243.5
Short Gut Syndrome									
Patients	59	88	80	80	105	111	114	132	129
Deaths	18	27	19	17	22	25	27	33	30
Rate	400.1	396.6	290.6	250.0	246.4	268.0	276.7	302.7	271.9
Functional Bowel Problem									
Patients	13	18	17	22	25	37	26	22	27
Deaths	3	7	7	2	3	7	7	4	4
Rate	289.2	526.2	589.6	93.3	127.1	206.9	328.9	213.7	161.1
Other									
Patients	5	6	6	7	14	13	21	26	18
Deaths	0	1	1	1	5	3	3	3	3
Rate	*	*	*	*	526.4	261.9	158.9	118.6	190.5

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Includes intestine only and intestine with liver and/or pancreas transplants.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Table 10.7 (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 2000 to 2008
Rates for Recipients during First Year after Intestine Transplantation

Donor Age	Year of Transplant								
	2000	2001	2002	2003	2004	2005	2006	2007	2008
Total									
Patients	77	112	103	109	145	161	161	181	175
Deaths	21	35	27	20	30	35	37	41	37
Rate	347.9	404.7	325.2	208.1	243.1	252.6	268.6	267.3	243.5
<1 Year									
Patients	16	30	28	30	40	35	42	52	48
Deaths	8	11	10	7	12	10	9	14	12
Rate	839.4	463.6	487.5	268.8	378.8	364.3	248.4	326.8	287.2
1-5 Years									
Patients	25	30	24	26	38	46	37	44	41
Deaths	8	10	6	3	9	10	14	12	7
Rate	419.4	446.2	300.8	125.2	291.3	241.3	497.0	336.4	189.3
6-11 Years									
Patients	14	7	12	12	18	10	13	13	12
Deaths	2	2	3	3	1	2	4	2	2
Rate	164.5	*	295.6	294.9	56.5	234.7	353.0	171.3	197.9
12-17 Years									
Patients	9	12	11	15	13	29	25	20	21
Deaths	1	2	1	3	1	7	3	2	3
Rate	*	197.5	98.7	235.9	81.7	283.7	128.2	110.2	161.0
18-34 Years									
Patients	9	23	17	21	29	29	35	39	39
Deaths	2	7	3	2	4	3	6	4	10
Rate	*	390.5	207.6	104.6	151.5	112.3	198.2	111.4	307.0
35-49 Years									
Patients	4	7	7	5	6	11	8	12	14
Deaths	0	3	2	2	2	3	1	6	3
Rate	*	*	*	*	*	341.6	*	684.1	252.8
50-64 Years									
Patients	-	3	3	-	1	1	1	1	-
Deaths	-	0	1	-	1	0	0	1	-
Rate	-	*	*	-	*	*	*	*	-

(Continued)

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Includes intestine only and intestine with liver and/or pancreas transplants.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Table 10.7 (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 2000 to 2008
Rates for Recipients during First Year after Intestine Transplantation

Donor Age	Year of Transplant								
	2000	2001	2002	2003	2004	2005	2006	2007	2008
65+ Years									
Patients	-	-	1	-	-	-	-	-	-
Deaths	-	-	1	-	-	-	-	-	-
Rate	-	-	*	-	-	-	-	-	-

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Includes intestine only and intestine with liver and/or pancreas transplants.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Table 10.7 (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 2000 to 2008
Rates for Recipients during First Year after Intestine Transplantation

Cold Ischemic Time	Year of Transplant								
	2000	2001	2002	2003	2004	2005	2006	2007	2008
Total									
Patients	77	112	103	109	145	161	161	181	175
Deaths	21	35	27	20	30	35	37	41	37
Rate	347.9	404.7	325.2	208.1	243.1	252.6	268.6	267.3	243.5
0-5 Hours									
Patients	4	9	9	16	11	15	31	16	26
Deaths	1	4	2	3	2	3	5	1	6
Rate	*	*	*	224.7	213.9	241.9	179.6	66.1	279.7
6-10 Hours									
Patients	59	93	86	87	107	112	96	119	133
Deaths	17	29	23	16	21	25	22	29	28
Rate	370.7	398.7	335.2	206.0	227.8	257.7	268.5	291.8	238.6
11-15 Hours									
Patients	8	7	4	5	7	4	3	14	7
Deaths	1	1	1	1	0	1	1	4	1
Rate	*	*	*	*	*	*	*	350.1	*
16-20 Hours									
Patients	1	-	-	-	1	-	-	-	-
Deaths	0	-	-	-	0	-	-	-	-
Rate	*	-	-	-	*	-	-	-	-
21+ Hours									
Patients	-	-	-	-	-	1	-	-	-
Deaths	-	-	-	-	-	1	-	-	-
Rate	-	-	-	-	-	*	-	-	-
Unknown									
Patients	5	3	4	1	19	29	31	32	9
Deaths	2	1	1	0	7	5	9	7	2
Rate	*	*	*	*	505.1	195.4	350.2	255.3	*

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Includes intestine only and intestine with liver and/or pancreas transplants.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Table 10.7 (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 2000 to 2008
Rates for Recipients during First Year after Intestine Transplantation

Transplant Center State	Year of Transplant								
	2000	2001	2002	2003	2004	2005	2006	2007	2008
Total									
Patients	77	112	103	109	145	161	161	181	175
Deaths	21	35	27	20	30	35	37	41	37
Rate	347.9	404.7	325.2	208.1	243.1	252.6	268.6	267.3	243.5
California									
Patients	3	3	11	12	20	17	18	14	20
Deaths	0	0	1	3	7	2	4	3	5
Rate	*	*	92.8	323.7	480.1	123.0	261.0	269.9	310.1
District of Columbia									
Patients	-	-	-	2	11	12	18	21	23
Deaths	-	-	-	0	3	0	7	3	2
Rate	-	-	-	*	327.8	0.0	498.6	160.4	91.4
Florida									
Patients	17	38	31	21	15	20	31	18	22
Deaths	7	13	13	5	4	6	9	7	7
Rate	612.9	459.6	633.6	276.5	330.8	386.5	356.5	613.8	396.5
Illinois									
Patients	2	1	-	-	2	8	4	1	4
Deaths	1	1	-	-	0	2	2	0	1
Rate	*	*	-	-	*	*	*	*	*
Indiana									
Patients	-	-	-	2	4	15	11	17	15
Deaths	-	-	-	1	1	4	2	4	1
Rate	-	-	-	*	*	326.7	202.1	266.7	71.1
Louisiana									
Patients	-	-	-	-	-	1	-	-	-
Deaths	-	-	-	-	-	0	-	-	-
Rate	-	-	-	-	-	*	-	-	-
Massachusetts									
Patients	-	-	-	-	1	1	4	2	3
Deaths	-	-	-	-	0	0	0	0	1
Rate	-	-	-	-	*	*	*	*	*

(Continued)

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Includes intestine only and intestine with liver and/or pancreas transplants.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Table 10.7 (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 2000 to 2008
Rates for Recipients during First Year after Intestine Transplantation

Transplant Center State	Year of Transplant								
	2000	2001	2002	2003	2004	2005	2006	2007	2008
Minnesota									
Patients	-	1	-	-	-	1	1	2	-
Deaths	-	1	-	-	-	1	1	1	-
Rate	-	*	-	-	-	*	*	*	-
Nebraska									
Patients	12	19	13	16	21	28	21	32	32
Deaths	3	8	6	4	3	6	3	10	10
Rate	315.4	557.0	678.1	277.0	153.2	240.3	154.8	364.1	354.8
New York									
Patients	14	19	14	3	9	9	7	7	6
Deaths	4	8	3	0	2	4	1	3	3
Rate	379.5	630.6	253.7	*	*	*	*	*	*
Ohio									
Patients	-	-	-	3	4	4	4	8	9
Deaths	-	-	-	2	0	3	3	2	5
Rate	-	-	-	*	*	*	*	*	*
Oklahoma									
Patients	-	-	-	1	-	-	-	-	-
Deaths	-	-	-	1	-	-	-	-	-
Rate	-	-	-	*	-	-	-	-	-
Pennsylvania									
Patients	23	29	31	47	53	43	40	50	40
Deaths	2	4	3	3	7	6	4	4	2
Rate	92.3	153.5	103.6	67.0	145.7	153.2	106.0	83.4	52.1
South Carolina									
Patients	3	-	1	1	-	1	1	-	-
Deaths	2	-	0	1	-	1	1	-	-
Rate	*	-	*	*	-	*	*	-	-
Texas									
Patients	2	-	-	-	-	1	1	5	1
Deaths	1	-	-	-	-	0	0	3	0
Rate	*	-	-	-	-	*	*	*	*

(Continued)

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Includes intestine only and intestine with liver and/or pancreas transplants.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Table 10.7 (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 2000 to 2008
Rates for Recipients during First Year after Intestine Transplantation

Transplant Center State	Year of Transplant								
	2000	2001	2002	2003	2004	2005	2006	2007	2008
Virginia									
Patients	-	-	-	-	-	-	-	1	-
Deaths	-	-	-	-	-	-	-	0	-
Rate	-	-	-	-	-	-	-	*	-
Washington									
Patients	-	-	-	-	-	-	-	3	-
Deaths	-	-	-	-	-	-	-	1	-
Rate	-	-	-	-	-	-	-	*	-
Wisconsin									
Patients	1	2	2	1	5	-	-	-	-
Deaths	1	0	1	0	3	-	-	-	-
Rate	*	*	*	*	*	-	-	-	-

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Includes intestine only and intestine with liver and/or pancreas transplants.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.