Table 5.3
Reported Deaths and Annual Death Rates Per 1,000 Patient-Years at Risk, 2000 to 2009
Kidney Waiting List

Age This Year		Year									
		2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Total											
	Patients	60,483	64,112	68,122	71,764	76,754	82,276	88,624	94,559	99,663	105,109
	Deaths	3,131	3,369	3,734	3,864	4,040	4,149	4,455	4,453	4,647	4,686
	Rate	73.9	73.6	76.9	75.2	73.5	70.7	70.5	65.0	63.5	60.7
<1 Year											
	Patients	2	-	-	4	6	3	4	5	6	6
	Deaths	-	-	-	-	1	-	-	1	-	-
	Rate	*	-	-	*	*	*	*	*	*	*
1-5 Years											
	Patients	127	149	150	164	181	200	222	243	245	263
	Deaths	5	3	4	4	3	5	7	7	5	4
	Rate	85.9	45.1	64.2	56.2	35.9	54.9	73.9	63.8	36.8	33.2
6-11 Years											
	Patients	234	284	280	278	289	311	301	315	340	337
	Deaths	8	1	3	4	7	6	-	3	3	1
	Rate	66.0	7.0	20.4	27.5	47.9	39.2	-	17.5	17.8	5.8
12-17 Years											
	Patients	595	652	737	788	862	882	880	815	848	822
	Deaths	5	5	18	11	6	13	8	5	5	6
	Rate	14.9	14.1	44.7	26.1	12.7	26.8	18.2	12.3	11.3	14.0
18-34 Years											
	Patients	9,097	9,142	9,319	9,512	9,862	9,983	10,247	10,272	10,547	10,826
	Deaths	226	212	241	231	209	219	207	179	201	195
	Rate	35.0	32.8	36.3	34.0	29.9	30.9	28.5	24.3	26.4	25.0
35-49 Years											
	Patients	20,236	20,663	21,224	21,895	22,745	23,913	25,201	26,545	27,183	28,041
	Deaths	833	817	824	849	851	822	896	873	874	907
	Rate	57.9	54.5	53.4	53.0	51.2	47.3	48.7	44.4	42.7	43.1
50-64 Years											
	Patients	23,228	25,223	27,360	29,026	31,412	34,099	37,142	39,882	42,278	44,917
	Deaths	1,458	1,647	1,820	1,843	1,923	2,052	2,150	2,141	2,183	2,232
	Rate	89.5	91.1	93.3	88.3	85.0	83.9	80.8	73.8	70.0	67.2
65+ Years											
	Patients	6,964	7,999	9,052	10,097	11,397	12,885	14,627	16,482	18,216	19,897
	Deaths	596	684	824	922	1,040	1,032	1,187	1,244	1,376	1,341
	Rate	125.1	120.5	129.3	129.8	129.5	114.1	115.5	105.4	104.8	92.9

Source: OPTN/SRTR Data as of October 1, 2010.
Notes:

Patients alive on the waiting list at any time during the year are counted. Period at risk begins the later of January 1 or waiting list registration and ends on the earlier of December 31, date of death, or date of removal for other reasons. Please see Technical Notes for further details about death rate computation.

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Table 5.3 (Continued)
Reported Deaths and Annual Death Rates Per 1,000 Patient-Years at Risk, 2000 to 2009
Kidney Waiting List

Ethnicity/Race		Year									
		2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Total											
	Patients	60,483	64,112	68,122	71,764	76,754	82,276	88,624	94,559	99,663	105,109
	Deaths	3,131	3,369	3,734	3,864	4,040	4,149	4,455	4,453	4,647	4,686
	Rate	73.9	73.6	76.9	75.2	73.5	70.7	70.5	65.0	63.5	60.7
White											
	Patients	27,464	28,406	29,586	30,394	32,034	34,312	36,846	38,868	40,543	42,513
	Deaths	1,565	1,636	1,744	1,793	1,819	1,837	2,040	2,028	2,096	2,046
	Rate	87.0	86.0	88.4	88.4	85.3	80.9	83.3	76.9	75.0	69.5
African American											
	Patients	20,730	22,107	23,416	24,588	26,111	27,701	29,648	31,676	33,337	35,164
	Deaths	1,065	1,131	1,276	1,287	1,401	1,411	1,468	1,449	1,545	1,566
	Rate	68.4	67.4	71.5	68.3	70.2	67.3	65.6	60.1	60.0	58.1
Other/Multi-race											
	Patients	757	825	938	995	1,132	1,209	1,285	1,324	1,400	1,412
	Deaths	34	50	47	58	51	57	59	63	62	61
	Rate	62.2	84.0	69.6	79.4	63.7	64.0	63.9	64.4	59.4	58.1
Asian											
	Patients	3,636	3,984	4,372	4,807	5,284	5,756	6,132	6,644	7,023	7,466
	Deaths	129	159	178	201	198	221	245	257	248	272
	Rate	48.5	53.3	54.2	55.2	50.0	51.1	53.3	51.1	45.9	47.1
Hispanic/Latino											
	Patients	7,896	8,790	9,809	10,980	12,193	13,298	14,713	16,047	17,360	18,554
	Deaths	338	393	489	525	571	623	643	656	696	741
	Rate	60.0	61.7	69.6	66.2	63.9	63.6	59.4	54.5	53.5	53.1
Unknown											
	Patients	-	-	1	-	-	-	-	-	-	-
	Deaths	-	-	-	-	-	-	-	-	-	-
	Rate	-	-	*	-	-	-	-	-	-	-

Source: OPTN/SRTR Data as of October 1, 2010.
Notes:
Patients alive on the waiting list at any time during the year are counted. Period at risk begins the later of January 1 or waiting list registration and ends on the earlier of December 31, date of death, or date of removal for other reasons. Please see Technical Notes for further details about death rate computation.
(-) = None in category.
(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Table 5.3 (Continued)
Reported Deaths and Annual Death Rates Per 1,000 Patient-Years at Risk, 2000 to 2009
Kidney Waiting List

Gender		Year									
		2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Total											
	Patients	60,483	64,112	68,122	71,764	76,754	82,276	88,624	94,559	99,663	105,109
	Deaths	3,131	3,369	3,734	3,864	4,040	4,149	4,455	4,453	4,647	4,686
	Rate	73.9	73.6	76.9	75.2	73.5	70.7	70.5	65.0	63.5	60.7
Female											
	Patients	25,430	26,968	28,640	30,102	32,066	34,099	36,480	39,025	41,097	43,224
	Deaths	1,367	1,428	1,611	1,577	1,728	1,705	1,841	1,798	1,976	1,882
	Rate	76.2	73.4	78.3	72.2	74.1	69.1	69.8	62.6	64.5	58.5
Male											
	Patients	35,053	37,144	39,482	41,662	44,688	48,177	52,144	55,534	58,566	61,885
	Deaths	1,764	1,941	2,123	2,287	2,312	2,444	2,614	2,655	2,671	2,804
	Rate	72.1	73.8	75.9	77.3	73.1	71.9	71.0	66.7	62.8	62.3

Source: OPTN/SRTR Data as of October 1, 2010.
Notes:

Patients alive on the waiting list at any time during the year are counted. Period at risk begins the later of January 1 or waiting list registration and ends on the earlier of December 31, date of death, or date of removal for other reasons. Please see Technical Notes for further details about death rate computation.

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Table 5.3 (Continued)
Reported Deaths and Annual Death Rates Per 1,000 Patient-Years at Risk, 2000 to 2009
Kidney Waiting List

Blood Type		Year									
		2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Total											
	Patients	60,483	64,112	68,122	71,764	76,754	82,276	88,624	94,559	99,663	105,109
	Deaths	3,131	3,369	3,734	3,864	4,040	4,149	4,455	4,453	4,647	4,686
	Rate	73.9	73.6	76.9	75.2	73.5	70.7	70.5	65.0	63.5	60.7
A											
	Patients	18,090	19,131	20,188	21,147	22,677	24,407	26,418	28,175	29,786	31,402
	Deaths	929	977	1,048	1,165	1,146	1,134	1,351	1,323	1,324	1,369
	Rate	78.0	76.2	77.2	81.9	74.9	69.3	75.9	67.8	63.6	62.1
AB											
	Patients	1,811	1,961	2,106	2,204	2,355	2,596	2,856	3,040	3,161	3,389
	Deaths	76	86	101	114	138	106	147	109	143	151
	Rate	70.1	70.3	76.7	80.9	92.1	64.7	83.5	54.9	67.1	67.3
B											
	Patients	9,697	10,312	10,950	11,593	12,358	13,173	14,014	14,902	15,730	16,534
	Deaths	488	574	614	633	657	711	701	743	724	727
	Rate	68.1	74.2	75.3	72.7	71.1	72.3	67.4	66.5	61.0	58.0
O											
	Patients	30,885	32,708	34,878	36,820	39,364	42,100	45,336	48,442	50,986	53,784
	Deaths	1,638	1,732	1,971	1,952	2,099	2,198	2,256	2,278	2,456	2,439
	Rate	73.7	72.2	77.2	72.1	72.6	71.2	67.8	63.5	64.1	60.4

Source: OPTN/SRTR Data as of October 1, 2010.
Notes:

Patients alive on the waiting list at any time during the year are counted. Period at risk begins the later of January 1 or waiting list registration and ends on the earlier of December 31, date of death, or date of removal for other reasons. Please see Technical Notes for further details about death rate computation.

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Table 5.3 (Continued)
Reported Deaths and Annual Death Rates Per 1,000 Patient-Years at Risk, 2000 to 2009
Kidney Waiting List

Primary Diagnosis	Year									
	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Total										
Patients	60,483	64,112	68,122	71,764	76,754	82,276	88,624	94,559	99,663	105,109
Deaths	3,131	3,369	3,734	3,864	4,040	4,149	4,455	4,453	4,647	4,686
Rate	73.9	73.6	76.9	75.2	73.5	70.7	70.5	65.0	63.5	60.7
Glomerular Diseases										
Patients	13,884	14,406	15,233	15,736	16,539	17,301	18,329	19,030	19,709	20,515
Deaths	452	519	543	583	573	561	577	609	583	638
Rate	45.7	49.8	49.8	51.2	48.1	45.1	43.9	43.8	39.8	41.9
Diabetes										
Patients	14,344	15,614	17,029	18,372	20,134	22,083	24,443	26,837	28,890	31,094
Deaths	1,216	1,320	1,475	1,487	1,570	1,655	1,802	1,883	1,957	1,945
Rate	125.3	121.3	124.6	115.0	109.8	105.5	103.6	97.4	93.3	85.6
Hypertensive Nephrosclerosis										
Patients	10,796	11,939	12,953	13,887	15,275	16,902	18,567	20,122	21,677	23,443
Deaths	483	509	608	603	690	751	800	803	905	937
Rate	61.1	57.9	63.2	58.3	61.3	60.5	58.3	53.5	55.8	53.6
Polycystic Kidneys										
Patients	4,113	4,269	4,510	4,763	4,970	5,457	5,854	6,301	6,625	7,047
Deaths	123	114	144	148	151	147	182	147	156	164
Rate	43.5	38.2	46.1	45.2	43.7	39.8	45.3	33.3	32.6	32.4
Tubular and Interstitial Diseases										
Patients	2,824	2,919	3,033	3,102	3,177	3,304	3,394	3,576	3,656	3,666
Deaths	129	147	146	126	159	175	142	155	186	151
Rate	66.4	72.0	69.1	57.3	70.9	76.2	59.1	60.3	70.7	56.4
Renovascular & Other Vascular Diseases										
Patients	3,272	3,319	3,480	3,584	3,598	3,327	3,196	3,086	3,033	2,956
Deaths	173	175	186	191	202	174	189	189	137	148
Rate	73.8	70.4	71.8	70.5	73.1	67.5	78.4	79.8	59.1	65.2
Congenital, Rare Familial, & Metabolic Disorders										
Patients	1,029	1,137	1,248	1,343	1,350	1,415	1,465	1,505	1,573	1,675
Deaths	23	22	32	37	36	39	39	31	27	31
Rate	32.9	28.5	37.7	40.8	37.9	40.0	39.2	29.9	24.5	26.8

(Continued)

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

Patients alive on the waiting list at any time during the year are counted. Period at risk begins the later of January 1 or waiting list registration and ends on the earlier of December 31, date of death, or date of removal for other reasons. Please see Technical Notes for further details about death rate computation.

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Table 5.3 (Continued)
Reported Deaths and Annual Death Rates Per 1,000 Patient-Years at Risk, 2000 to 2009
Kidney Waiting List

Primary Diagnosis		Year									
		2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Neoplasms											
	Patients	166	177	175	173	203	216	237	260	276	329
	Deaths	11	13	17	10	16	11	16	18	11	19
	Rate	100.2	118.6	149.7	82.9	121.8	76.2	102.2	105.2	55.0	81.7
Other											
	Patients	7,262	7,668	7,919	8,431	9,263	10,175	11,130	11,943	12,459	12,721
	Deaths	341	367	414	461	464	464	540	467	541	510
	Rate	68.6	68.4	73.8	78.8	72.2	65.6	70.3	55.1	59.4	54.5
Not Collected											
	Patients	460	349	280	212	174	136	108	91	77	58
	Deaths	44	30	29	23	19	16	8	7	6	5
	Rate	111.8	97.2	122.2	121.0	127.1	130.9	79.6	85.9	90.3	93.1
Unknown											
	Patients	2,333	2,315	2,262	2,161	2,071	1,960	1,901	1,808	1,688	1,605
	Deaths	136	153	140	195	160	156	160	144	138	138
	Rate	84.6	95.9	88.9	130.7	115.7	120.5	134.1	127.0	129.6	142.5

Source: OPTN/SRTR Data as of October 1, 2010.
Notes:

Patients alive on the waiting list at any time during the year are counted. Period at risk begins the later of January 1 or waiting list registration and ends on the earlier of December 31, date of death, or date of removal for other reasons. Please see Technical Notes for further details about death rate computation.

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Table 5.3 (Continued)
Reported Deaths and Annual Death Rates Per 1,000 Patient-Years at Risk, 2000 to 2009
Kidney Waiting List

Waitlist Center State		Year									
		2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Total											
	Patients	60,483	64,112	68,122	71,764	76,754	82,276	88,624	94,559	99,663	105,109
	Deaths	3,131	3,369	3,734	3,864	4,040	4,149	4,455	4,453	4,647	4,686
	Rate	73.9	73.6	76.9	75.2	73.5	70.7	70.5	65.0	63.5	60.7
Alabama											
	Patients	1,595	1,834	2,061	2,230	2,410	2,648	2,821	3,022	3,081	3,338
	Deaths	78	81	132	121	148	185	192	181	202	226
	Rate	68.7	61.7	85.6	71.1	78.9	90.6	88.1	76.1	81.0	85.2
Arkansas											
	Patients	288	294	302	292	274	284	342	349	360	376
	Deaths	17	15	11	15	16	15	17	19	19	13
	Rate	81.7	71.1	51.1	75.8	92.5	93.3	90.9	89.9	80.5	59.3
Arizona											
	Patients	789	925	943	994	1,082	1,177	1,389	1,547	1,693	1,796
	Deaths	26	30	31	34	38	41	53	40	54	57
	Rate	48.1	49.2	49.1	50.7	54.1	52.7	59.2	39.3	46.5	44.5
California											
	Patients	10,232	11,328	12,566	13,868	15,398	16,647	17,764	18,682	19,111	19,547
	Deaths	545	618	690	773	863	915	963	958	902	889
	Rate	73.0	73.0	73.8	74.0	74.4	71.3	70.4	65.8	60.5	57.5
Colorado											
	Patients	777	834	862	890	924	1,070	1,170	1,264	1,408	1,560
	Deaths	27	35	49	49	29	41	42	48	68	56
	Rate	49.7	58.1	81.7	81.4	44.3	57.9	50.3	51.4	65.7	49.0
Connecticut											
	Patients	593	640	669	636	635	614	591	697	912	1,101
	Deaths	32	38	39	38	46	39	39	38	33	57
	Rate	72.6	80.6	77.7	75.5	98.0	85.5	86.6	75.8	51.3	70.9
District of Columbia											
	Patients	991	1,115	1,177	1,233	1,311	1,285	1,334	1,304	1,268	1,290
	Deaths	52	78	78	69	84	82	55	66	53	60
	Rate	68.5	94.4	86.9	73.1	82.0	83.8	56.2	64.7	52.9	61.5
Delaware											
	Patients	20	23	24	25	40	50	78	174	269	343
	Deaths	-	-	-	-	1	-	1	5	7	16
	Rate	-	-	-	-	34.3	-	17.1	46.2	34.8	61.1

(Continued)

Source: OPTN/SRTR Data as of October 1, 2010.
Notes:

Patients alive on the waiting list at any time during the year are counted. Period at risk begins the later of January 1 or waiting list registration and ends on the earlier of December 31, date of death, or date of removal for other reasons. Please see Technical Notes for further details about death rate computation.

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Table 5.3 (Continued)
Reported Deaths and Annual Death Rates Per 1,000 Patient-Years at Risk, 2000 to 2009
Kidney Waiting List

Waitlist Center State		Year									
		2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Florida											
	Patients	2,311	2,618	2,818	2,997	3,200	3,423	3,706	4,015	4,157	4,164
	Deaths	104	111	119	141	148	120	163	153	201	166
	Rate	69.7	65.2	62.3	68.6	69.0	53.3	66.4	56.4	69.9	57.5
Georgia											
	Patients	1,206	1,268	1,312	1,459	1,596	1,680	1,939	2,214	2,730	3,037
	Deaths	41	42	58	68	66	71	77	79	97	125
	Rate	56.0	50.2	64.1	67.9	59.2	61.2	57.4	49.8	50.0	53.9
Hawaii											
	Patients	243	301	345	351	405	405	357	361	356	370
	Deaths	7	10	16	11	11	14	22	18	17	12
	Rate	39.5	43.9	62.8	37.8	35.7	45.0	79.3	65.5	62.4	43.0
Iowa											
	Patients	299	343	361	367	363	384	414	479	559	633
	Deaths	13	16	16	13	17	9	13	15	21	17
	Rate	73.9	76.0	69.2	55.5	69.8	34.7	49.4	47.6	58.5	39.7
Illinois											
	Patients	2,994	2,983	3,184	3,390	3,555	3,795	4,068	4,147	4,306	4,548
	Deaths	196	213	209	243	249	223	239	229	229	251
	Rate	89.8	94.0	91.0	100.3	95.7	81.6	80.6	73.5	70.0	74.8
Indiana											
	Patients	524	535	559	595	636	739	857	1,024	1,150	1,358
	Deaths	20	23	21	16	20	18	40	47	42	37
	Rate	58.7	64.5	61.8	47.2	55.3	43.8	74.5	69.5	53.8	40.5
Kansas											
	Patients	181	208	245	248	256	266	302	355	428	475
	Deaths	3	6	6	9	10	9	7	5	11	17
	Rate	29.7	49.9	42.2	58.0	64.2	56.7	38.8	22.6	41.7	58.1
Kentucky											
	Patients	415	439	441	432	419	427	465	514	539	552
	Deaths	19	16	12	19	27	18	23	36	31	22
	Rate	76.7	56.4	42.5	66.1	95.1	67.9	88.8	112.2	90.9	60.7
Louisiana											
	Patients	1,144	1,208	1,287	1,431	1,522	1,497	1,608	1,777	1,982	2,038
	Deaths	43	53	65	76	89	78	75	83	110	85
	Rate	52.8	60.3	68.3	73.5	80.4	66.9	62.3	63.7	75.7	56.1

(Continued)

Source: OPTN/SRTR Data as of October 1, 2010.
Notes:

Patients alive on the waiting list at any time during the year are counted. Period at risk begins the later of January 1 or waiting list registration and ends on the earlier of December 31, date of death, or date of removal for other reasons. Please see Technical Notes for further details about death rate computation.

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Table 5.3 (Continued)
Reported Deaths and Annual Death Rates Per 1,000 Patient-Years at Risk, 2000 to 2009
Kidney Waiting List

Waitlist Center State	Year									
	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Massachusetts										
Patients	1,419	1,491	1,519	1,604	1,798	1,875	1,907	1,937	2,048	2,227
Deaths	86	74	85	82	103	114	105	102	105	103
Rate	83.4	69.1	79.9	72.9	82.6	85.4	79.8	74.5	70.9	65.7
Maryland										
Patients	2,207	2,129	2,084	1,925	1,941	1,957	1,956	1,811	1,768	1,902
Deaths	160	156	151	144	139	127	132	106	94	114
Rate	111.9	104.7	99.3	98.3	97.2	91.3	97.0	80.5	75.6	93.5
Maine										
Patients	190	169	148	148	143	181	229	211	169	185
Deaths	9	7	4	-	4	10	8	6	3	3
Rate	75.1	62.6	42.4	-	40.0	90.3	59.9	45.9	24.4	26.3
Michigan										
Patients	2,064	2,147	2,250	2,272	2,542	2,823	3,117	3,195	3,212	3,159
Deaths	118	124	131	107	130	137	145	167	153	132
Rate	79.0	82.3	83.8	67.0	75.2	71.2	66.0	71.3	65.8	58.6
Minnesota										
Patients	1,094	1,060	1,172	1,261	1,331	1,461	1,633	1,786	1,905	2,050
Deaths	46	44	57	59	57	63	81	77	73	92
Rate	67.5	64.6	74.7	71.6	63.4	64.6	74.3	63.2	54.0	62.9
Missouri										
Patients	1,184	1,179	1,204	1,236	1,403	1,520	1,677	1,707	1,692	1,736
Deaths	52	60	58	73	69	69	75	76	64	70
Rate	64.9	72.1	66.9	81.2	73.7	65.1	67.6	65.2	53.2	57.7
Mississippi										
Patients	219	220	215	211	213	241	288	362	332	284
Deaths	12	11	2	5	5	4	13	10	8	14
Rate	70.7	68.5	13.6	31.6	29.8	21.2	56.8	38.9	33.0	67.3
North Carolina										
Patients	1,910	1,962	2,141	2,295	2,338	2,499	2,607	2,781	2,922	3,164
Deaths	102	106	110	121	135	106	125	116	132	130
Rate	71.5	70.0	69.1	70.4	75.9	58.0	64.8	56.8	61.6	55.9
North Dakota										
Patients	128	158	156	135	125	119	129	134	125	133
Deaths	7	6	5	7	6	3	5	8	5	5
Rate	79.4	61.3	48.4	77.1	70.6	37.0	58.3	88.1	57.8	57.3

(Continued)

Source: OPTN/SRTR Data as of October 1, 2010.
Notes:

Patients alive on the waiting list at any time during the year are counted. Period at risk begins the later of January 1 or waiting list registration and ends on the earlier of December 31, date of death, or date of removal for other reasons. Please see Technical Notes for further details about death rate computation.

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Table 5.3 (Continued)
Reported Deaths and Annual Death Rates Per 1,000 Patient-Years at Risk, 2000 to 2009
Kidney Waiting List

Waitlist Center State		Year									
		2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Nebraska											
	Patients	250	240	240	260	271	307	359	349	358	405
	Deaths	20	14	18	15	16	13	19	17	16	19
	Rate	120.3	86.5	116.3	98.2	91.1	68.7	86.2	72.7	66.6	77.3
New Hampshire											
	Patients	51	63	77	114	118	125	125	145	153	169
	Deaths	1	4	-	4	6	7	9	5	9	3
	Rate	28.3	101.9	-	68.0	76.9	89.1	122.6	59.1	88.2	26.7
New Jersey											
	Patients	2,047	2,206	2,234	2,419	2,560	2,626	2,633	2,792	2,866	2,947
	Deaths	98	99	135	153	148	156	146	172	137	127
	Rate	66.2	61.3	80.0	86.6	79.5	81.6	74.7	84.6	63.8	58.0
New Mexico											
	Patients	316	308	326	335	334	352	370	366	408	459
	Deaths	19	12	16	18	9	17	16	14	12	13
	Rate	77.3	51.4	65.1	71.2	33.8	64.1	63.0	51.2	39.1	39.9
Nevada											
	Patients	269	272	281	261	253	281	306	344	292	223
	Deaths	21	19	15	13	9	11	11	15	20	11
	Rate	122.0	98.2	76.7	71.5	54.8	60.2	53.8	62.0	90.7	69.0
New York											
	Patients	4,990	4,985	5,116	5,154	5,421	5,958	6,519	7,029	7,701	8,142
	Deaths	301	338	372	339	330	380	386	382	440	426
	Rate	80.7	88.0	96.0	85.4	80.2	87.8	83.7	75.5	79.0	70.9
Ohio											
	Patients	2,023	2,200	2,263	2,322	2,446	2,601	2,801	2,968	3,000	2,936
	Deaths	87	127	134	130	139	137	153	127	134	138
	Rate	64.0	85.2	84.1	77.1	80.2	75.6	78.6	60.9	61.8	64.0
Oklahoma											
	Patients	457	458	489	476	437	450	483	521	619	712
	Deaths	31	23	21	28	25	16	29	23	28	36
	Rate	109.8	80.9	69.3	92.1	91.4	55.5	93.7	65.9	71.4	80.5
Oregon											
	Patients	280	305	350	416	441	502	541	550	597	688
	Deaths	13	12	10	21	12	13	15	13	22	21
	Rate	83.7	77.8	52.9	93.7	44.9	40.8	44.9	35.3	52.2	48.3

(Continued)

Source: OPTN/SRTR Data as of October 1, 2010.
Notes:

Patients alive on the waiting list at any time during the year are counted. Period at risk begins the later of January 1 or waiting list registration and ends on the earlier of December 31, date of death, or date of removal for other reasons. Please see Technical Notes for further details about death rate computation.

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Table 5.3 (Continued)
Reported Deaths and Annual Death Rates Per 1,000 Patient-Years at Risk, 2000 to 2009
Kidney Waiting List

Waitlist Center State		Year									
		2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Pennsylvania											
	Patients	3,794	3,918	4,100	4,307	4,616	5,058	5,568	5,966	6,429	6,794
	Deaths	219	194	230	224	238	234	282	280	294	265
	Rate	84.5	71.3	82.1	78.4	77.1	67.9	73.6	65.8	63.1	53.1
Puerto Rico											
	Patients	326	341	357	376	428	469	475	498	517	507
	Deaths	28	28	43	32	34	31	28	36	36	24
	Rate	120.5	106.9	159.0	115.1	109.5	91.3	75.7	99.3	103.6	67.8
Rhode Island											
	Patients	225	242	210	203	190	193	193	196	198	230
	Deaths	11	12	11	10	7	9	5	9	11	9
	Rate	71.4	74.4	81.8	84.5	54.4	73.8	38.5	70.2	80.4	57.3
South Carolina											
	Patients	621	684	704	714	716	730	709	828	850	959
	Deaths	27	32	38	36	27	34	39	28	24	51
	Rate	63.6	69.5	74.5	67.4	51.6	67.0	74.0	51.7	38.9	73.4
South Dakota											
	Patients	118	120	131	138	154	177	174	204	223	242
	Deaths	8	3	3	7	2	6	2	5	7	3
	Rate	104.2	34.0	34.9	84.4	23.3	58.8	16.9	37.8	45.2	20.0
Tennessee											
	Patients	1,337	1,406	1,516	1,552	1,708	1,791	1,930	2,044	2,162	2,381
	Deaths	66	71	84	70	78	86	89	84	69	97
	Rate	71.5	72.6	80.9	65.6	66.1	68.1	65.5	59.2	43.8	57.5
Texas											
	Patients	3,864	4,329	4,828	5,149	5,411	5,838	6,570	7,519	8,285	9,224
	Deaths	139	183	212	233	203	229	245	279	380	393
	Rate	53.3	61.8	64.0	65.5	52.8	56.1	54.0	52.3	62.7	58.5
Utah											
	Patients	213	219	223	235	254	216	245	255	279	318
	Deaths	7	9	7	4	11	7	5	8	5	10
	Rate	54.5	70.7	53.4	31.7	85.8	57.4	38.8	60.5	31.2	52.4
Virginia											
	Patients	1,640	1,716	1,808	1,986	2,083	2,316	2,566	2,687	2,696	2,780
	Deaths	83	88	94	103	116	118	135	135	129	134
	Rate	67.2	70.4	72.2	72.0	75.5	73.9	74.7	69.7	64.5	65.5

(Continued)

Source: OPTN/SRTR Data as of October 1, 2010.
Notes:

Patients alive on the waiting list at any time during the year are counted. Period at risk begins the later of January 1 or waiting list registration and ends on the earlier of December 31, date of death, or date of removal for other reasons. Please see Technical Notes for further details about death rate computation.

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Table 5.3 (Continued)
Reported Deaths and Annual Death Rates Per 1,000 Patient-Years at Risk, 2000 to 2009
Kidney Waiting List

Waitlist Center State		Year									
		2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Vermont											
	Patients	47	38	50	77	87	106	126	120	131	137
	Deaths	2	1	-	1	8	2	5	4	5	2
	Rate	78.8	33.1	-	22.3	149.9	29.3	63.8	50.9	58.5	22.1
Washington											
	Patients	1,018	1,021	1,073	1,123	1,169	1,259	1,350	1,498	1,584	1,679
	Deaths	48	43	51	54	41	46	44	60	55	53
	Rate	68.4	59.7	68.9	71.0	53.1	54.7	45.2	56.0	48.4	43.2
Wisconsin											
	Patients	1,423	1,466	1,522	1,448	1,609	1,641	1,609	1,604	1,606	1,591
	Deaths	79	74	75	63	64	76	64	58	62	63
	Rate	82.5	72.6	74.3	65.2	62.0	69.9	58.2	55.7	60.0	59.7
West Virginia											
	Patients	157	164	179	174	188	213	224	227	227	220
	Deaths	8	10	10	13	7	10	18	11	18	19
	Rate	85.7	92.9	83.4	109.6	54.5	67.2	115.8	70.9	108.7	125.6

Source: OPTN/SRTR Data as of October 1, 2010.
Notes:

Patients alive on the waiting list at any time during the year are counted. Period at risk begins the later of January 1 or waiting list registration and ends on the earlier of December 31, date of death, or date of removal for other reasons. Please see Technical Notes for further details about death rate computation.

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.