

Table 5.7c
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 2000 to 2008
Rates for Recipients during First Year after Deceased Donor Kidney Transplantation

Recipient Age at Tx	Year of Transplant								
	2000	2001	2002	2003	2004	2005	2006	2007	2008
Total									
Patients	7,960	8,072	8,287	8,388	9,030	9,511	10,216	10,085	10,104
Deaths	500	436	442	450	459	506	481	414	388
Rate	65.4	55.9	55.2	55.5	52.5	55.0	48.5	42.1	39.3
<1 Year									
Patients	-	-	-	-	1	1	2	-	-
Deaths	-	-	-	-	0	0	0	-	-
Rate	-	-	-	-	*	*	*	-	-
1-5 Years									
Patients	35	40	46	50	48	55	81	78	62
Deaths	0	1	2	2	2	3	2	3	1
Rate	0.0	25.0	44.5	41.0	42.6	56.1	24.8	39.8	16.4
6-11 Years									
Patients	63	75	80	92	84	103	116	100	107
Deaths	2	0	1	2	1	1	2	0	1
Rate	32.8	0.0	12.6	21.9	12.0	9.8	17.5	0.0	9.4
12-17 Years									
Patients	174	167	188	226	239	293	374	298	292
Deaths	1	3	0	3	5	4	5	3	3
Rate	5.8	18.2	0.0	13.4	21.2	13.8	13.4	10.1	10.3
18-34 Years									
Patients	1,299	1,234	1,208	1,083	1,219	1,142	1,185	1,082	1,067
Deaths	26	21	32	19	26	23	12	13	13
Rate	20.2	17.2	26.9	17.7	21.6	20.3	10.2	12.1	12.3
35-49 Years									
Patients	2,638	2,624	2,584	2,478	2,661	2,651	2,685	2,712	2,628
Deaths	104	89	90	90	75	92	71	59	52
Rate	40.4	34.7	35.6	37.1	28.7	35.5	26.9	22.1	20.0
50-64 Years									
Patients	2,895	3,036	3,178	3,311	3,522	3,738	4,088	4,082	4,133
Deaths	260	212	210	223	220	216	232	203	185
Rate	95.2	73.1	69.1	70.3	64.9	59.8	58.8	51.2	46.0

(Continued)

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Multi-organ transplants are excluded.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Donors are divided into two mutually exclusive and complete categories. All donors meeting the criteria for Expanded Criteria Donors for Kidney are classified as ECD, regardless of whether the kidneys were allocated under the ECD system. Non-ECDs include all other donors, including SCDs and DCDs.

Table 5.7c (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 2000 to 2008
Rates for Recipients during First Year after Deceased Donor Kidney Transplantation

Recipient Age at Tx	Year of Transplant								
	2000	2001	2002	2003	2004	2005	2006	2007	2008
65+ Years									
Patients	856	896	1,003	1,148	1,256	1,528	1,685	1,733	1,815
Deaths	107	110	107	111	130	167	157	133	133
Rate	135.0	133.7	114.5	102.7	110.7	117.0	98.9	80.4	76.9

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Multi-organ transplants are excluded.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Donors are divided into two mutually exclusive and complete categories. All donors meeting the criteria for Expanded Criteria Donors for Kidney are classified as ECD, regardless of whether the kidneys were allocated under the ECD system. Non-ECDs include all other donors, including SCDs and DCDs.

Table 5.7c (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 2000 to 2008
Rates for Recipients during First Year after Deceased Donor Kidney Transplantation

Ethnicity/Race	Year of Transplant								
	2000	2001	2002	2003	2004	2005	2006	2007	2008
Total									
Patients	7,960	8,072	8,287	8,388	9,030	9,511	10,216	10,085	10,104
Deaths	500	436	442	450	459	506	481	414	388
Rate	65.4	55.9	55.2	55.5	52.5	55.0	48.5	42.1	39.3
White									
Patients	4,258	4,220	4,220	4,129	4,347	4,529	4,816	4,680	4,613
Deaths	270	224	244	224	247	245	250	210	181
Rate	66.0	55.0	60.0	56.1	58.8	55.9	53.5	46.1	40.1
African American									
Patients	2,310	2,409	2,487	2,563	2,713	2,925	3,150	3,194	3,186
Deaths	156	142	132	160	132	157	149	137	132
Rate	70.6	61.2	54.9	64.8	50.2	55.5	48.8	44.1	42.6
Other/Multi-race									
Patients	88	68	90	98	145	131	159	128	131
Deaths	5	6	3	1	7	8	6	4	4
Rate	57.9	93.3	34.0	10.3	49.9	64.1	38.6	31.7	31.4
Asian									
Patients	411	399	425	477	559	589	620	597	616
Deaths	19	25	22	21	21	29	21	19	22
Rate	47.4	65.4	53.5	45.4	38.4	50.8	34.6	32.5	36.6
Hispanic/Latino									
Patients	893	976	1,064	1,121	1,266	1,337	1,471	1,486	1,558
Deaths	50	39	41	44	52	67	55	44	49
Rate	58.1	41.0	39.5	40.3	42.1	51.7	38.3	30.2	32.1
Unknown									
Patients	-	-	1	-	-	-	-	-	-
Deaths	-	-	0	-	-	-	-	-	-
Rate	-	-	*	-	-	-	-	-	-

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Multi-organ transplants are excluded.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Donors are divided into two mutually exclusive and complete categories. All donors meeting the criteria for Expanded Criteria Donors for Kidney are classified as ECD, regardless of whether the kidneys were allocated under the ECD system. Non-ECDs include all other donors, including SCDs and DCDs.

Table 5.7c (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 2000 to 2008
Rates for Recipients during First Year after Deceased Donor Kidney Transplantation

Gender	Year of Transplant								
	2000	2001	2002	2003	2004	2005	2006	2007	2008
Total									
Patients	7,960	8,072	8,287	8,388	9,030	9,511	10,216	10,085	10,104
Deaths	500	436	442	450	459	506	481	414	388
Rate	65.4	55.9	55.2	55.5	52.5	55.0	48.5	42.1	39.3
Female									
Patients	3,153	3,230	3,369	3,259	3,620	3,757	4,015	3,870	3,973
Deaths	179	155	163	156	162	166	157	141	141
Rate	58.9	49.5	49.9	49.3	46.0	45.4	40.1	37.3	36.3
Male									
Patients	4,807	4,842	4,918	5,129	5,410	5,754	6,201	6,215	6,131
Deaths	321	281	279	294	297	340	324	273	247
Rate	69.6	60.3	58.8	59.4	56.8	61.2	54.0	45.1	41.3

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Multi-organ transplants are excluded.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Donors are divided into two mutually exclusive and complete categories. All donors meeting the criteria for Expanded Criteria Donors for Kidney are classified as ECD, regardless of whether the kidneys were allocated under the ECD system. Non-ECDs include all other donors, including SCDs and DCDs.

Table 5.7c (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 2000 to 2008
Rates for Recipients during First Year after Deceased Donor Kidney Transplantation

Blood Type	Year of Transplant								
	2000	2001	2002	2003	2004	2005	2006	2007	2008
Total									
Patients	7,960	8,072	8,287	8,388	9,030	9,511	10,216	10,085	10,104
Deaths	500	436	442	450	459	506	481	414	388
Rate	65.4	55.9	55.2	55.5	52.5	55.0	48.5	42.1	39.3
A									
Patients	3,072	3,112	3,173	3,100	3,296	3,506	3,707	3,589	3,724
Deaths	195	169	182	171	162	189	173	157	136
Rate	66.1	56.2	59.6	57.0	50.6	55.7	48.0	45.0	37.4
AB									
Patients	414	441	447	415	428	516	561	553	517
Deaths	29	24	20	21	20	23	31	28	25
Rate	73.0	56.4	45.9	52.3	48.2	45.9	57.1	52.4	50.0
B									
Patients	946	977	996	983	1,189	1,211	1,352	1,265	1,391
Deaths	52	58	50	61	65	66	63	60	59
Rate	56.8	61.8	51.9	64.4	56.7	56.5	48.0	48.9	43.6
O									
Patients	3,528	3,542	3,671	3,890	4,117	4,278	4,596	4,678	4,472
Deaths	224	185	190	197	212	228	214	169	168
Rate	66.1	54.1	53.5	52.3	53.2	55.0	48.0	36.9	38.4

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Multi-organ transplants are excluded.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Donors are divided into two mutually exclusive and complete categories. All donors meeting the criteria for Expanded Criteria Donors for Kidney are classified as ECD, regardless of whether the kidneys were allocated under the ECD system. Non-ECDs include all other donors, including SCDs and DCDs.

Table 5.7c (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 2000 to 2008
Rates for Recipients during First Year after Deceased Donor Kidney Transplantation

Residency	Year of Transplant								
	2000	2001	2002	2003	2004	2005	2006	2007	2008
Total									
Patients	7,960	8,072	8,287	8,388	9,030	9,511	10,216	10,085	10,104
Deaths	500	436	442	450	459	506	481	414	388
Rate	65.4	55.9	55.2	55.5	52.5	55.0	48.5	42.1	39.3
U.S. Resident									
Patients	7,904	8,006	8,216	8,346	8,981	9,465	10,141	10,019	10,022
Deaths	499	436	437	450	458	503	481	412	386
Rate	65.7	56.4	55.0	55.7	52.6	54.9	48.9	42.2	39.4
Nonresident Alien									
Patients	43	55	62	39	44	43	72	66	82
Deaths	1	0	4	0	1	2	0	2	2
Rate	23.5	0.0	67.2	0.0	22.9	47.7	0.0	31.2	24.6
Unknown									
Patients	13	11	9	3	5	3	3	-	-
Deaths	0	0	1	0	0	1	0	-	-
Rate	0.0	0.0	*	*	*	*	*	-	-

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Multi-organ transplants are excluded.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Donors are divided into two mutually exclusive and complete categories. All donors meeting the criteria for Expanded Criteria Donors for Kidney are classified as ECD, regardless of whether the kidneys were allocated under the ECD system. Non-ECDs include all other donors, including SCDs and DCDs.

Table 5.7c (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 2000 to 2008
Rates for Recipients during First Year after Deceased Donor Kidney Transplantation

Previous Tx Same Organ	Year of Transplant								
	2000	2001	2002	2003	2004	2005	2006	2007	2008
Total									
Patients	7,960	8,072	8,287	8,388	9,030	9,511	10,216	10,085	10,104
Deaths	500	436	442	450	459	506	481	414	388
Rate	65.4	55.9	55.2	55.5	52.5	55.0	48.5	42.1	39.3
No									
Patients	6,780	6,955	7,173	7,301	7,787	8,280	8,861	8,836	8,924
Deaths	421	384	387	400	397	447	422	364	347
Rate	64.6	57.2	55.9	56.7	52.6	55.8	49.1	42.2	39.8
Yes									
Patients	1,180	1,117	1,114	1,087	1,243	1,231	1,355	1,249	1,180
Deaths	79	52	55	50	62	59	59	50	41
Rate	70.0	48.1	50.9	47.2	51.4	49.4	44.6	41.1	35.5

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Multi-organ transplants are excluded.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Donors are divided into two mutually exclusive and complete categories. All donors meeting the criteria for Expanded Criteria Donors for Kidney are classified as ECD, regardless of whether the kidneys were allocated under the ECD system. Non-ECDs include all other donors, including SCDs and DCDs.

Table 5.7c (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 2000 to 2008
Rates for Recipients during First Year after Deceased Donor Kidney Transplantation

Hospitalized at Tx	Year of Transplant								
	2000	2001	2002	2003	2004	2005	2006	2007	2008
Total									
Patients	7,960	8,072	8,287	8,388	9,030	9,511	10,216	10,085	10,104
Deaths	500	436	442	450	459	506	481	414	388
Rate	65.4	55.9	55.2	55.5	52.5	55.0	48.5	42.1	39.3
Not Hospitalized									
Patients	7,846	7,902	8,134	8,242	8,895	9,408	10,099	9,940	9,979
Deaths	483	425	428	432	447	495	472	399	380
Rate	64.0	55.7	54.4	54.1	51.8	54.3	48.1	41.1	39.0
Hospitalized									
Patients	91	158	145	137	113	80	97	120	115
Deaths	10	10	13	16	9	8	7	10	8
Rate	119.0	66.1	95.4	123.9	84.4	107.5	76.1	89.1	72.3
In Intensive Care									
Patients	21	11	8	9	20	23	20	20	10
Deaths	7	1	1	2	2	3	2	5	0
Rate	473.0	99.6	*	*	103.2	149.5	103.6	315.3	0.0
Unknown									
Patients	2	1	-	-	2	-	-	5	-
Deaths	0	0	-	-	1	-	-	0	-
Rate	*	*	-	-	*	-	-	*	-

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Multi-organ transplants are excluded.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Donors are divided into two mutually exclusive and complete categories. All donors meeting the criteria for Expanded Criteria Donors for Kidney are classified as ECD, regardless of whether the kidneys were allocated under the ECD system. Non-ECDs include all other donors, including SCDs and DCDs.

Table 5.7c (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 2000 to 2008
Rates for Recipients during First Year after Deceased Donor Kidney Transplantation

Primary Diagnosis	Year of Transplant								
	2000	2001	2002	2003	2004	2005	2006	2007	2008
Total									
Patients	7,960	8,072	8,287	8,388	9,030	9,511	10,216	10,085	10,104
Deaths	500	436	442	450	459	506	481	414	388
Rate	65.4	55.9	55.2	55.5	52.5	55.0	48.5	42.1	39.3
Glomerular Diseases									
Patients	2,161	2,076	2,167	2,045	2,274	2,264	2,495	2,283	2,288
Deaths	80	84	88	88	80	72	70	60	45
Rate	37.9	41.6	41.7	44.2	35.9	32.4	28.5	26.7	19.9
Diabetes									
Patients	1,618	1,713	1,866	1,911	2,165	2,321	2,320	2,499	2,576
Deaths	159	128	151	160	171	186	183	152	167
Rate	104.2	78.4	85.2	88.2	82.9	84.2	83.1	62.9	67.4
Hypertensive Nephrosclerosis									
Patients	1,392	1,575	1,567	1,718	1,922	2,164	2,455	2,569	2,558
Deaths	106	103	87	105	94	126	125	107	103
Rate	80.1	68.3	57.7	63.5	50.5	60.3	52.6	42.9	41.3
Polycystic Kidneys									
Patients	757	720	734	713	719	806	862	846	797
Deaths	28	23	32	15	30	22	32	20	19
Rate	37.8	32.7	45.0	21.3	42.8	27.7	37.8	24.0	24.1
Tubular and Interstitial Diseases									
Patients	491	433	416	474	476	505	535	463	457
Deaths	17	27	19	18	18	30	21	20	14
Rate	35.3	65.0	46.8	38.8	38.7	61.5	40.0	44.4	31.3
Renovascular & Other Vascular Diseases									
Patients	452	430	510	482	432	358	323	299	272
Deaths	38	23	31	28	20	18	15	26	6
Rate	88.7	55.1	63.2	60.1	47.7	52.1	47.8	91.8	22.5

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Multi-organ transplants are excluded.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Donors are divided into two mutually exclusive and complete categories. All donors meeting the criteria for Expanded Criteria Donors for Kidney are classified as ECD, regardless of whether the kidneys were allocated under the ECD system. Non-ECDs include all other donors, including SCDs and DCDs.

Table 5.7c (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 2000 to 2008
Rates for Recipients during First Year after Deceased Donor Kidney Transplantation

Primary Diagnosis	Year of Transplant								
	2000	2001	2002	2003	2004	2005	2006	2007	2008
Congenital, Rare Familial, & Metabolic Disorders									
Patients	186	183	205	233	247	264	305	295	310
Deaths	4	6	3	9	8	8	6	6	3
Rate	21.9	33.3	14.7	39.6	33.0	30.9	19.9	20.6	9.7
Neoplasms									
Patients	23	27	22	28	30	36	39	38	38
Deaths	2	2	0	2	2	2	1	1	2
Rate	94.3	76.3	0.0	75.4	68.2	57.7	26.3	27.0	54.3
Other									
Patients	680	716	638	680	659	708	817	736	766
Deaths	51	32	25	23	29	38	23	19	26
Rate	79.0	46.1	40.2	34.5	45.3	55.5	28.7	26.3	34.8
Unknown									
Patients	200	199	162	104	106	85	65	57	42
Deaths	15	8	6	2	7	4	5	3	3
Rate	78.9	41.4	38.0	19.6	69.0	48.2	80.8	54.9	73.5

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Multi-organ transplants are excluded.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Donors are divided into two mutually exclusive and complete categories. All donors meeting the criteria for Expanded Criteria Donors for Kidney are classified as ECD, regardless of whether the kidneys were allocated under the ECD system. Non-ECDs include all other donors, including SCDs and DCDs.

Table 5.7c (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 2000 to 2008
Rates for Recipients during First Year after Deceased Donor Kidney Transplantation

PRA at Transplant	Year of Transplant								
	2000	2001	2002	2003	2004	2005	2006	2007	2008
Total									
Patients	7,960	8,072	8,287	8,388	9,030	9,511	10,216	10,085	10,104
Deaths	500	436	442	450	459	506	481	414	388
Rate	65.4	55.9	55.2	55.5	52.5	55.0	48.5	42.1	39.3
0%-9%									
Patients	6,061	6,264	6,473	6,452	6,749	7,322	7,778	7,544	7,422
Deaths	386	334	345	346	336	398	357	303	302
Rate	66.3	55.2	55.2	55.4	51.3	56.2	47.3	41.2	41.7
10%-79%									
Patients	958	874	893	1,034	1,215	1,240	1,449	1,521	1,557
Deaths	64	45	56	58	68	60	78	63	50
Rate	69.9	53.2	65.5	58.2	58.2	49.8	55.4	42.6	32.7
80%+									
Patients	303	313	368	386	498	540	613	659	755
Deaths	18	19	11	15	25	20	30	35	31
Rate	61.7	63.2	30.3	39.8	51.6	37.8	50.4	54.9	42.2
Unknown									
Patients	638	621	553	516	568	409	376	361	370
Deaths	32	38	30	31	30	28	16	13	5
Rate	51.7	63.6	56.1	62.7	54.3	71.5	43.6	36.8	13.6

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Multi-organ transplants are excluded.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Donors are divided into two mutually exclusive and complete categories. All donors meeting the criteria for Expanded Criteria Donors for Kidney are classified as ECD, regardless of whether the kidneys were allocated under the ECD system. Non-ECDs include all other donors, including SCDs and DCDs.

Table 5.7c (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 2000 to 2008
Rates for Recipients during First Year after Deceased Donor Kidney Transplantation

Donor Age	Year of Transplant								
	2000	2001	2002	2003	2004	2005	2006	2007	2008
Total									
Patients	7,960	8,072	8,287	8,388	9,030	9,511	10,216	10,085	10,104
Deaths	500	436	442	450	459	506	481	414	388
Rate	65.4	55.9	55.2	55.5	52.5	55.0	48.5	42.1	39.3
<1 Year									
Patients	30	34	31	14	19	19	51	56	51
Deaths	2	2	2	0	0	1	2	1	2
Rate	70.7	61.2	68.6	0.0	0.0	54.5	40.1	18.2	40.6
1-5 Years									
Patients	206	213	214	200	213	201	257	207	261
Deaths	5	3	9	9	6	7	3	8	7
Rate	24.5	14.2	43.0	46.3	28.6	35.7	11.8	39.7	27.3
6-11 Years									
Patients	312	348	273	209	277	210	228	235	232
Deaths	15	16	11	9	8	14	9	9	6
Rate	49.5	47.4	41.3	44.0	29.4	70.4	40.2	39.5	26.3
12-17 Years									
Patients	783	716	731	720	754	723	734	677	596
Deaths	35	21	23	22	29	20	18	20	19
Rate	46.0	29.9	32.1	31.1	39.5	28.1	24.9	30.1	32.5
18-34 Years									
Patients	2,204	2,293	2,503	2,415	2,681	2,821	3,019	3,046	2,996
Deaths	109	76	89	91	112	100	100	91	67
Rate	51.1	33.9	36.4	38.6	42.9	36.3	33.8	30.5	22.7
35-49 Years									
Patients	2,326	2,367	2,361	2,466	2,628	2,809	3,042	2,953	2,873
Deaths	151	138	133	124	109	133	133	118	109
Rate	67.7	60.4	58.4	51.8	42.6	48.7	44.9	41.0	38.9
50-64 Years									
Patients	1,842	1,794	1,852	2,019	2,105	2,357	2,451	2,499	2,667
Deaths	157	129	133	157	163	187	168	131	146
Rate	89.8	75.4	75.0	81.7	81.1	83.1	71.7	54.1	56.6

(Continued)

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Multi-organ transplants are excluded.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Donors are divided into two mutually exclusive and complete categories. All donors meeting the criteria for Expanded Criteria Donors for Kidney are classified as ECD, regardless of whether the kidneys were allocated under the ECD system. Non-ECDs include all other donors, including SCDs and DCDs.

Table 5.7c (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 2000 to 2008
Rates for Recipients during First Year after Deceased Donor Kidney Transplantation

Donor Age	Year of Transplant								
	2000	2001	2002	2003	2004	2005	2006	2007	2008
65+ Years									
Patients	257	307	322	345	353	371	434	412	428
Deaths	26	51	42	38	32	44	48	36	32
Rate	107.6	185.6	144.0	118.5	95.5	126.6	118.7	92.2	77.6

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Multi-organ transplants are excluded.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Donors are divided into two mutually exclusive and complete categories. All donors meeting the criteria for Expanded Criteria Donors for Kidney are classified as ECD, regardless of whether the kidneys were allocated under the ECD system. Non-ECDs include all other donors, including SCDs and DCDs.

Table 5.7c (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 2000 to 2008
Rates for Recipients during First Year after Deceased Donor Kidney Transplantation

Level of HLA Mismatch (Total)		Year of Transplant								
		2000	2001	2002	2003	2004	2005	2006	2007	2008
Total										
	Patients	7,960	8,072	8,287	8,388	9,030	9,511	10,216	10,085	10,104
	Deaths	500	436	442	450	459	506	481	414	388
	Rate	65.4	55.9	55.2	55.5	52.5	55.0	48.5	42.1	39.3
A Locus Mismatch										
	0									
	Patients	1,889	1,842	1,772	1,683	1,956	1,946	1,932	2,077	2,070
	Deaths	112	97	85	73	75	92	83	71	75
	Rate	61.6	54.5	49.4	44.6	39.2	48.6	44.1	34.9	37.1
	1									
	Patients	2,836	3,020	2,947	2,983	3,100	3,210	3,661	3,486	3,475
	Deaths	174	165	166	147	148	193	190	163	139
	Rate	63.8	56.5	58.5	50.9	49.2	62.5	53.6	48.1	41.0
	2									
	Patients	3,229	3,210	3,568	3,719	3,974	4,354	4,621	4,521	4,559
	Deaths	213	174	191	230	236	221	208	180	174
	Rate	68.7	56.2	55.4	64.1	61.6	52.3	46.3	40.8	39.1
	Unknown									
	Patients	6	0	0	3	0	1	2	1	0
	Deaths	1	0	0	0	0	0	0	0	0
	Rate	*	0.0	0.0	*	0.0	*	*	*	0.0

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Multi-organ transplants are excluded.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Donors are divided into two mutually exclusive and complete categories. All donors meeting the criteria for Expanded Criteria Donors for Kidney are classified as ECD, regardless of whether the kidneys were allocated under the ECD system. Non-ECDs include all other donors, including SCDs and DCDs.

Table 5.7c (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 2000 to 2008
Rates for Recipients during First Year after Deceased Donor Kidney Transplantation

Level of HLA Mismatch (Total)		Year of Transplant								
		2000	2001	2002	2003	2004	2005	2006	2007	2008
Total										
	Patients	7,960	8,072	8,287	8,388	9,030	9,511	10,216	10,085	10,104
	Deaths	500	436	442	450	459	506	481	414	388
	Rate	65.4	55.9	55.2	55.5	52.5	55.0	48.5	42.1	39.3
B Locus Mismatch										
	0									
	Patients	1,901	1,765	1,769	1,504	1,608	1,622	1,553	1,682	1,695
	Deaths	109	82	91	56	62	73	60	60	56
	Rate	59.5	47.8	53.1	38.1	39.4	46.2	39.5	36.5	33.7
	1									
	Patients	2,835	2,894	2,796	2,264	2,103	2,092	2,298	2,221	2,284
	Deaths	171	162	112	121	112	124	118	83	88
	Rate	62.7	58.1	41.1	55.2	55.0	61.5	53.0	38.2	39.4
	2									
	Patients	3,218	3,413	3,722	4,617	5,319	5,796	6,363	6,181	6,125
	Deaths	219	192	239	273	285	309	303	271	244
	Rate	71.0	58.4	67.0	61.4	55.4	55.1	49.1	45.1	40.8
	Unknown									
	Patients	6	-	-	3	-	1	2	1	-
	Deaths	1	-	-	0	-	0	0	0	-
	Rate	*	-	-	*	-	*	*	*	-

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Multi-organ transplants are excluded.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Donors are divided into two mutually exclusive and complete categories. All donors meeting the criteria for Expanded Criteria Donors for Kidney are classified as ECD, regardless of whether the kidneys were allocated under the ECD system. Non-ECDs include all other donors, including SCDs and DCDs.

Table 5.7c (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 2000 to 2008
Rates for Recipients during First Year after Deceased Donor Kidney Transplantation

Level of HLA Mismatch (Total)		Year of Transplant								
		2000	2001	2002	2003	2004	2005	2006	2007	2008
Total										
	Patients	7,960	8,072	8,287	8,388	9,030	9,511	10,216	10,085	10,104
	Deaths	500	436	442	450	459	506	481	414	388
	Rate	65.4	55.9	55.2	55.5	52.5	55.0	48.5	42.1	39.3
DR Locus Mismatch										
	0									
	Patients	2,499	2,588	2,557	2,275	2,340	2,408	2,348	2,490	2,496
	Deaths	137	109	121	101	94	111	91	90	74
	Rate	56.8	43.3	48.7	45.6	41.1	47.5	39.7	36.9	30.2
	1									
	Patients	3,435	3,260	3,235	3,401	3,894	4,063	4,351	4,285	4,196
	Deaths	229	178	171	171	196	194	210	178	174
	Rate	69.5	56.5	54.6	51.9	52.0	49.1	49.7	42.6	42.5
	2									
	Patients	2,014	2,220	2,491	2,703	2,796	3,035	3,508	3,309	3,412
	Deaths	133	149	150	177	169	200	180	146	140
	Rate	68.9	70.2	62.8	68.2	62.7	68.6	53.0	45.4	42.1
	Unknown									
	Patients	12	4	4	9	-	5	9	1	-
	Deaths	1	0	0	1	-	1	0	0	-
	Rate	84.4	*	*	*	-	*	*	*	-

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Multi-organ transplants are excluded.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Donors are divided into two mutually exclusive and complete categories. All donors meeting the criteria for Expanded Criteria Donors for Kidney are classified as ECD, regardless of whether the kidneys were allocated under the ECD system. Non-ECDs include all other donors, including SCDs and DCDs.

Table 5.7c (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 2000 to 2008
Rates for Recipients during First Year after Deceased Donor Kidney Transplantation

Level of HLA Mismatch (Total)		Year of Transplant								
		2000	2001	2002	2003	2004	2005	2006	2007	2008
Total										
	Patients	7,960	8,072	8,287	8,388	9,030	9,511	10,216	10,085	10,104
	Deaths	500	436	442	450	459	506	481	414	388
	Rate	65.4	55.9	55.2	55.5	52.5	55.0	48.5	42.1	39.3
Total Mismatch										
0										
	Patients	1,174	1,220	1,237	1,196	1,417	1,447	1,370	1,495	1,483
	Deaths	64	49	55	46	51	68	51	54	47
	Rate	56.6	41.2	45.6	39.4	36.8	48.3	38.1	37.0	32.3
1										
	Patients	364	251	195	132	96	71	78	83	94
	Deaths	24	10	18	5	3	2	6	2	3
	Rate	68.9	40.8	97.4	38.4	32.0	28.9	79.8	24.6	32.4
2										
	Patients	742	751	703	473	317	306	344	365	389
	Deaths	46	48	32	22	14	12	17	10	18
	Rate	64.4	66.5	46.9	47.7	45.3	40.2	50.8	27.8	47.5
3										
	Patients	1,539	1,585	1,480	1,174	1,110	1,135	1,176	1,152	1,203
	Deaths	87	90	61	54	49	60	56	44	46
	Rate	58.5	58.9	42.5	47.5	45.3	54.8	49.2	39.0	39.1
4										
	Patients	1,828	1,820	1,904	2,023	2,354	2,382	2,683	2,579	2,456
	Deaths	117	94	98	113	122	132	128	112	89
	Rate	66.7	53.3	53.0	57.7	53.5	57.3	49.1	44.6	37.0
5										
	Patients	1,565	1,582	1,710	2,263	2,617	2,882	3,081	3,031	3,032
	Deaths	107	87	116	122	150	151	158	136	126
	Rate	71.3	57.1	71.1	55.9	59.4	54.1	53.0	46.1	42.7

(Continued)

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Multi-organ transplants are excluded.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Donors are divided into two mutually exclusive and complete categories. All donors meeting the criteria for Expanded Criteria Donors for Kidney are classified as ECD, regardless of whether the kidneys were allocated under the ECD system. Non-ECDs include all other donors, including SCDs and DCDDs.

Table 5.7c (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 2000 to 2008
Rates for Recipients during First Year after Deceased Donor Kidney Transplantation

Level of HLA Mismatch (Total)	Year of Transplant								
	2000	2001	2002	2003	2004	2005	2006	2007	2008
Total Mismatch									
6									
Patients	735	859	1,054	1,116	1,119	1,283	1,475	1,379	1,447
Deaths	54	58	62	87	70	80	65	56	59
Rate	77.1	70.9	61.1	81.5	65.0	64.7	45.3	41.7	41.8
Unknown									
Patients	13	4	4	11	-	5	9	1	-
Deaths	1	0	0	1	-	1	0	0	-
Rate	77.8	*	*	98.8	-	*	*	*	-

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Multi-organ transplants are excluded.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Donors are divided into two mutually exclusive and complete categories. All donors meeting the criteria for Expanded Criteria Donors for Kidney are classified as ECD, regardless of whether the kidneys were allocated under the ECD system. Non-ECDs include all other donors, including SCDs and DCDs.

Table 5.7c (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 2000 to 2008
Rates for Recipients during First Year after Deceased Donor Kidney Transplantation

Cold Ischemic Time	Year of Transplant								
	2000	2001	2002	2003	2004	2005	2006	2007	2008
Total									
Patients	7,960	8,072	8,287	8,388	9,030	9,511	10,216	10,085	10,104
Deaths	500	436	442	450	459	506	481	414	388
Rate	65.4	55.9	55.2	55.5	52.5	55.0	48.5	42.1	39.3
0-11 Hours									
Patients	1,029	1,196	1,338	1,533	1,592	1,872	2,208	2,234	2,215
Deaths	54	54	54	76	83	83	86	84	80
Rate	54.0	46.5	41.4	51.1	53.8	45.5	39.9	38.4	37.0
12-21 Hours									
Patients	3,103	3,107	3,444	3,408	3,747	3,831	4,260	4,190	4,336
Deaths	176	168	182	161	159	207	204	166	147
Rate	58.8	56.0	54.7	48.7	43.5	55.8	49.3	40.7	34.6
22-31 Hours									
Patients	2,119	1,976	1,928	1,892	2,078	2,309	2,246	2,332	2,308
Deaths	145	101	119	111	104	120	111	107	111
Rate	71.4	52.8	64.1	60.9	51.6	53.6	50.9	47.1	49.6
32-41 Hours									
Patients	469	406	396	355	388	421	485	481	474
Deaths	34	23	20	22	24	23	22	23	17
Rate	75.8	58.8	52.2	64.2	64.3	56.6	46.8	49.1	36.7
42+ Hours									
Patients	71	82	75	84	74	115	150	200	241
Deaths	10	5	3	6	10	10	8	9	10
Rate	154.9	63.9	40.3	74.6	150.8	92.3	54.8	46.3	42.4
Unknown									
Patients	1,169	1,305	1,106	1,116	1,151	963	867	648	530
Deaths	81	85	64	74	79	63	50	25	23
Rate	72.7	68.0	60.5	68.8	71.9	68.3	60.0	39.6	44.6

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Multi-organ transplants are excluded.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Donors are divided into two mutually exclusive and complete categories. All donors meeting the criteria for Expanded Criteria Donors for Kidney are classified as ECD, regardless of whether the kidneys were allocated under the ECD system. Non-ECDs include all other donors, including SCDs and DCDs.

Table 5.7c (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 2000 to 2008
Rates for Recipients during First Year after Deceased Donor Kidney Transplantation

Transplant Center State	Year of Transplant								
	2000	2001	2002	2003	2004	2005	2006	2007	2008
Total									
Patients	7,960	8,072	8,287	8,388	9,030	9,511	10,216	10,085	10,104
Deaths	500	436	442	450	459	506	481	414	388
Rate	65.4	55.9	55.2	55.5	52.5	55.0	48.5	42.1	39.3
Alabama									
Patients	212	155	147	138	108	152	145	165	157
Deaths	4	5	9	4	10	8	6	5	5
Rate	19.2	32.8	63.5	29.4	99.6	54.4	42.4	30.9	32.5
Arkansas									
Patients	43	39	61	56	82	94	99	97	69
Deaths	3	0	3	4	2	4	4	3	2
Rate	73.2	0.0	50.1	73.0	24.7	43.4	41.4	31.6	29.2
Arizona									
Patients	88	100	110	102	130	139	141	171	183
Deaths	6	7	4	4	6	7	4	6	2
Rate	70.7	72.3	37.1	39.9	47.9	52.3	28.7	35.5	11.0
California									
Patients	875	904	979	1,061	1,157	1,079	1,215	1,139	1,147
Deaths	45	51	50	57	60	58	42	34	35
Rate	52.8	58.7	52.6	55.7	53.4	55.4	35.2	30.5	31.1
Colorado									
Patients	90	87	103	118	128	135	120	95	107
Deaths	6	6	4	4	4	5	4	5	1
Rate	69.0	72.5	40.2	34.7	31.9	37.9	33.8	53.8	9.3
Connecticut									
Patients	58	53	80	70	73	79	75	65	90
Deaths	6	4	8	2	1	3	3	4	1
Rate	108.5	80.4	108.4	29.4	13.9	39.1	40.5	64.0	11.2
District of Columbia									
Patients	56	72	66	64	85	128	119	75	104
Deaths	3	4	2	3	4	8	9	0	2
Rate	55.2	58.1	31.1	48.4	48.5	65.2	79.5	0.0	19.4

(Continued)

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Multi-organ transplants are excluded.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Donors are divided into two mutually exclusive and complete categories. All donors meeting the criteria for Expanded Criteria Donors for Kidney are classified as ECD, regardless of whether the kidneys were allocated under the ECD system. Non-ECDs include all other donors, including SCDs and DCDs.

Table 5.7c (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 2000 to 2008
Rates for Recipients during First Year after Deceased Donor Kidney Transplantation

Transplant Center State	Year of Transplant								
	2000	2001	2002	2003	2004	2005	2006	2007	2008
Delaware									
Patients	3	3	-	2	2	2	2	10	14
Deaths	0	0	-	0	0	0	0	0	1
Rate	*	*	-	*	*	*	*	0.0	76.9
Florida									
Patients	505	542	478	496	564	660	575	673	699
Deaths	32	26	23	18	32	34	20	26	14
Rate	66.0	49.4	49.6	37.0	58.7	53.2	35.6	39.6	20.2
Georgia									
Patients	215	229	203	199	226	223	247	242	221
Deaths	14	13	11	10	10	8	15	8	11
Rate	68.3	58.3	56.2	51.8	45.4	36.5	63.1	33.8	51.7
Hawaii									
Patients	31	32	38	38	25	35	37	30	37
Deaths	2	1	2	2	1	1	0	2	3
Rate	68.5	31.7	54.7	54.3	40.7	29.4	0.0	69.4	88.0
Iowa									
Patients	78	69	95	68	57	79	77	77	80
Deaths	6	2	8	2	5	3	1	5	6
Rate	80.4	29.5	88.4	30.0	93.3	38.7	13.2	68.2	78.3
Illinois									
Patients	337	295	341	353	349	359	363	313	367
Deaths	18	13	16	21	19	25	20	10	20
Rate	55.3	45.2	48.4	62.0	56.1	72.9	56.8	32.6	56.6
Indiana									
Patients	103	117	161	170	163	196	99	128	127
Deaths	6	1	4	5	6	7	6	2	5
Rate	61.0	8.6	25.3	30.1	37.4	36.6	61.7	15.9	40.1
Kansas									
Patients	56	50	65	63	76	70	72	90	102
Deaths	2	2	2	5	6	4	0	2	6
Rate	36.9	41.6	31.7	82.3	83.4	58.8	0.0	22.6	59.9

(Continued)

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Multi-organ transplants are excluded.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Donors are divided into two mutually exclusive and complete categories. All donors meeting the criteria for Expanded Criteria Donors for Kidney are classified as ECD, regardless of whether the kidneys were allocated under the ECD system. Non-ECDs include all other donors, including SCDs and DCDs.

Table 5.7c (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 2000 to 2008
Rates for Recipients during First Year after Deceased Donor Kidney Transplantation

Transplant Center State	Year of Transplant								
	2000	2001	2002	2003	2004	2005	2006	2007	2008
Kentucky									
Patients	92	103	112	118	85	106	109	93	96
Deaths	7	8	5	11	4	4	4	0	1
Rate	81.1	81.7	45.6	98.3	48.6	38.3	37.4	0.0	10.5
Louisiana									
Patients	155	170	158	183	207	187	177	174	182
Deaths	5	4	6	11	4	8	6	5	10
Rate	32.8	23.7	38.4	62.6	19.6	43.7	34.8	29.1	57.1
Massachusetts									
Patients	154	213	167	186	176	217	231	210	176
Deaths	8	9	6	13	8	7	13	10	9
Rate	53.6	43.5	36.6	73.2	46.7	33.0	58.1	49.5	53.2
Maryland									
Patients	352	334	254	176	195	203	232	265	227
Deaths	37	32	13	10	18	17	16	17	7
Rate	111.5	102.1	52.6	58.8	97.5	88.7	71.4	66.6	31.4
Maine									
Patients	31	44	28	33	32	31	42	33	21
Deaths	1	5	2	0	1	2	0	2	0
Rate	33.2	120.9	76.6	0.0	32.1	67.3	0.0	63.0	0.0
Michigan									
Patients	232	255	288	264	301	286	331	343	360
Deaths	13	16	17	19	14	14	24	22	17
Rate	57.8	65.2	61.7	74.9	47.7	50.1	76.1	66.9	48.7
Minnesota									
Patients	183	127	119	128	172	134	167	143	123
Deaths	11	6	5	10	8	5	5	4	3
Rate	62.8	49.3	43.6	80.5	47.2	38.3	30.5	28.3	24.7
Missouri									
Patients	202	179	170	148	209	220	291	262	265
Deaths	16	5	4	7	4	5	11	9	4
Rate	84.3	28.3	24.1	49.0	19.3	22.9	38.7	35.0	15.2

(Continued)

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Multi-organ transplants are excluded.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Donors are divided into two mutually exclusive and complete categories. All donors meeting the criteria for Expanded Criteria Donors for Kidney are classified as ECD, regardless of whether the kidneys were allocated under the ECD system. Non-ECDs include all other donors, including SCDs and DCDs.

Table 5.7c (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 2000 to 2008
Rates for Recipients during First Year after Deceased Donor Kidney Transplantation

Transplant Center State	Year of Transplant								
	2000	2001	2002	2003	2004	2005	2006	2007	2008
Mississippi									
Patients	23	28	30	27	26	14	10	99	84
Deaths	4	1	3	3	1	0	1	1	4
Rate	195.4	36.7	108.1	118.1	39.8	0.0	108.0	10.2	49.9
North Carolina									
Patients	208	178	202	228	238	290	330	333	400
Deaths	14	5	10	7	12	8	15	14	18
Rate	70.6	28.5	51.4	31.4	52.4	28.0	47.1	43.1	46.3
North Dakota									
Patients	14	29	40	28	24	28	24	24	22
Deaths	1	3	4	2	3	3	2	1	1
Rate	75.7	108.4	109.0	76.2	135.3	117.9	86.5	43.4	46.9
Nebraska									
Patients	53	55	36	47	53	41	69	56	51
Deaths	2	4	0	3	0	2	2	2	2
Rate	38.7	76.4	0.0	64.9	0.0	49.5	29.5	36.3	39.7
New Hampshire									
Patients	9	11	16	25	18	23	28	25	17
Deaths	0	1	0	4	0	0	1	0	1
Rate	*	98.0	0.0	179.6	0.0	0.0	36.6	0.0	59.1
New Jersey									
Patients	210	207	182	175	245	216	207	245	273
Deaths	20	11	11	11	17	21	17	27	20
Rate	100.5	55.5	63.5	65.5	72.8	103.4	87.2	119.2	76.9
New Mexico									
Patients	44	31	28	33	36	51	57	54	59
Deaths	2	1	0	0	1	3	0	1	2
Rate	46.4	32.8	0.0	0.0	27.8	61.6	0.0	18.7	34.8
Nevada									
Patients	42	43	48	41	52	46	56	53	39
Deaths	8	6	5	2	3	4	4	3	3
Rate	216.2	154.9	113.8	51.1	59.9	93.7	76.2	58.5	81.0

(Continued)

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Multi-organ transplants are excluded.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Donors are divided into two mutually exclusive and complete categories. All donors meeting the criteria for Expanded Criteria Donors for Kidney are classified as ECD, regardless of whether the kidneys were allocated under the ECD system. Non-ECDs include all other donors, including SCDs and DCDs.

Table 5.7c (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 2000 to 2008
Rates for Recipients during First Year after Deceased Donor Kidney Transplantation

Transplant Center State	Year of Transplant								
	2000	2001	2002	2003	2004	2005	2006	2007	2008
New York									
Patients	427	435	461	414	513	657	803	782	719
Deaths	30	23	39	25	29	44	42	37	33
Rate	73.6	55.1	89.0	62.9	58.6	70.1	54.3	48.7	47.1
Ohio									
Patients	363	333	312	293	307	314	345	357	385
Deaths	33	21	23	20	20	31	27	13	22
Rate	96.7	65.8	76.9	71.1	67.6	105.6	82.7	37.2	59.0
Oklahoma									
Patients	88	100	88	102	96	94	86	92	96
Deaths	8	7	3	5	3	9	6	3	2
Rate	95.9	73.3	34.6	50.1	31.9	100.2	73.6	33.0	21.0
Oregon									
Patients	95	117	113	124	111	121	137	121	98
Deaths	4	4	3	4	5	3	5	5	2
Rate	43.3	34.7	27.1	33.1	46.6	25.2	37.4	42.6	20.6
Pennsylvania									
Patients	537	622	676	689	665	739	873	706	737
Deaths	35	33	48	45	34	41	45	39	30
Rate	67.9	54.8	74.5	68.0	52.8	57.6	53.1	56.9	41.8
Puerto Rico									
Patients	37	59	42	56	62	87	61	85	67
Deaths	0	3	1	4	1	2	1	2	1
Rate	0.0	53.2	24.1	74.5	16.4	23.3	16.6	23.9	15.1
Rhode Island									
Patients	31	42	48	34	34	37	34	22	16
Deaths	3	3	4	3	4	4	1	0	2
Rate	106.4	75.5	88.7	94.6	126.9	118.9	30.0	0.0	131.2
South Carolina									
Patients	125	133	94	101	115	115	142	139	129
Deaths	7	9	2	6	6	5	6	7	2
Rate	58.7	71.8	21.6	62.3	54.0	44.6	42.8	51.6	15.5

(Continued)

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Multi-organ transplants are excluded.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Donors are divided into two mutually exclusive and complete categories. All donors meeting the criteria for Expanded Criteria Donors for Kidney are classified as ECD, regardless of whether the kidneys were allocated under the ECD system. Non-ECDs include all other donors, including SCDs and DCDs.

Table 5.7c (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 2000 to 2008
Rates for Recipients during First Year after Deceased Donor Kidney Transplantation

Transplant Center State	Year of Transplant								
	2000	2001	2002	2003	2004	2005	2006	2007	2008
South Dakota									
Patients	19	18	30	29	30	33	28	28	24
Deaths	0	0	2	1	0	0	2	1	1
Rate	0.0	0.0	71.0	35.4	0.0	0.0	74.4	36.0	42.6
Tennessee									
Patients	207	216	242	211	261	238	293	274	262
Deaths	11	10	14	8	21	10	18	15	12
Rate	54.8	47.7	59.8	38.6	85.1	43.2	64.0	56.7	47.2
Texas									
Patients	626	624	681	717	743	767	814	828	816
Deaths	29	33	24	32	31	47	38	29	32
Rate	47.8	54.7	36.1	45.9	43.0	63.6	48.3	35.9	40.3
Utah									
Patients	65	67	66	67	85	63	75	67	66
Deaths	4	5	2	3	3	2	2	1	1
Rate	63.5	79.2	30.8	46.1	36.1	32.6	27.1	15.0	15.3
Virginia									
Patients	139	163	170	185	187	228	268	256	266
Deaths	10	6	14	15	9	9	7	15	16
Rate	74.7	37.6	86.9	85.0	49.7	40.0	26.4	61.2	62.6
Vermont									
Patients	13	2	2	18	13	20	33	22	20
Deaths	1	0	1	3	0	0	2	2	0
Rate	81.5	*	*	182.2	0.0	0.0	62.8	92.8	0.0
Washington									
Patients	196	148	179	209	232	180	161	201	205
Deaths	13	8	7	4	11	7	1	5	1
Rate	69.2	56.1	40.0	19.3	48.8	39.7	6.2	25.1	4.9
Wisconsin									
Patients	198	206	237	257	249	262	272	284	266
Deaths	9	19	17	15	16	11	19	9	13
Rate	46.5	97.4	75.4	60.3	66.0	42.8	72.6	32.2	50.7

(Continued)

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Multi-organ transplants are excluded.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Donors are divided into two mutually exclusive and complete categories. All donors meeting the criteria for Expanded Criteria Donors for Kidney are classified as ECD, regardless of whether the kidneys were allocated under the ECD system. Non-ECDs include all other donors, including SCDs and DCDs.

Table 5.7c (Continued)
Patients and Annual Death Rates Per 1,000 Patient-Years at Risk, 2000 to 2008
Rates for Recipients during First Year after Deceased Donor Kidney Transplantation

Transplant Center State	Year of Transplant								
	2000	2001	2002	2003	2004	2005	2006	2007	2008
West Virginia									
Patients	40	33	41	44	33	33	44	39	33
Deaths	1	0	1	3	2	3	4	1	2
Rate	25.6	0.0	24.5	70.6	64.0	97.2	96.2	26.0	63.7

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(-) = None in category.

(*) = For cohorts with fewer than 10 patients, rates are imprecise and are not reported.

Multi-organ transplants are excluded.

Includes patients transplanted during the year and having reported data one-year after transplant. Time at risk covers the period from transplant date until the date of death or one-year anniversary of the transplant. See Technical Notes for further details.

Donors are divided into two mutually exclusive and complete categories. All donors meeting the criteria for Expanded Criteria Donors for Kidney are classified as ECD, regardless of whether the kidneys were allocated under the ECD system. Non-ECDs include all other donors, including SCDs and DCDs.