

Table 5.8b
Adjusted Graft Survival, Deceased Donor ECD Kidney Transplants
Survival at 3 Months, 1 Year, 5 Years, and 10 Years

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2007 - 2008)			(Tx 2007 - 2008)			(Tx 2003 - 2008)			(Tx 1998 - 2008)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Total												
All	3,669	93.3%	0.4%	3,669	86.6%	0.6%	10,118	59.1%	0.6%	16,185	29.4%	0.7%
Age at Tx												
1-5 Years	0	-	-	0	-	-	0	-	-	2	61.8%	21.5%
6-11 Years	0	-	-	0	-	-	2	+	+	9	38.4%	15.6%
12-17 Years	0	-	-	0	-	-	3	100.0%	80.8%	27	31.0%	9.9%
18-34 Years	69	94.0%	2.9%	69	92.6%	3.2%	307	53.3%	3.4%	829	31.3%	2.0%
35-49 Years	408	94.5%	1.1%	408	90.0%	1.5%	1,443	62.2%	1.6%	2,951	34.5%	1.3%
50-64 Years	1,890	93.4%	0.6%	1,890	86.2%	0.8%	4,975	61.6%	0.9%	7,828	31.1%	1.0%
65+ Years	1,302	92.6%	0.7%	1,302	85.7%	1.0%	3,388	54.7%	1.2%	4,539	20.1%	1.5%
Recipient Ethnicity/Race												
White	1,698	93.8%	0.6%	1,698	86.3%	0.8%	4,846	59.1%	0.9%	8,038	29.5%	0.9%
African American	1,166	90.9%	0.8%	1,166	84.3%	1.1%	3,187	54.1%	1.2%	5,001	24.2%	1.1%
Hispanic/Latino	491	96.3%	0.8%	491	91.0%	1.3%	1,221	65.1%	1.8%	1,840	33.8%	2.1%
Asian	260	94.4%	1.4%	260	89.9%	1.8%	707	69.4%	2.2%	1,068	44.1%	2.7%
Other/Multi-race	54	94.7%	2.9%	54	93.0%	3.4%	157	66.7%	4.7%	238	30.9%	5.5%
Recipient Gender												
Female	1,338	93.6%	0.7%	1,338	88.0%	0.9%	3,692	62.3%	1.0%	6,099	32.9%	1.1%
Male	2,331	93.0%	0.5%	2,331	85.8%	0.7%	6,426	57.2%	0.8%	10,086	27.3%	0.8%

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Graft survival follows individual transplants until graft failure. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on kidney and kidney-pancreas transplants.

Multi-organ transplants are excluded.

Survival rates are adjusted to the characteristics of the 3 month and 1 year cohort. See Technical Notes for details.

Donors are divided into two mutually exclusive and complete categories. All donors meeting the criteria for Expanded Criteria Donors for Kidney are classified as ECD, regardless of whether kidneys were allocated under ECD system. Non-ECDs include all other donors, including SCDs and DCDs.

Table 5.8b (Continued)
Adjusted Graft Survival, Deceased Donor ECD Kidney Transplants
Survival at 3 Months, 1 Year, 5 Years, and 10 Years

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2007 - 2008)			(Tx 2007 - 2008)			(Tx 2003 - 2008)			(Tx 1998 - 2008)		
	N	%	Std. Err.									
Total												
All	3,669	93.3%	0.4%	3,669	86.6%	0.6%	10,118	59.1%	0.6%	16,185	29.4%	0.7%
Primary Diagnosis												
Glomerular Diseases	542	96.4%	0.8%	542	89.6%	1.3%	1,654	65.6%	1.5%	2,948	37.6%	1.4%
Diabetes	1,264	93.3%	0.7%	1,264	85.7%	1.0%	3,261	54.0%	1.2%	4,873	21.7%	1.2%
Hypertensive												
Nephrosclerosis	1,072	92.0%	0.8%	1,072	86.0%	1.1%	2,743	57.6%	1.3%	3,979	27.0%	1.4%
Polycystic Kidneys	277	95.1%	1.3%	277	90.8%	1.7%	835	70.1%	2.0%	1,414	43.5%	2.2%
Tubular and Interstitial Diseases	156	91.8%	2.2%	156	84.8%	2.9%	463	61.6%	2.8%	759	32.2%	2.8%
Renovascular & Other Vascular Diseases	105	88.5%	3.1%	105	84.6%	3.5%	361	57.8%	3.2%	728	26.0%	2.6%
Congenital, Rare Familial, & Metabolic Disorders	25	95.9%	3.9%	25	91.9%	5.4%	73	46.6%	7.5%	147	27.3%	5.8%
Neoplasms	15	93.8%	5.8%	15	93.8%	5.8%	42	57.1%	9.3%	60	21.0%	11.7%
Other	205	91.9%	1.9%	205	83.3%	2.6%	638	60.0%	2.3%	1,136	30.8%	2.2%
Unknown	8	87.3%	11.2%	8	87.3%	11.2%	48	64.0%	7.7%	141	34.7%	4.7%

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Graft survival follows individual transplants until graft failure. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on kidney and kidney-pancreas transplants.

Multi-organ transplants are excluded.

Survival rates are adjusted to the characteristics of the 3 month and 1 year cohort. See Technical Notes for details.

Donors are divided into two mutually exclusive and complete categories. All donors meeting the criteria for Expanded Criteria Donors for Kidney are classified as ECD, regardless of whether kidneys were allocated under ECD system. Non-ECDs include all other donors, including SCDs and DCDs.

Table 5.8b (Continued)
Adjusted Graft Survival, Deceased Donor ECD Kidney Transplants
Survival at 3 Months, 1 Year, 5 Years, and 10 Years

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2007 - 2008)			(Tx 2007 - 2008)			(Tx 2003 - 2008)			(Tx 1998 - 2008)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Total												
All	3,669	93.3%	0.4%	3,669	86.6%	0.6%	10,118	59.1%	0.6%	16,185	29.4%	0.7%
Transplant Center State												
Alabama	46	86.9%	4.9%	46	82.4%	5.6%	115	50.5%	6.1%	243	28.8%	4.3%
Arkansas	16	94.1%	5.5%	16	88.1%	7.6%	55	50.8%	10.6%	75	24.6%	9.2%
Arizona	74	98.7%	1.3%	74	93.5%	2.8%	142	77.2%	4.5%	195	51.7%	7.9%
California	372	93.1%	1.3%	372	86.7%	1.7%	1,124	63.1%	1.8%	1,833	33.6%	1.9%
Colorado	25	92.5%	5.0%	25	88.7%	6.0%	69	65.6%	6.7%	105	18.6%	7.4%
Connecticut	33	94.4%	3.8%	33	83.1%	6.2%	71	44.3%	9.2%	115	28.9%	7.0%
District of Columbia	33	97.0%	2.9%	33	94.1%	4.0%	92	70.6%	5.3%	151	16.6%	6.2%
Delaware	6	+	+	6	+	+	6	+	+	6	+	+
Florida	216	96.4%	1.2%	216	91.4%	1.9%	565	63.1%	2.7%	880	30.5%	3.1%
Georgia	56	96.5%	2.4%	56	94.7%	2.9%	179	62.2%	4.8%	327	32.7%	4.4%
Hawaii	17	100.0%	0.0%	17	94.1%	5.5%	49	80.5%	7.3%	102	46.1%	6.9%
Iowa	20	90.5%	6.1%	20	70.9%	9.6%	50	68.8%	8.0%	97	18.0%	7.5%
Illinois	146	92.4%	2.2%	146	79.2%	3.4%	480	57.5%	2.7%	704	26.8%	2.9%
Indiana	19	94.8%	4.9%	19	89.7%	6.7%	82	72.5%	5.7%	118	52.3%	7.1%
Kansas	21	100.0%	0.0%	21	95.4%	4.4%	34	57.2%	12.6%	39	45.8%	12.4%
Kentucky	28	96.5%	3.4%	28	86.1%	6.3%	73	59.9%	7.4%	142	39.6%	5.9%
Louisiana	61	96.5%	2.4%	61	87.9%	4.3%	153	60.8%	5.1%	220	35.9%	5.0%
Massachusetts	80	95.3%	2.3%	80	91.7%	3.0%	276	60.5%	3.8%	402	34.0%	4.4%
Maryland	140	93.4%	2.1%	140	89.1%	2.6%	368	51.0%	3.4%	755	19.6%	2.3%
Maine	3	67.4%	21.6%	3	67.4%	21.6%	11	71.4%	13.2%	38	21.2%	8.0%
Michigan	93	93.0%	2.5%	93	84.8%	3.6%	260	55.3%	4.1%	388	29.3%	4.2%
Minnesota	29	96.6%	3.3%	29	86.3%	6.2%	105	75.2%	5.0%	223	29.3%	4.6%
Missouri	42	97.7%	2.3%	42	93.0%	3.9%	115	64.0%	6.6%	187	24.0%	5.1%
Mississippi	16	92.9%	6.6%	16	92.9%	6.6%	16	93.3%	6.3%	27	13.3%	9.2%
North Carolina	153	90.4%	2.3%	153	82.1%	3.1%	333	62.8%	3.4%	497	33.5%	3.8%
North Dakota	7	71.9%	15.3%	7	57.1%	16.9%	30	35.0%	11.2%	59	28.4%	7.8%
Nebraska	27	100.0%	0.0%	27	96.3%	3.5%	62	66.9%	8.4%	90	33.3%	7.9%
New Hampshire	9	89.8%	9.2%	9	89.8%	9.2%	31	58.9%	10.0%	40	33.5%	14.2%
New Jersey	130	90.9%	2.5%	130	80.9%	3.4%	381	51.5%	3.2%	634	27.8%	3.1%
New Mexico	16	94.2%	5.5%	16	88.3%	7.5%	40	65.5%	10.0%	64	39.2%	8.8%
Nevada	5	57.4%	19.7%	5	57.4%	19.7%	14	38.5%	14.3%	30	0.0%	0.0%

(Continued)

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Graft survival follows individual transplants until graft failure. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on kidney and kidney-pancreas transplants.

Multi-organ transplants are excluded.

Survival rates are adjusted to the characteristics of the 3 month and 1 year cohort. See Technical Notes for details.

Donors are divided into two mutually exclusive and complete categories. All donors meeting the criteria for Expanded Criteria Donors for Kidney are classified as ECD, regardless of whether kidneys were allocated under ECD system. Non-ECDs include all other donors, including SCDs and DCDs.

Table 5.8b (Continued)
Adjusted Graft Survival, Deceased Donor ECD Kidney Transplants
Survival at 3 Months, 1 Year, 5 Years, and 10 Years

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2007 - 2008)			(Tx 2007 - 2008)			(Tx 2003 - 2008)			(Tx 1998 - 2008)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Transplant Center State												
New York	456	92.5%	1.2%	456	85.2%	1.7%	1,114	55.5%	2.1%	1,621	28.3%	2.0%
Ohio	131	87.3%	2.9%	131	82.9%	3.2%	384	56.1%	3.2%	640	25.8%	3.0%
Oklahoma	31	94.0%	4.1%	31	94.0%	4.1%	84	66.9%	6.5%	138	28.2%	6.8%
Oregon	36	94.7%	3.6%	36	86.6%	5.5%	118	65.0%	5.2%	220	35.8%	5.4%
Pennsylvania	314	92.2%	1.5%	314	84.4%	2.0%	980	51.4%	2.1%	1,584	25.2%	2.0%
Puerto Rico	33	100.0%	0.0%	33	93.9%	4.1%	59	69.4%	11.0%	80	55.2%	11.8%
Rhode Island	6	100.0%	0.0%	6	68.6%	16.5%	29	39.9%	10.7%	62	20.2%	7.3%
South Carolina	35	91.8%	4.5%	35	75.3%	7.0%	79	49.7%	7.4%	113	9.6%	5.2%
South Dakota	17	100.0%	0.0%	17	94.5%	5.2%	65	43.5%	7.5%	88	8.7%	5.4%
Tennessee	75	84.8%	4.2%	75	79.3%	4.7%	193	61.0%	4.6%	331	23.2%	3.9%
Texas	260	93.6%	1.5%	260	90.1%	1.9%	708	64.1%	2.3%	1,039	36.4%	2.6%
Utah	11	100.0%	0.0%	11	91.1%	8.1%	26	69.0%	11.5%	50	45.8%	8.7%
Virginia	127	91.2%	2.5%	127	82.3%	3.4%	323	59.6%	3.7%	451	22.5%	4.6%
Vermont	8	+	+	8	+	+	29	69.2%	9.7%	34	27.8%	15.3%
Washington	52	100.0%	0.0%	52	94.4%	3.1%	139	67.3%	5.5%	275	36.7%	4.5%
Wisconsin	132	96.2%	1.6%	132	92.5%	2.3%	385	56.4%	3.3%	616	29.9%	3.2%
West Virginia	6	+	+	6	+	+	22	75.0%	10.6%	57	28.6%	8.2%

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Graft survival follows individual transplants until graft failure. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on kidney and kidney-pancreas transplants.

Multi-organ transplants are excluded.

Survival rates are adjusted to the characteristics of the 3 month and 1 year cohort. See Technical Notes for details.

Donors are divided into two mutually exclusive and complete categories. All donors meeting the criteria for Expanded Criteria Donors for Kidney are classified as ECD, regardless of whether kidneys were allocated under ECD system. Non-ECDs include all other donors, including SCDs and DCDs.