

**Table 5.12b**  
**Adjusted Patient Survival, Deceased Donor ECD Kidney Transplants**  
**Survival at 3 Months, 1 Year, 5 Years, and 10 Years**

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2007 - 2008)			(Tx 2007 - 2008)			(Tx 2003 - 2008)			(Tx 1998 - 2008)		
	N	%	Std. Err.									
<b>Total</b>												
All	3,434	97.8%	0.3%	3,434	93.7%	0.4%	9,373	72.0%	0.6%	14,870	42.8%	0.8%
<b>Age at Tx</b>												
1-5 Years	0	-	-	0	-	-	0	-	-	1	+	+
6-11 Years	0	-	-	0	-	-	2	+	+	7	87.8%	11.3%
12-17 Years	0	-	-	0	-	-	3	+	+	23	91.4%	7.1%
18-34 Years	51	+	+	51	+	+	226	86.3%	2.6%	620	71.3%	2.5%
35-49 Years	348	98.5%	0.7%	348	96.4%	1.0%	1,209	84.0%	1.3%	2,494	62.5%	1.4%
50-64 Years	1,773	98.3%	0.3%	1,773	94.3%	0.5%	4,655	74.7%	0.9%	7,329	45.4%	1.1%
65+ Years	1,262	96.6%	0.5%	1,262	91.5%	0.8%	3,278	62.7%	1.2%	4,396	26.0%	1.6%
<b>Recipient Ethnicity/Race</b>												
White	1,557	97.6%	0.4%	1,557	92.2%	0.7%	4,423	69.8%	0.9%	7,252	39.5%	1.1%
African American	1,105	97.7%	0.5%	1,105	94.4%	0.7%	2,976	71.5%	1.2%	4,655	41.4%	1.4%
Hispanic/Latino	473	98.1%	0.6%	473	95.1%	1.0%	1,150	76.4%	1.6%	1,722	50.1%	2.3%
Asian	247	97.8%	0.9%	247	95.2%	1.3%	672	77.9%	2.1%	1,011	56.6%	2.8%
Other/Multi-race	52	98.4%	1.6%	52	96.7%	2.3%	152	76.6%	4.2%	230	43.0%	6.1%
<b>Recipient Gender</b>												
Female	1,248	97.7%	0.4%	1,248	94.7%	0.6%	3,411	73.6%	1.0%	5,568	45.6%	1.2%
Male	2,186	97.8%	0.3%	2,186	93.1%	0.6%	5,962	71.1%	0.8%	9,302	41.2%	1.0%

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on kidney and kidney-pancreas transplants.

Multi-organ transplants are excluded.

Survival rates are adjusted to the characteristics of the 3 month and 1 year cohort. See Technical Notes for details.

Donors are divided into two mutually exclusive and complete categories. All donors meeting the criteria for Expanded Criteria Donors for Kidney are classified as ECD, regardless of whether kidneys were allocated under ECD system. Non-ECDs include all other donors, including SCDs and DCDs.

**Table 5.12b (Continued)**  
**Adjusted Patient Survival, Deceased Donor ECD Kidney Transplants**  
**Survival at 3 Months, 1 Year, 5 Years, and 10 Years**

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2007 - 2008)			(Tx 2007 - 2008)			(Tx 2003 - 2008)			(Tx 1998 - 2008)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
<b>Total</b>												
All	3,434	97.8%	0.3%	3,434	93.7%	0.4%	9,373	72.0%	0.6%	14,870	42.8%	0.8%
<b>Primary Diagnosis</b>												
Glomerular Diseases	457	99.6%	0.3%	457	96.2%	0.9%	1,402	81.7%	1.3%	2,516	55.0%	1.7%
Diabetes	1,232	97.4%	0.4%	1,232	92.1%	0.8%	3,163	63.5%	1.2%	4,709	29.3%	1.4%
Hypertensive												
Nephrosclerosis	1,026	97.2%	0.5%	1,026	93.7%	0.8%	2,605	71.5%	1.2%	3,765	43.7%	1.6%
Polycystic Kidneys	254	98.0%	0.8%	254	95.9%	1.2%	774	84.8%	1.6%	1,315	63.8%	2.2%
Tubular and Interstitial Diseases	138	96.9%	1.4%	138	93.2%	2.0%	410	71.0%	2.8%	663	48.5%	3.1%
Renovascular & Other Vascular Diseases	101	97.0%	1.7%	101	93.1%	2.5%	341	72.8%	2.9%	680	42.5%	2.9%
Congenital, Rare Familial, & Metabolic Disorders	20	100.0%	0.0%	20	95.7%	4.0%	57	83.2%	5.4%	117	59.5%	8.1%
Neoplasms	15	100.0%	0.0%	15	94.5%	5.2%	41	62.4%	9.2%	58	49.9%	9.7%
Other	190	98.1%	0.9%	190	94.4%	1.6%	574	75.5%	2.2%	1,039	44.4%	2.7%
Unknown	1	+	+	1	+	+	6	83.7%	14.2%	8	86.8%	11.9%

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on kidney and kidney-pancreas transplants.

Multi-organ transplants are excluded.

Survival rates are adjusted to the characteristics of the 3 month and 1 year cohort. See Technical Notes for details.

Donors are divided into two mutually exclusive and complete categories. All donors meeting the criteria for Expanded Criteria Donors for Kidney are classified as ECD, regardless of whether kidneys were allocated under ECD system. Non-ECDs include all other donors, including SCDs and DCDs.

**Table 5.12b (Continued)**  
**Adjusted Patient Survival, Deceased Donor ECD Kidney Transplants**  
**Survival at 3 Months, 1 Year, 5 Years, and 10 Years**

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2007 - 2008)			(Tx 2007 - 2008)			(Tx 2003 - 2008)			(Tx 1998 - 2008)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
<b>Total</b>												
All	3,434	97.8%	0.3%	3,434	93.7%	0.4%	9,373	72.0%	0.6%	14,870	42.8%	0.8%
<b>Transplant Center State</b>												
Alabama	45	93.3%	3.7%	45	88.7%	4.7%	111	62.7%	6.2%	231	37.0%	5.0%
Arkansas	13	100.0%	0.0%	13	94.6%	5.0%	48	56.1%	11.8%	65	35.8%	10.5%
Arizona	70	100.0%	0.0%	70	97.4%	1.8%	136	82.6%	4.2%	186	60.4%	8.6%
California	358	98.0%	0.7%	358	93.7%	1.2%	1,078	73.6%	1.7%	1,723	43.4%	2.2%
Colorado	23	+	+	23	+	+	66	74.8%	6.4%	99	28.4%	9.4%
Connecticut	32	97.5%	2.4%	32	92.4%	4.2%	66	70.9%	7.1%	106	55.8%	7.2%
District of Columbia	33	+	+	33	+	+	92	83.1%	4.3%	140	33.5%	8.5%
Delaware	5	+	+	5	+	+	5	+	+	5	+	+
Florida	205	97.8%	1.0%	205	94.3%	1.5%	530	70.6%	2.7%	821	42.8%	3.4%
Georgia	55	98.4%	1.6%	55	96.8%	2.2%	172	71.4%	4.5%	310	47.5%	5.1%
Hawaii	15	100.0%	0.0%	15	93.0%	6.5%	47	82.3%	7.0%	97	59.2%	7.2%
Iowa	18	100.0%	0.0%	18	85.6%	7.4%	45	80.0%	7.4%	85	40.6%	9.1%
Illinois	136	95.6%	1.7%	136	89.7%	2.6%	440	69.4%	2.8%	647	44.5%	3.4%
Indiana	18	100.0%	0.0%	18	95.4%	4.4%	76	84.0%	4.9%	110	64.3%	7.5%
Kansas	20	100.0%	0.0%	20	96.0%	3.8%	32	63.0%	13.9%	35	68.1%	12.2%
Kentucky	28	+	+	28	+	+	71	81.0%	5.7%	132	50.5%	7.7%
Louisiana	57	97.9%	2.0%	57	91.8%	3.9%	144	74.4%	5.4%	202	45.2%	6.5%
Massachusetts	76	97.8%	1.5%	76	95.7%	2.1%	255	71.9%	3.6%	364	48.1%	4.8%
Maryland	127	98.4%	1.1%	127	96.1%	1.7%	326	67.5%	3.6%	679	32.5%	2.9%
Maine	3	+	+	3	+	+	10	91.9%	7.5%	34	50.3%	10.5%
Michigan	92	98.3%	1.2%	92	93.9%	2.2%	248	63.0%	4.3%	364	45.5%	4.8%
Minnesota	25	100.0%	0.0%	25	92.6%	4.9%	90	90.2%	3.1%	187	45.8%	5.6%
Missouri	39	100.0%	0.0%	39	97.9%	2.1%	109	77.1%	5.7%	175	42.9%	6.1%
Mississippi	16	92.1%	7.3%	16	92.1%	7.3%	16	92.5%	6.9%	25	32.8%	15.8%
North Carolina	144	95.0%	1.7%	144	92.5%	2.1%	314	73.7%	3.6%	460	43.5%	5.0%
North Dakota	7	+	+	7	+	+	29	63.3%	11.7%	57	33.8%	11.0%
Nebraska	23	100.0%	0.0%	23	96.2%	3.6%	53	75.9%	8.3%	78	39.8%	11.2%
New Hampshire	8	+	+	8	+	+	25	78.7%	8.7%	32	63.8%	11.2%
New Jersey	126	95.5%	1.8%	126	87.2%	2.9%	355	65.1%	3.2%	575	43.6%	3.7%
New Mexico	16	100.0%	0.0%	16	94.3%	5.3%	39	86.8%	6.8%	61	54.8%	10.4%
Nevada	5	75.4%	19.1%	5	75.4%	19.1%	13	76.8%	14.2%	28	25.2%	13.1%

(Continued)

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on kidney and kidney-pancreas transplants.

Multi-organ transplants are excluded.

Survival rates are adjusted to the characteristics of the 3 month and 1 year cohort. See Technical Notes for details.

Donors are divided into two mutually exclusive and complete categories. All donors meeting the criteria for Expanded Criteria Donors for Kidney are classified as ECD, regardless of whether kidneys were allocated under ECD system. Non-ECDs include all other donors, including SCDs and DCDs.

**Table 5.12b (Continued)**  
**Adjusted Patient Survival, Deceased Donor ECD Kidney Transplants**  
**Survival at 3 Months, 1 Year, 5 Years, and 10 Years**

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2007 - 2008)			(Tx 2007 - 2008)			(Tx 2003 - 2008)			(Tx 1998 - 2008)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
<b>Transplant Center State</b>												
New York	414	98.1%	0.7%	414	94.5%	1.1%	1,009	74.4%	2.0%	1,464	44.4%	2.6%
Ohio	119	98.6%	1.0%	119	94.3%	2.0%	351	68.1%	3.1%	580	37.4%	3.5%
Oklahoma	28	97.1%	2.8%	28	97.1%	2.8%	78	73.9%	6.2%	125	43.1%	7.3%
Oregon	32	95.4%	3.2%	32	95.4%	3.2%	105	72.0%	5.1%	200	50.7%	5.7%
Pennsylvania	284	98.8%	0.6%	284	92.8%	1.4%	874	68.5%	2.1%	1,427	40.6%	2.4%
Puerto Rico	33	100.0%	0.0%	33	93.2%	4.6%	59	74.3%	10.1%	77	42.8%	15.2%
Rhode Island	6	100.0%	0.0%	6	87.8%	10.5%	27	68.7%	9.8%	60	25.9%	9.5%
South Carolina	34	97.3%	2.6%	34	94.6%	3.6%	75	60.4%	8.3%	105	33.2%	8.8%
South Dakota	16	100.0%	0.0%	16	95.5%	4.3%	64	55.1%	7.6%	86	18.9%	8.9%
Tennessee	70	90.8%	3.6%	70	86.2%	4.3%	179	76.8%	4.0%	301	41.0%	5.0%
Texas	246	97.5%	1.0%	246	94.9%	1.4%	660	77.4%	2.2%	965	47.0%	3.1%
Utah	11	100.0%	0.0%	11	92.9%	6.6%	25	75.2%	10.4%	45	50.5%	11.2%
Virginia	119	96.6%	1.6%	119	89.0%	2.9%	297	69.7%	3.8%	417	30.1%	5.6%
Vermont	6	+	+	6	+	+	26	82.5%	8.0%	31	60.9%	17.0%
Washington	51	100.0%	0.0%	51	98.3%	1.7%	135	77.3%	4.9%	265	54.5%	4.7%
Wisconsin	121	98.6%	1.0%	121	97.1%	1.4%	347	69.0%	3.3%	556	43.0%	3.9%
West Virginia	6	+	+	6	+	+	21	89.1%	7.1%	53	44.8%	9.3%

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on kidney and kidney-pancreas transplants.

Multi-organ transplants are excluded.

Survival rates are adjusted to the characteristics of the 3 month and 1 year cohort. See Technical Notes for details.

Donors are divided into two mutually exclusive and complete categories. All donors meeting the criteria for Expanded Criteria Donors for Kidney are classified as ECD, regardless of whether kidneys were allocated under ECD system. Non-ECDs include all other donors, including SCDs and DCDs.