

**Table 5.14c**  
**Unadjusted Patient Survival, Deceased Donor Kidney Transplants**  
**Survival at 3 Months, 1 Year, 5 Years, and 10 Years**

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2007 - 2008)			(Tx 2007 - 2008)			(Tx 2003 - 2008)			(Tx 1998 - 2008)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
<b>Total</b>												
All	17,760	98.3%	0.1%	17,760	96.0%	0.1%	49,989	82.7%	0.2%	84,554	62.0%	0.3%
<b>Age at Tx</b>												
<1 Year	0	-	-	0	-	-	4	100.0%	0.0%	5	100.0%	0.0%
1-5 Years	134	97.8%	1.3%	134	97.0%	1.5%	355	94.1%	1.6%	552	91.4%	1.6%
6-11 Years	191	100.0%	0.0%	191	99.5%	0.5%	551	98.1%	0.6%	868	93.2%	1.4%
12-17 Years	520	99.6%	0.3%	520	98.8%	0.5%	1,487	94.9%	0.8%	2,202	84.2%	1.4%
18-34 Years	1,679	99.3%	0.2%	1,679	98.6%	0.3%	5,248	93.5%	0.4%	10,222	83.8%	0.5%
35-49 Years	4,439	99.1%	0.1%	4,439	98.1%	0.2%	12,917	89.6%	0.3%	23,800	72.3%	0.4%
50-64 Years	7,417	98.1%	0.2%	7,417	95.4%	0.2%	20,688	80.1%	0.4%	34,156	52.9%	0.5%
65+ Years	3,380	97.0%	0.3%	3,380	92.5%	0.5%	8,739	67.2%	0.7%	12,749	32.2%	0.8%
<b>Recipient Ethnicity/Race</b>												
White	7,874	98.4%	0.1%	7,874	95.6%	0.2%	22,800	81.0%	0.3%	40,672	59.7%	0.4%
African American	5,758	98.1%	0.2%	5,758	95.8%	0.3%	15,895	82.3%	0.4%	26,194	60.8%	0.5%
Hispanic/Latino	2,786	98.7%	0.2%	2,786	96.9%	0.3%	7,415	86.7%	0.5%	11,549	68.9%	0.7%
Asian	1,109	98.2%	0.4%	1,109	96.8%	0.5%	3,171	87.5%	0.7%	5,028	74.2%	1.0%
Other/Multi-race	233	98.7%	0.7%	233	97.4%	1.0%	708	82.4%	1.9%	1,109	59.8%	2.5%
Unknown	0	-	-	0	-	-	0	-	-	2	100.0%	0.0%
<b>Recipient Gender</b>												
Female	6,865	98.3%	0.2%	6,865	96.4%	0.2%	19,489	84.4%	0.3%	33,310	64.2%	0.4%
Male	10,895	98.3%	0.1%	10,895	95.7%	0.2%	30,500	81.6%	0.3%	51,244	60.6%	0.3%
<b>Recipient Blood Type</b>												
O	8,080	98.5%	0.1%	8,080	96.3%	0.2%	22,699	83.0%	0.3%	37,926	62.7%	0.4%
A	6,324	98.4%	0.2%	6,324	96.0%	0.2%	18,041	82.5%	0.4%	31,232	61.1%	0.4%
B	2,425	97.8%	0.3%	2,425	95.3%	0.4%	6,678	82.1%	0.6%	10,977	61.9%	0.7%
AB	931	97.5%	0.5%	931	95.2%	0.7%	2,571	82.7%	1.0%	4,419	62.7%	1.1%

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on kidney and kidney-pancreas transplants.

Multi-organ transplants are excluded.

Dialysis needed within first week excludes patients whose graft failed before the end of the week.

**Table 5.14c (Continued)**  
**Unadjusted Patient Survival, Deceased Donor Kidney Transplants**  
**Survival at 3 Months, 1 Year, 5 Years, and 10 Years**

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2007 - 2008)			(Tx 2007 - 2008)			(Tx 2003 - 2008)			(Tx 1998 - 2008)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
<b>Total</b>												
All	17,760	98.3%	0.1%	17,760	96.0%	0.1%	49,989	82.7%	0.2%	84,554	62.0%	0.3%
<b>Recipient Residency</b>												
U.S. Resident	17,616	98.3%	0.1%	17,616	96.0%	0.1%	49,658	82.6%	0.2%	83,940	61.8%	0.3%
Nonresident Alien	144	98.6%	1.0%	144	97.2%	1.4%	323	93.4%	1.9%	550	89.8%	1.8%
Unknown	0	-	-	0	-	-	8	50.0%	22.8%	64	63.7%	6.3%
<b>Hospitalized at Tx</b>												
Not Hospitalized	17,541	98.4%	0.1%	17,541	96.0%	0.1%	49,367	82.8%	0.2%	83,238	62.1%	0.3%
Hospitalized	188	96.3%	1.4%	188	92.6%	1.9%	529	75.5%	2.3%	1,126	57.0%	2.0%
In Intensive Care	26	88.5%	6.3%	26	84.6%	7.1%	86	77.8%	4.7%	169	55.5%	4.9%
Unknown	5	100.0%	0.0%	5	100.0%	0.0%	7	85.7%	13.2%	21	82.5%	9.3%
<b>Primary Diagnosis</b>												
Glomerular Diseases	3,733	99.1%	0.2%	3,733	97.9%	0.2%	10,995	89.3%	0.4%	19,771	74.4%	0.5%
Diabetes	4,812	97.8%	0.2%	4,812	93.7%	0.4%	12,977	72.7%	0.5%	21,012	41.3%	0.6%
Hypertensive												
Nephrosclerosis	4,673	98.0%	0.2%	4,673	95.9%	0.3%	12,212	81.5%	0.5%	18,812	60.1%	0.6%
Polycystic Kidneys	1,482	99.3%	0.2%	1,482	97.9%	0.4%	4,298	90.3%	0.6%	7,662	73.8%	0.8%
Tubular and Interstitial Diseases	745	98.3%	0.5%	745	96.5%	0.7%	2,356	83.4%	0.9%	4,244	65.7%	1.1%
Renovascular & Other Vascular Diseases	514	97.5%	0.7%	514	94.6%	1.0%	1,947	84.6%	1.0%	4,015	60.4%	1.1%
Congenital, Rare Familial, & Metabolic Disorders	442	99.3%	0.4%	442	98.2%	0.6%	1,224	93.6%	0.8%	2,015	83.7%	1.3%
Neoplasms	70	97.1%	2.0%	70	95.7%	2.4%	189	75.0%	4.4%	284	47.7%	5.3%
Other	1,281	98.2%	0.4%	1,281	96.9%	0.5%	3,766	87.0%	0.7%	6,703	67.4%	0.9%
Unknown	8	100.0%	0.0%	8	100.0%	0.0%	25	67.0%	12.8%	36	77.7%	7.7%

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on kidney and kidney-pancreas transplants.

Multi-organ transplants are excluded.

Dialysis needed within first week excludes patients whose graft failed before the end of the week.

**Table 5.14c (Continued)**  
**Unadjusted Patient Survival, Deceased Donor Kidney Transplants**  
**Survival at 3 Months, 1 Year, 5 Years, and 10 Years**

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2007 - 2008)			(Tx 2007 - 2008)			(Tx 2003 - 2008)			(Tx 1998 - 2008)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
<b>Total</b>												
All	17,760	98.3%	0.1%	17,760	96.0%	0.1%	49,989	82.7%	0.2%	84,554	62.0%	0.3%
<b>Cold Ischemic Time</b>												
0-11 Hours	3,932	98.3%	0.2%	3,932	96.2%	0.3%	10,290	84.0%	0.5%	15,091	64.3%	0.7%
12-21 Hours	7,537	98.5%	0.1%	7,537	96.4%	0.2%	20,781	83.1%	0.3%	34,666	62.3%	0.4%
22-31 Hours	4,024	98.1%	0.2%	4,024	95.2%	0.3%	11,335	81.9%	0.5%	20,372	61.1%	0.5%
32-41 Hours	851	98.2%	0.5%	851	95.4%	0.7%	2,270	81.3%	1.1%	4,403	57.1%	1.1%
42+ Hours	401	98.0%	0.7%	401	96.0%	1.0%	773	78.7%	2.2%	1,139	56.4%	2.4%
Unknown	1,015	97.9%	0.4%	1,015	96.0%	0.6%	4,540	81.1%	0.7%	8,883	62.7%	0.8%
<b>PRA at Transplant</b>												
0-9%	14,144	98.3%	0.1%	14,144	95.9%	0.2%	40,384	82.7%	0.2%	68,812	62.2%	0.3%
10-79%	2,240	98.4%	0.3%	2,240	96.2%	0.4%	5,564	82.3%	0.7%	8,362	59.7%	0.9%
80%+	728	97.8%	0.5%	728	95.3%	0.8%	1,787	84.6%	1.1%	2,540	60.1%	1.9%
Unknown	648	99.2%	0.3%	648	97.4%	0.6%	2,254	81.8%	1.0%	4,840	62.9%	1.0%
<b>Yearly Center Volume</b>												
0-12	297	99.3%	0.5%	297	96.6%	1.0%	1,013	88.0%	1.3%	2,073	67.5%	1.6%
13-28	918	98.7%	0.4%	918	95.4%	0.7%	2,920	82.9%	0.9%	5,653	63.3%	1.0%
29-47	2,007	97.7%	0.3%	2,007	95.0%	0.5%	5,507	81.3%	0.7%	10,648	61.1%	0.7%
48-81	2,874	98.3%	0.2%	2,874	95.7%	0.4%	10,178	83.4%	0.5%	18,817	60.6%	0.6%
82+	11,664	98.4%	0.1%	11,664	96.3%	0.2%	30,371	82.5%	0.3%	47,363	62.3%	0.4%
<b>Dialysis Needed Within First Week After Tx</b>												
No	13,336	98.7%	0.1%	13,336	96.9%	0.1%	37,835	85.0%	0.2%	64,093	65.0%	0.3%
Yes	4,416	97.1%	0.3%	4,416	93.2%	0.4%	12,143	75.3%	0.5%	20,344	52.4%	0.5%
Unknown	8	100.0%	0.0%	8	100.0%	0.0%	11	71.6%	14.0%	117	54.1%	4.8%
<b>Donor Age</b>												
<1 Year	98	98.0%	1.4%	98	96.9%	1.7%	185	84.5%	3.7%	326	63.2%	4.3%
1-5 Years	417	98.1%	0.7%	417	96.6%	0.9%	1,202	87.6%	1.1%	2,181	71.6%	1.4%
6-11 Years	419	98.6%	0.6%	419	96.9%	0.8%	1,209	86.5%	1.2%	2,517	66.7%	1.4%
12-17 Years	1,093	98.9%	0.3%	1,093	97.0%	0.5%	3,609	87.8%	0.7%	6,805	68.7%	0.8%
18-34 Years	5,159	98.9%	0.1%	5,159	97.5%	0.2%	14,422	87.5%	0.4%	24,128	68.0%	0.5%
35-49 Years	5,090	98.0%	0.2%	5,090	96.0%	0.3%	14,487	82.9%	0.4%	24,433	62.2%	0.5%
50-64 Years	4,685	98.0%	0.2%	4,685	94.6%	0.3%	12,656	77.1%	0.5%	20,481	54.2%	0.6%
65+ Years	799	97.7%	0.5%	799	91.7%	1.0%	2,219	67.2%	1.3%	3,683	39.8%	1.3%

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on kidney and kidney-pancreas transplants.

Multi-organ transplants are excluded.

Dialysis needed within first week excludes patients whose graft failed before the end of the week.

**Table 5.14c (Continued)**  
**Unadjusted Patient Survival, Deceased Donor Kidney Transplants**  
**Survival at 3 Months, 1 Year, 5 Years, and 10 Years**

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2007 - 2008)			(Tx 2007 - 2008)			(Tx 2003 - 2008)			(Tx 1998 - 2008)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
<b>Total</b>												
All	17,760	98.3%	0.1%	17,760	96.0%	0.1%	49,989	82.7%	0.2%	84,554	62.0%	0.3%
A Locus Mismatch												
0	3,392	98.4%	0.2%	3,392	96.5%	0.3%	9,392	84.9%	0.5%	16,680	63.9%	0.6%
1	6,148	98.3%	0.2%	6,148	95.7%	0.3%	17,385	82.2%	0.4%	29,999	61.8%	0.4%
2	8,219	98.3%	0.1%	8,219	96.0%	0.2%	23,205	82.1%	0.3%	37,832	61.4%	0.4%
Unknown	1	100.0%	0.0%	1	100.0%	0.0%	7	71.4%	17.1%	43	49.5%	8.1%
B Locus Mismatch												
0	2,737	98.5%	0.2%	2,737	96.7%	0.3%	7,738	85.1%	0.5%	15,193	63.5%	0.6%
1	3,951	98.4%	0.2%	3,951	96.0%	0.3%	11,507	82.2%	0.4%	24,200	62.1%	0.4%
2	11,071	98.2%	0.1%	11,071	95.8%	0.2%	30,737	82.2%	0.3%	45,118	61.3%	0.4%
Unknown	1	100.0%	0.0%	1	100.0%	0.0%	7	71.4%	17.1%	43	49.5%	8.1%
DR Locus Mismatch												
0	4,121	98.6%	0.2%	4,121	96.6%	0.3%	11,826	84.6%	0.4%	22,494	63.1%	0.5%
1	7,552	98.2%	0.2%	7,552	95.9%	0.2%	21,313	82.9%	0.3%	35,771	62.4%	0.4%
2	6,086	98.2%	0.2%	6,086	95.6%	0.3%	16,830	81.0%	0.4%	26,216	60.4%	0.5%
Unknown	1	100.0%	0.0%	1	100.0%	0.0%	20	80.0%	8.9%	73	51.1%	6.7%
Total Mismatch												
0	2,418	98.5%	0.2%	2,418	96.7%	0.4%	6,705	85.2%	0.6%	11,349	64.4%	0.7%
1	130	99.2%	0.8%	130	97.7%	1.3%	413	85.1%	2.2%	1,649	61.4%	1.4%
2	626	98.6%	0.5%	626	96.0%	0.8%	1,818	83.2%	1.1%	5,087	62.2%	0.9%
3	2,046	98.3%	0.3%	2,046	96.1%	0.4%	5,986	83.9%	0.6%	12,887	63.2%	0.6%
4	4,435	98.5%	0.2%	4,435	96.0%	0.3%	12,676	82.5%	0.4%	20,607	61.4%	0.6%
5	5,481	98.0%	0.2%	5,481	95.7%	0.3%	15,215	82.0%	0.4%	22,071	61.2%	0.6%
6	2,623	98.3%	0.3%	2,623	95.8%	0.4%	7,154	80.7%	0.6%	10,822	60.2%	0.8%
Unknown	1	100.0%	0.0%	1	100.0%	0.0%	22	77.3%	8.9%	82	53.1%	6.2%

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on kidney and kidney-pancreas transplants.

Multi-organ transplants are excluded.

Dialysis needed within first week excludes patients whose graft failed before the end of the week.

**Table 5.14c (Continued)**  
**Unadjusted Patient Survival, Deceased Donor Kidney Transplants**  
**Survival at 3 Months, 1 Year, 5 Years, and 10 Years**

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2007 - 2008)			(Tx 2007 - 2008)			(Tx 2003 - 2008)			(Tx 1998 - 2008)		
	N	%	Std. Err.									
<b>Total</b>												
All	17,760	98.3%	0.1%	17,760	96.0%	0.1%	49,989	82.7%	0.2%	84,554	62.0%	0.3%
<b>Transplant Center State</b>												
Alabama	293	98.3%	0.8%	293	96.9%	1.0%	762	82.0%	1.8%	1,506	60.9%	1.8%
Arkansas	153	99.3%	0.7%	153	97.4%	1.3%	455	84.0%	2.3%	663	56.5%	3.6%
Arizona	325	99.7%	0.3%	325	97.5%	0.9%	777	87.9%	1.6%	1,234	68.9%	2.2%
California	2,047	98.8%	0.2%	2,047	96.9%	0.4%	6,016	84.4%	0.6%	9,947	66.3%	0.8%
Colorado	169	99.4%	0.6%	169	97.0%	1.3%	594	87.0%	1.7%	984	61.9%	2.6%
Connecticut	140	98.6%	1.0%	140	97.1%	1.4%	402	85.1%	2.2%	670	65.5%	3.0%
District of Columbia	164	99.4%	0.6%	164	98.8%	0.9%	525	84.1%	2.1%	848	62.4%	2.7%
Delaware	22	100.0%	0.0%	22	100.0%	0.0%	29	100.0%	0.0%	35	100.0%	0.0%
Florida	1,241	98.5%	0.3%	1,241	97.0%	0.5%	3,319	82.7%	0.9%	5,593	62.1%	1.0%
Georgia	417	97.8%	0.7%	417	95.9%	1.0%	1,247	83.9%	1.3%	2,224	65.1%	1.6%
Hawaii	63	95.2%	2.7%	63	92.1%	3.4%	196	87.8%	2.8%	350	73.9%	3.3%
Iowa	138	98.6%	1.0%	138	93.5%	2.1%	369	81.7%	2.7%	679	55.6%	3.0%
Illinois	585	97.8%	0.6%	585	95.6%	0.9%	1,818	83.2%	1.1%	3,157	63.4%	1.3%
Indiana	216	98.1%	0.9%	216	97.2%	1.1%	755	87.3%	1.4%	1,298	74.2%	1.9%
Kansas	160	98.8%	0.9%	160	95.6%	1.6%	394	88.4%	2.0%	637	70.3%	3.0%
Kentucky	162	100.0%	0.0%	162	99.4%	0.6%	518	83.0%	2.1%	961	58.8%	2.4%
Louisiana	321	98.4%	0.7%	321	96.0%	1.1%	1,009	82.2%	1.5%	1,643	61.6%	2.0%
Massachusetts	331	96.4%	1.0%	331	94.9%	1.2%	1,028	82.7%	1.5%	1,769	62.4%	1.8%
Maryland	409	98.0%	0.7%	409	95.8%	1.0%	1,088	77.9%	1.7%	2,278	50.0%	1.6%
Maine	46	100.0%	0.0%	46	95.7%	3.0%	164	84.7%	3.3%	304	57.8%	4.6%
Michigan	617	97.4%	0.6%	617	94.7%	0.9%	1,636	79.0%	1.3%	2,721	59.7%	1.5%
Minnesota	206	100.0%	0.0%	206	98.1%	1.0%	673	86.0%	1.6%	1,233	62.9%	2.0%
Missouri	458	100.0%	0.0%	458	98.0%	0.6%	1,233	85.8%	1.4%	2,113	64.1%	1.7%
Mississippi	172	97.1%	1.3%	172	97.1%	1.3%	249	88.5%	3.2%	389	75.8%	3.6%
North Carolina	655	97.4%	0.6%	655	95.7%	0.8%	1,586	83.2%	1.3%	2,404	65.1%	1.7%
North Dakota	40	97.5%	2.5%	40	95.0%	3.4%	122	68.9%	5.6%	227	42.5%	5.6%
Nebraska	88	100.0%	0.0%	88	95.5%	2.2%	264	80.0%	3.1%	449	64.7%	3.5%
New Hampshire	36	100.0%	0.0%	36	97.2%	2.7%	113	82.0%	4.1%	171	76.6%	4.1%
New Jersey	461	95.2%	1.0%	461	90.7%	1.4%	1,200	75.8%	1.5%	2,004	56.8%	1.7%
New Mexico	98	99.0%	1.0%	98	96.9%	1.7%	262	92.6%	2.2%	424	68.6%	3.8%
Nevada	83	98.8%	1.2%	83	94.0%	2.6%	258	77.1%	3.3%	446	51.2%	3.7%
New York	1,290	98.4%	0.4%	1,290	95.0%	0.6%	3,324	81.6%	0.9%	5,288	61.7%	1.1%
Ohio	646	98.6%	0.5%	646	95.5%	0.8%	1,739	77.0%	1.3%	3,241	56.2%	1.3%
Oklahoma	163	99.4%	0.6%	163	96.9%	1.4%	502	77.8%	2.4%	901	57.3%	2.5%
Oregon	187	98.4%	0.9%	187	96.8%	1.3%	594	83.6%	2.0%	1,028	64.6%	2.3%

(Continued)

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on kidney and kidney-pancreas transplants.

Multi-organ transplants are excluded.

Dialysis needed within first week excludes patients whose graft failed before the end of the week.

**Table 5.14c (Continued)**  
**Unadjusted Patient Survival, Deceased Donor Kidney Transplants**  
**Survival at 3 Months, 1 Year, 5 Years, and 10 Years**

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2007 - 2008)			(Tx 2007 - 2008)			(Tx 2003 - 2008)			(Tx 1998 - 2008)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
<b>Transplant Center State</b>												
Pennsylvania	1,222	98.4%	0.4%	1,222	95.1%	0.6%	3,700	78.8%	0.9%	6,238	58.5%	1.0%
Puerto Rico	149	99.3%	0.7%	149	98.0%	1.2%	398	89.7%	1.9%	588	66.1%	3.8%
Rhode Island	31	100.0%	0.0%	31	93.5%	4.4%	150	79.3%	3.8%	301	47.3%	4.6%
South Carolina	244	99.6%	0.4%	244	96.7%	1.1%	657	85.4%	1.7%	1,118	61.1%	2.4%
South Dakota	49	100.0%	0.0%	49	95.9%	2.8%	156	71.6%	4.8%	264	56.8%	4.7%
Tennessee	461	97.4%	0.7%	461	94.6%	1.1%	1,313	83.6%	1.3%	2,200	57.3%	1.8%
Texas	1,475	98.1%	0.4%	1,475	96.3%	0.5%	4,162	84.7%	0.7%	6,982	64.7%	0.9%
Utah	116	100.0%	0.0%	116	98.3%	1.2%	335	90.8%	1.9%	598	71.6%	2.8%
Virginia	459	96.7%	0.8%	459	93.5%	1.2%	1,191	80.8%	1.5%	1,905	60.2%	1.8%
Vermont	36	100.0%	0.0%	36	94.4%	3.8%	111	79.6%	5.4%	147	72.6%	6.1%
Washington	365	99.5%	0.4%	365	98.6%	0.6%	1,051	87.8%	1.2%	1,760	64.7%	1.9%
Wisconsin	483	98.1%	0.6%	483	95.9%	0.9%	1,338	80.6%	1.4%	2,218	59.6%	1.7%
West Virginia	68	97.1%	2.0%	68	95.6%	2.5%	207	76.9%	3.6%	416	52.7%	3.5%

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on kidney and kidney-pancreas transplants.

Multi-organ transplants are excluded.

Dialysis needed within first week excludes patients whose graft failed before the end of the week.