

**Table 5.15a**  
**Unadjusted Patient Survival by Year of Transplant at 3 Months, 1 Year,**  
**3 Years, 5 Years and 10 Years**  
**Deceased Donor non-ECD Kidney Transplants**

Trans- # plant Year	Trans- plants	3 Months		1 Year		3 Years		5 Years		10 Years	
		Surv.	Std. Err.	Surv.	Std. Err.	Surv.	Std. Err.	Surv.	Std. Err.	Surv.	Std. Err.
1987	1,355	95.9%	0.5%	92.3%	0.7%	84.7%	1.0%	76.8%	1.1%	58.2%	1.3%
1988	5,784	95.9%	0.3%	92.2%	0.4%	85.4%	0.5%	78.0%	0.5%	58.7%	0.6%
1989	5,473	96.0%	0.3%	93.0%	0.3%	86.6%	0.5%	79.8%	0.5%	60.3%	0.7%
1990	5,838	96.4%	0.2%	93.3%	0.3%	87.6%	0.4%	80.8%	0.5%	60.4%	0.6%
1991	5,754	97.4%	0.2%	94.6%	0.3%	88.8%	0.4%	81.1%	0.5%	60.1%	0.6%
1992	5,640	97.0%	0.2%	94.1%	0.3%	88.1%	0.4%	80.0%	0.5%	58.6%	0.7%
1993	6,020	97.4%	0.2%	94.5%	0.3%	88.6%	0.4%	81.3%	0.5%	61.1%	0.6%
1994	5,746	97.7%	0.2%	94.5%	0.3%	88.7%	0.4%	81.5%	0.5%	60.9%	0.6%
1995	5,646	97.3%	0.2%	94.7%	0.3%	89.4%	0.4%	82.2%	0.5%	63.0%	0.6%
1996	5,582	97.5%	0.2%	95.2%	0.3%	89.3%	0.4%	82.4%	0.5%	63.0%	0.6%
1997	5,554	97.4%	0.2%	94.9%	0.3%	89.9%	0.4%	83.0%	0.5%	63.2%	0.6%
1998	5,718	98.0%	0.2%	95.7%	0.3%	90.3%	0.4%	83.9%	0.5%	64.4%	0.6%
1999	5,754	97.4%	0.2%	94.8%	0.3%	89.6%	0.4%	83.0%	0.5%	64.2%	0.6%
2000	5,736	97.7%	0.2%	94.5%	0.3%	89.2%	0.4%	82.2%	0.5%	62.7%	0.7%
2001	5,871	97.9%	0.2%	95.5%	0.3%	89.2%	0.4%	82.1%	0.5%	+	+
2002	5,989	97.8%	0.2%	95.4%	0.3%	89.5%	0.4%	83.0%	0.5%	+	+
2003	5,977	98.1%	0.2%	95.5%	0.3%	89.9%	0.4%	83.7%	0.5%	+	+
2004	6,388	98.3%	0.2%	95.9%	0.2%	90.6%	0.4%	84.7%	0.5%	+	+
2005	6,688	98.3%	0.2%	95.6%	0.3%	90.3%	0.4%	84.2%	0.5%	+	+
2006	7,237	98.3%	0.2%	96.1%	0.2%	91.5%	0.3%	+	+	+	+
2007	7,170	98.5%	0.1%	96.5%	0.2%	92.2%	0.4%	+	+	+	+
2008	7,156	98.5%	0.1%	96.8%	0.2%	+	+	+	+	+	+

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(+) = Values not determined due to insufficient follow-up.

Multi-organ transplants are excluded for kidney, pancreas, heart, lung, and liver survival rates.

Intestine survival includes intestine only and intestine with liver and/or pancreas transplants.

Living donor transplants excluded unless explicitly listed. Heterotopic heart and liver transplants excluded.

Patient survival follows patients from first transplant of this type until death. Graft survival follows individual transplants until graft failure. Counts for patient and graft survival are different because a patient may have more than one transplant for a type organ.

See Technical Notes for complete discussion of patient and graft survival methods. See Technical Notes for details of patient and graft survival methods.

Donors are divided into two mutually exclusive and complete categories. All donors meeting the criteria for Expanded Criteria Donors for Kidney are classified as ECD, regardless of whether the kidneys were allocated under the ECD system. Non-ECDs include all other donors, including SCDs and DCDS.