

Table 7.12
Adjusted Patient Survival, Pancreas After Kidney (PAK) Transplants
Survival at 3 Months, 1 Year, 5 Years, and 10 Years

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2007 - 2008)			(Tx 2007 - 2008)			(Tx 2003 - 2008)			(Tx 1998 - 2008)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Total												
All	340	99.7%	51.6%	340	99.3%	21.6%	1,430	86.0%	1.1%	2,421	68.9%	1.6%
Age at Tx												
6-11 Years	0	-	-	0	-	-	1	+	+	1	+	+
18-34 Years	43	+	+	43	+	+	248	92.2%	1.9%	439	75.3%	3.2%
35-49 Years	217	98.2%	0.9%	217	95.0%	1.5%	899	85.3%	1.4%	1,534	69.3%	2.0%
50-64 Years	80	97.5%	1.7%	80	96.3%	2.1%	281	82.0%	3.0%	445	59.2%	4.4%
65+ Years	0	-	-	0	-	-	1	0.0%	0.0%	2	50.0%	25.0%
Recipient Ethnicity/Race												
White	288	99.7%	49.7%	288	99.3%	20.5%	1,214	85.4%	1.2%	2,084	68.2%	1.7%
African American	28	99.1%	57.3%	28	99.1%	57.3%	114	86.6%	3.3%	180	65.9%	7.0%
Hispanic/Latino	23	100.0%	0.0%	23	99.2%	33.9%	86	91.7%	3.7%	132	79.6%	9.3%
Asian	0	-	-	0	-	-	9	88.9%	9.8%	12	91.7%	7.6%
Other/Multi-race	1	+	+	1	+	+	7	+	+	13	81.5%	11.3%
Recipient Gender												
Female	146	99.5%	85.0%	146	99.1%	50.1%	602	86.3%	1.7%	1,018	69.8%	2.5%
Male	194	99.8%	28.6%	194	99.4%	1.2%	828	85.8%	1.4%	1,403	68.1%	2.1%

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on pancreas and kidney-pancreas transplants.

Multi-organ transplants are excluded.

Survival rates are adjusted to the characteristics of the 3 month and 1 year cohort. See Technical Notes for details.

Table 7.12 (Continued)
Adjusted Patient Survival, Pancreas After Kidney (PAK) Transplants
Survival at 3 Months, 1 Year, 5 Years, and 10 Years

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2007 - 2008)			(Tx 2007 - 2008)			(Tx 2003 - 2008)			(Tx 1998 - 2008)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Total												
All	340	99.7%	51.6%	340	99.3%	21.6%	1,430	86.0%	1.1%	2,421	68.9%	1.6%
Transplant Center State												
Alabama	8	100.0%	0.0%	8	98.0%	50.0%	27	92.3%	5.1%	29	92.9%	4.8%
Arkansas	0	-	-	0	-	-	1	0.0%	0.0%	3	34.1%	20.1%
Arizona	14	+	+	14	+	+	45	82.0%	6.7%	58	85.4%	5.1%
California	21	+	+	21	+	+	86	87.6%	3.9%	132	87.2%	3.3%
Colorado	2	+	+	2	+	+	6	+	+	11	85.6%	12.3%
Connecticut	1	+	+	1	+	+	11	85.6%	12.3%	35	61.2%	9.4%
District of Columbia	0	-	-	0	-	-	15	93.3%	6.2%	30	44.1%	14.7%
Florida	0	-	-	0	-	-	15	86.7%	8.4%	50	71.0%	6.9%
Georgia	0	-	-	0	-	-	10	89.9%	9.1%	18	82.7%	8.8%
Hawaii	0	-	-	0	-	-	1	+	+	2	+	+
Iowa	1	+	+	1	+	+	4	+	+	8	33.5%	16.6%
Illinois	25	99.4%	79.7%	25	99.4%	79.7%	53	86.8%	5.7%	80	71.8%	6.6%
Indiana	16	99.2%	35.9%	16	99.2%	35.9%	55	86.3%	5.4%	61	0.0%	0.0%
Kansas	2	+	+	2	+	+	6	+	+	13	42.2%	21.3%
Kentucky	2	+	+	2	+	+	6	+	+	10	+	+
Louisiana	2	+	+	2	+	+	13	88.9%	9.9%	31	63.8%	11.1%
Massachusetts	14	+	+	14	+	+	82	87.6%	4.2%	125	65.8%	9.6%
Maryland	7	+	+	7	+	+	50	87.6%	4.7%	124	70.8%	5.5%
Maine	3	+	+	3	+	+	15	74.4%	12.8%	17	78.6%	11.0%
Michigan	7	+	+	7	+	+	46	83.0%	5.9%	82	67.6%	7.1%
Minnesota	27	100.0%	0.0%	27	99.0%	97.6%	169	83.0%	3.3%	443	68.1%	2.9%
Missouri	1	+	+	1	+	+	12	91.7%	7.6%	12	91.7%	7.6%
North Carolina	6	+	+	6	+	+	40	87.2%	6.0%	63	70.1%	8.5%
North Dakota	1	+	+	1	+	+	18	93.3%	6.2%	30	92.3%	5.1%
Nebraska	11	+	+	11	+	+	22	+	+	36	63.6%	21.6%
New Hampshire	6	100.0%	0.0%	6	97.3%	33.9%	12	91.6%	7.7%	12	91.6%	7.7%
New Jersey	11	+	+	11	+	+	53	75.3%	6.5%	72	75.3%	5.6%
Nevada	0	-	-	0	-	-	0	-	-	1	+	+
New York	30	99.4%	62.3%	30	98.3%	5.8%	79	84.2%	5.2%	117	65.7%	8.2%
Ohio	31	+	+	31	+	+	109	83.4%	4.3%	169	68.8%	5.0%
Oklahoma	1	+	+	1	+	+	7	+	+	8	+	+
Oregon	0	-	-	0	-	-	10	66.8%	14.8%	15	58.8%	13.8%
Pennsylvania	24	+	+	24	+	+	88	88.3%	4.0%	129	68.6%	7.9%

(Continued)

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on pancreas and kidney-pancreas transplants.

Multi-organ transplants are excluded.

Survival rates are adjusted to the characteristics of the 3 month and 1 year cohort. See Technical Notes for details.

Table 7.12 (Continued)
Adjusted Patient Survival, Pancreas After Kidney (PAK) Transplants
Survival at 3 Months, 1 Year, 5 Years, and 10 Years

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2007 - 2008)			(Tx 2007 - 2008)			(Tx 2003 - 2008)			(Tx 1998 - 2008)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Transplant Center State												
Rhode Island	4	+	+	4	+	+	19	86.9%	8.4%	21	88.5%	7.5%
South Carolina	2	+	+	2	+	+	12	62.4%	17.4%	19	21.9%	13.2%
South Dakota	6	+	+	6	+	+	23	80.0%	8.9%	23	80.0%	8.9%
Tennessee	5	+	+	5	+	+	31	96.8%	3.1%	45	78.2%	9.3%
Texas	22	100.0%	0.0%	22	99.3%	99.3%	54	89.9%	5.0%	87	52.9%	9.8%
Utah	2	+	+	2	+	+	22	95.0%	4.8%	28	92.5%	5.0%
Virginia	14	96.8%	16.4%	14	96.8%	16.4%	48	93.8%	3.4%	60	90.3%	5.2%
Vermont	0	-	-	0	-	-	2	+	+	3	+	+
Washington	7	100.0%	0.0%	7	98.0%	35.8%	13	92.2%	7.2%	27	79.4%	8.2%
Wisconsin	4	+	+	4	+	+	40	84.3%	5.8%	82	72.4%	7.0%

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on pancreas and kidney-pancreas transplants.

Multi-organ transplants are excluded.

Survival rates are adjusted to the characteristics of the 3 month and 1 year cohort. See Technical Notes for details.