

Table 8.6g
Immunosuppression Use for Maintenance Between Discharge
and One Year Following Transplantation, 1999 to 2008
Recipients with Kidney-Pancreas Transplants

	Year of Transplant									
	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
Transplants	941	915	891	906	871	881	903	924	864	837
Tx with Follow-up Immunosuppression Info	859	839	818	821	785	791	823	820	767	748
Corticosteroids										
Any in Category	99.5%	95.6%	93.4%	89.4%	81.9%	75.9%	73.5%	71.6%	71.6%	75.1%
Steroids	99.5%	95.6%	93.4%	89.4%	81.9%	75.9%	73.5%	71.6%	71.6%	75.1%
Cyclosporine										
Any in Category	31.1%	23.0%	17.0%	13.4%	11.8%	8.6%	7.3%	7.0%	7.8%	5.5%
Cyclosporin	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Sandimmune	5.0%	3.1%	1.8%	1.3%	0.6%	0.5%	0.1%	0.1%	0.4%	0.9%
Neoral	25.8%	18.7%	12.3%	8.8%	9.2%	6.7%	5.5%	5.5%	6.9%	4.0%
Gengraf	0.2%	1.2%	2.7%	3.2%	2.0%	1.4%	1.7%	1.3%	0.5%	0.4%
Eon	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Tacrolimus										
Any in Category	80.7%	84.3%	89.2%	89.9%	87.6%	87.7%	93.3%	92.9%	94.1%	94.0%
Tacrolimus	80.7%	84.3%	89.2%	89.9%	87.6%	87.7%	93.3%	92.3%	93.9%	93.9%
Everolimus	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.6%	0.3%	0.1%
Antimetabolites										
Any in Category	95.7%	87.5%	80.3%	82.2%	82.5%	86.6%	86.3%	87.9%	89.7%	90.8%
Mycophenolate Mofetil	87.4%	81.2%	77.4%	79.8%	80.3%	80.2%	75.0%	69.9%	69.6%	62.2%
Mycophenolate Sodium	0.0%	0.0%	0.0%	0.0%	0.0%	4.7%	10.2%	16.0%	18.3%	26.2%
Azathioprine	8.3%	6.3%	2.9%	2.4%	2.2%	1.6%	0.9%	1.2%	1.3%	1.5%
Leflunomide	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%	0.2%	0.9%	0.5%	0.9%
Cytosan	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
mTOR Inhibitors										
Any in Category	5.2%	21.0%	31.2%	27.8%	27.5%	24.0%	22.2%	19.1%	15.0%	12.3%
Sirolimus	4.8%	20.5%	31.1%	27.8%	27.5%	24.0%	22.2%	19.1%	15.0%	12.3%
Everolimus	0.5%	0.5%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

Percentages are calculated based on the total number of patients with any immunosuppression use between discharge and one year following transplantation. Individual drug percentages will not necessarily add up to the drug category percentages, as patients may be prescribed more than one drug within the same category.