

Table 8.12
Adjusted Patient Survival, Kidney-Pancreas Transplants
Survival at 3 Months, 1 Year, 5 Years, and 10 Years

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2007 - 2008)			(Tx 2007 - 2008)			(Tx 2003 - 2008)			(Tx 1998 - 2008)		
	N	%	Std. Err.									
Total												
All	1,651	98.0%	0.3%	1,651	96.2%	0.5%	5,159	87.8%	0.6%	9,709	72.0%	0.7%
Age at Tx												
1-5 Years	0	-	-	0	-	-	0	-	-	1	0.0%	0.0%
6-11 Years	0	-	-	0	-	-	1	+	+	1	+	+
12-17 Years	0	-	-	0	-	-	1	+	+	2	+	+
18-34 Years	349	98.8%	0.6%	349	98.0%	0.8%	1,158	88.3%	1.1%	2,388	74.5%	1.2%
35-49 Years	954	97.8%	0.5%	954	95.7%	0.7%	3,050	88.9%	0.7%	5,786	73.0%	0.9%
50-64 Years	346	97.2%	0.9%	346	95.2%	1.1%	940	83.2%	1.5%	1,517	63.5%	2.2%
65+ Years	2	+	+	2	+	+	9	88.9%	9.9%	14	68.8%	14.6%
Recipient Ethnicity/Race												
White	1,188	98.1%	0.4%	1,188	96.3%	0.6%	3,775	88.1%	0.6%	7,497	72.4%	0.8%
African American	263	97.7%	0.9%	263	94.6%	1.4%	809	85.3%	1.5%	1,300	67.3%	2.1%
Hispanic/Latino	164	97.6%	1.2%	164	97.6%	1.2%	466	89.6%	1.7%	746	76.6%	2.4%
Asian	22	+	+	22	+	+	71	93.7%	3.1%	109	75.9%	8.8%
Other/Multi-race	14	+	+	14	+	+	38	76.0%	8.3%	57	64.5%	9.7%
Recipient Gender												
Female	593	98.2%	0.6%	593	97.0%	0.7%	1,914	88.0%	0.9%	3,762	72.2%	1.1%
Male	1,058	97.9%	0.4%	1,058	95.7%	0.6%	3,245	87.6%	0.7%	5,947	71.8%	0.9%

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on Kidney-Pancreas transplants.

Multi-organ transplants are excluded.

Survival rates are adjusted to the characteristics of the 3 month and 1 year cohort. See Technical Notes for details.

Table 8.12 (Continued)
Adjusted Patient Survival, Kidney-Pancreas Transplants
Survival at 3 Months, 1 Year, 5 Years, and 10 Years

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2007 - 2008)			(Tx 2007 - 2008)			(Tx 2003 - 2008)			(Tx 1998 - 2008)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Total												
All	1,651	98.0%	0.3%	1,651	96.2%	0.5%	5,159	87.8%	0.6%	9,709	72.0%	0.7%
Transplant Center State												
Alabama	23	+	+	23	+	+	93	90.7%	4.1%	172	70.4%	5.7%
Arkansas	3	+	+	3	+	+	15	93.2%	6.3%	41	63.0%	11.4%
Arizona	75	98.7%	1.3%	75	94.8%	2.5%	149	90.7%	2.8%	216	77.2%	4.7%
California	174	98.4%	0.9%	174	96.7%	1.3%	622	89.6%	1.5%	1,169	75.4%	1.9%
Colorado	34	+	+	34	+	+	77	94.6%	3.0%	148	74.5%	5.4%
Connecticut	2	56.3%	24.8%	2	56.3%	24.8%	9	88.6%	10.1%	24	69.5%	10.3%
District of Columbia	13	93.2%	6.3%	13	93.2%	6.3%	49	86.8%	5.0%	110	72.7%	5.1%
Florida	130	98.6%	1.0%	130	97.1%	1.4%	417	87.8%	1.9%	674	71.2%	2.9%
Georgia	62	98.4%	1.6%	62	98.4%	1.6%	160	87.5%	3.4%	294	76.6%	3.4%
Hawaii	5	+	+	5	+	+	12	83.2%	10.4%	19	80.3%	10.3%
Iowa	13	100.0%	0.0%	13	92.8%	6.6%	46	90.8%	4.3%	113	81.4%	4.4%
Illinois	74	+	+	74	+	+	319	86.7%	2.2%	655	69.1%	2.7%
Indiana	55	+	+	55	+	+	166	87.1%	3.3%	202	73.9%	6.1%
Kansas	22	100.0%	0.0%	22	96.0%	3.8%	41	92.0%	4.4%	105	75.0%	5.8%
Kentucky	23	95.7%	4.1%	23	87.1%	6.8%	69	82.2%	5.3%	155	60.1%	5.9%
Louisiana	49	98.0%	2.0%	49	93.9%	3.4%	149	84.6%	3.5%	255	66.7%	4.9%
Massachusetts	6	100.0%	0.0%	6	85.7%	12.0%	23	95.6%	4.2%	46	74.3%	8.5%
Maryland	40	97.5%	2.4%	40	97.5%	2.4%	125	86.9%	4.1%	225	61.4%	4.9%
Maine	2	+	+	2	+	+	12	90.9%	8.3%	14	92.2%	7.2%
Michigan	33	91.4%	4.7%	33	91.4%	4.7%	114	89.4%	3.1%	171	78.5%	4.6%
Minnesota	34	94.8%	3.5%	34	94.8%	3.5%	115	79.0%	4.2%	317	67.3%	3.2%
Missouri	26	96.4%	3.5%	26	96.4%	3.5%	76	76.6%	7.0%	118	68.9%	5.4%
North Carolina	88	99.0%	1.0%	88	97.9%	1.4%	215	89.7%	2.5%	363	73.1%	3.6%
North Dakota	5	83.4%	13.6%	5	83.4%	13.6%	17	87.0%	8.4%	20	84.3%	8.2%
Nebraska	22	100.0%	0.0%	22	95.8%	4.0%	51	88.8%	4.8%	107	89.8%	3.9%
New Hampshire	8	+	+	8	+	+	13	+	+	13	+	+
New Jersey	45	95.7%	3.0%	45	91.4%	4.1%	112	84.9%	4.3%	187	68.7%	5.2%
Nevada	0	-	-	0	-	-	1	+	+	9	88.7%	10.1%
New York	28	96.7%	3.2%	28	93.4%	4.4%	106	84.5%	4.0%	236	71.4%	3.8%
Ohio	117	98.4%	1.1%	117	95.3%	1.9%	340	82.1%	2.7%	640	65.9%	2.8%
Oklahoma	7	+	+	7	+	+	32	91.6%	5.7%	55	75.9%	8.3%
Oregon	17	+	+	17	+	+	52	91.2%	4.9%	88	87.6%	4.5%
Pennsylvania	47	+	+	47	+	+	249	87.7%	2.3%	603	69.5%	2.6%

(Continued)

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on Kidney-Pancreas transplants.

Multi-organ transplants are excluded.

Survival rates are adjusted to the characteristics of the 3 month and 1 year cohort. See Technical Notes for details.

Table 8.12 (Continued)
Adjusted Patient Survival, Kidney-Pancreas Transplants
Survival at 3 Months, 1 Year, 5 Years, and 10 Years

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2007 - 2008)			(Tx 2007 - 2008)			(Tx 2003 - 2008)			(Tx 1998 - 2008)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Transplant Center State												
Puerto Rico	12	92.0%	7.3%	12	92.0%	7.3%	12	91.7%	7.6%	12	91.5%	7.7%
Rhode Island	1	+	+	1	+	+	6	55.5%	20.6%	6	56.4%	20.5%
South Carolina	27	96.3%	3.6%	27	96.3%	3.6%	68	94.8%	3.0%	147	74.4%	4.8%
South Dakota	0	-	-	0	-	-	2	+	+	2	+	+
Tennessee	38	92.6%	4.1%	38	87.6%	5.1%	117	88.4%	3.3%	251	67.0%	4.0%
Texas	110	97.4%	1.5%	110	95.6%	1.9%	296	85.7%	2.5%	535	74.5%	2.8%
Utah	19	+	+	19	+	+	63	90.7%	4.6%	105	81.4%	5.5%
Virginia	26	100.0%	0.0%	26	96.5%	3.3%	81	89.5%	3.5%	164	78.6%	4.1%
Vermont	12	+	+	12	+	+	23	95.7%	4.1%	23	95.7%	4.1%
Washington	37	97.4%	2.6%	37	97.4%	2.6%	125	95.7%	1.9%	245	73.6%	4.3%
Wisconsin	87	98.9%	1.1%	87	96.7%	1.9%	320	91.1%	1.9%	655	73.8%	2.7%

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Patient survival follows patients from first transplant of this type until death. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on Kidney-Pancreas transplants.

Multi-organ transplants are excluded.

Survival rates are adjusted to the characteristics of the 3 month and 1 year cohort. See Technical Notes for details.