

Table 9.8a
Adjusted Graft Survival, Deceased Donor Liver Transplants
Survival at 3 Months, 1 Year, 5 Years, and 10 Years

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2007 - 2008)			(Tx 2007 - 2008)			(Tx 2003 - 2008)			(Tx 1998 - 2008)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Total												
All	11,192	91.7%	0.3%	11,192	85.3%	0.3%	33,183	68.4%	0.3%	55,317	54.4%	0.3%
Age at Tx												
<1 Year	245	86.9%	2.3%	245	84.3%	2.5%	715	76.9%	1.8%	1,292	70.6%	1.5%
1-5 Years	323	89.2%	1.8%	323	86.3%	2.0%	896	76.8%	1.6%	1,574	71.8%	1.4%
6-11 Years	133	93.9%	2.1%	133	92.4%	2.3%	449	79.2%	2.1%	832	70.5%	2.0%
12-17 Years	180	92.7%	2.0%	180	88.8%	2.4%	562	77.8%	2.0%	1,077	61.6%	2.2%
18-34 Years	605	91.2%	1.2%	605	85.8%	1.4%	1,852	69.1%	1.3%	3,206	56.8%	1.2%
35-49 Years	2,200	92.1%	0.6%	2,200	85.8%	0.7%	7,694	70.1%	0.6%	15,309	55.3%	0.5%
50-64 Years	6,369	91.8%	0.3%	6,369	85.0%	0.4%	17,824	67.5%	0.4%	27,247	53.5%	0.5%
65+ Years	1,137	91.6%	0.8%	1,137	83.6%	1.1%	3,191	61.8%	1.0%	4,780	42.3%	1.2%
Recipient Ethnicity/Race												
White	7,894	91.7%	0.3%	7,894	85.3%	0.4%	23,679	68.8%	0.4%	40,118	54.4%	0.4%
African American	1,067	91.0%	0.9%	1,067	83.4%	1.2%	3,223	60.0%	1.1%	5,205	46.2%	1.1%
Hispanic/Latino	1,543	92.5%	0.7%	1,543	85.6%	0.9%	4,394	71.0%	0.8%	7,064	57.9%	0.9%
Asian	587	92.0%	1.1%	587	87.5%	1.4%	1,576	73.8%	1.3%	2,478	64.1%	1.3%
Other/Multi-race	101	87.0%	3.3%	101	84.0%	3.6%	311	65.3%	3.2%	452	54.7%	3.4%
Recipient Gender												
Female	3,742	91.2%	0.5%	3,742	85.3%	0.6%	11,237	69.7%	0.5%	19,498	55.3%	0.5%
Male	7,450	91.9%	0.3%	7,450	85.2%	0.4%	21,946	67.8%	0.4%	35,819	53.9%	0.4%

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Graft survival follows individual transplants until graft failure. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on liver transplants.

Multi-organ transplants are excluded.

Survival rates are adjusted to the characteristics of the 3 month and 1 year cohort. See Technical Notes for details.

Table 9.8a (Continued)
Adjusted Graft Survival, Deceased Donor Liver Transplants
Survival at 3 Months, 1 Year, 5 Years, and 10 Years

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2007 - 2008)			(Tx 2007 - 2008)			(Tx 2003 - 2008)			(Tx 1998 - 2008)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Total												
All	11,192	91.7%	0.3%	11,192	85.3%	0.3%	33,183	68.4%	0.3%	55,317	54.4%	0.3%
Primary Diagnosis												
Non-Cholestatic Cirrhosis	6,437	92.4%	0.3%	6,437	85.5%	0.5%	19,555	68.3%	0.4%	33,773	52.7%	0.4%
Cholestatic Liver Disease/Cirrhosis	941	91.8%	0.9%	941	87.6%	1.1%	2,897	75.2%	0.9%	5,339	62.5%	0.9%
Acute Hepatic Necrosis	655	87.3%	1.4%	655	82.5%	1.6%	2,196	66.9%	1.2%	4,054	52.1%	1.1%
Biliary Atresia	352	87.5%	2.3%	352	85.1%	2.6%	1,025	76.2%	1.9%	1,911	68.7%	1.6%
Metabolic Diseases	325	90.6%	1.7%	325	85.4%	2.0%	1,057	73.8%	1.6%	1,801	65.8%	1.5%
Malignant Neoplasms	1,891	93.6%	0.6%	1,891	86.3%	0.8%	4,204	64.4%	1.0%	4,943	49.8%	1.8%
Other	591	85.0%	1.5%	591	77.9%	1.8%	2,249	62.6%	1.2%	3,496	52.0%	1.3%

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Graft survival follows individual transplants until graft failure. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on liver transplants.

Multi-organ transplants are excluded.

Survival rates are adjusted to the characteristics of the 3 month and 1 year cohort. See Technical Notes for details.

Table 9.8a (Continued)
Adjusted Graft Survival, Deceased Donor Liver Transplants
Survival at 3 Months, 1 Year, 5 Years, and 10 Years

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2007 - 2008)			(Tx 2007 - 2008)			(Tx 2003 - 2008)			(Tx 1998 - 2008)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Total												
All	11,192	91.7%	0.3%	11,192	85.3%	0.3%	33,183	68.4%	0.3%	55,317	54.4%	0.3%
Transplant Center State												
Alabama	198	94.4%	1.6%	198	89.4%	2.2%	523	74.1%	2.4%	953	60.5%	2.2%
Arkansas	52	96.2%	2.6%	52	92.4%	3.6%	92	84.1%	5.0%	92	84.1%	5.0%
Arizona	217	95.9%	1.3%	217	90.4%	2.0%	505	75.8%	2.4%	724	59.8%	3.3%
California	1,256	92.4%	0.8%	1,256	86.1%	1.0%	3,806	71.3%	0.9%	6,657	58.4%	0.8%
Colorado	166	91.6%	2.1%	166	85.6%	2.7%	482	77.2%	2.2%	821	65.8%	2.4%
Connecticut	76	92.0%	3.1%	76	84.1%	4.2%	185	69.4%	4.0%	344	55.9%	3.5%
District of Columbia	114	90.2%	2.8%	114	87.5%	3.1%	321	66.6%	3.2%	473	56.9%	3.0%
Delaware	9	87.0%	11.5%	9	74.2%	14.9%	36	66.1%	10.2%	53	68.7%	8.0%
Florida	1,103	92.7%	0.8%	1,103	86.1%	1.0%	3,197	69.0%	1.0%	5,439	54.0%	1.0%
Georgia	284	92.9%	1.5%	284	85.0%	2.1%	747	60.2%	2.3%	1,148	47.5%	2.3%
Hawaii	25	92.2%	5.2%	25	88.2%	6.3%	74	72.0%	6.1%	123	69.8%	5.0%
Iowa	47	95.8%	2.9%	47	93.8%	3.5%	148	81.8%	3.4%	351	57.9%	3.7%
Illinois	403	87.6%	1.6%	403	78.0%	2.1%	1,394	62.2%	1.5%	2,320	48.6%	1.5%
Indiana	231	93.1%	1.7%	231	85.8%	2.3%	821	69.7%	1.9%	1,176	52.8%	2.8%
Kansas	132	91.0%	2.5%	132	88.8%	2.7%	289	71.9%	3.7%	470	51.9%	3.8%
Kentucky	163	88.4%	2.5%	163	82.2%	3.0%	490	68.3%	2.4%	756	54.9%	2.8%
Louisiana	269	92.6%	1.6%	269	88.2%	2.0%	832	68.9%	1.8%	1,362	51.6%	2.1%
Massachusetts	215	87.4%	2.3%	215	80.0%	2.7%	724	66.4%	2.0%	1,306	54.1%	1.9%
Maryland	196	85.6%	2.5%	196	72.8%	3.2%	504	56.4%	2.6%	807	46.3%	2.5%
Michigan	364	93.7%	1.3%	364	86.7%	1.8%	1,041	66.7%	1.7%	1,614	54.5%	1.9%
Minnesota	246	90.8%	1.8%	246	86.0%	2.2%	745	72.2%	1.9%	1,370	60.0%	1.9%
Missouri	282	90.7%	1.7%	282	85.4%	2.1%	790	68.8%	2.1%	1,237	57.7%	2.0%
North Carolina	250	91.2%	1.8%	250	83.1%	2.4%	709	64.4%	2.1%	1,301	53.7%	1.9%
Nebraska	148	93.8%	2.0%	148	84.9%	3.0%	480	69.1%	2.4%	906	57.2%	2.2%
New Jersey	139	95.7%	1.7%	139	89.3%	2.6%	468	67.8%	2.4%	833	57.7%	2.2%
New Mexico	0	-	-	0	-	-	0	-	-	29	58.5%	8.9%
New York	829	87.4%	1.1%	829	79.4%	1.4%	2,758	59.8%	1.1%	4,383	47.9%	1.1%
Ohio	458	93.5%	1.1%	458	88.3%	1.5%	1,293	67.9%	1.6%	2,061	54.7%	1.6%
Oklahoma	113	93.9%	2.2%	113	91.3%	2.6%	347	74.8%	2.7%	591	65.5%	2.8%
Oregon	104	100.0%	0.0%	104	92.5%	2.5%	293	81.2%	2.6%	527	61.3%	3.1%
Pennsylvania	816	91.4%	1.0%	816	83.7%	1.3%	2,626	65.6%	1.1%	4,531	49.9%	1.1%
South Carolina	118	91.5%	2.6%	118	85.6%	3.2%	303	74.9%	3.0%	600	49.6%	3.0%
Tennessee	387	92.5%	1.3%	387	86.6%	1.7%	880	66.9%	2.1%	1,359	54.1%	2.0%

(Continued)

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(+)= Values not determined due to insufficient follow-up. (-)= Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Graft survival follows individual transplants until graft failure. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on liver transplants.

Multi-organ transplants are excluded.

Survival rates are adjusted to the characteristics of the 3 month and 1 year cohort. See Technical Notes for details.

Table 9.8a (Continued)
Adjusted Graft Survival, Deceased Donor Liver Transplants
Survival at 3 Months, 1 Year, 5 Years, and 10 Years

	3 Months			1 Year			5 Years			10 Years		
	(Tx 2007 - 2008)			(Tx 2007 - 2008)			(Tx 2003 - 2008)			(Tx 1998 - 2008)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Transplant Center State												
Texas	967	93.3%	0.8%	967	88.5%	1.0%	2,859	72.2%	1.0%	4,608	57.5%	1.1%
Utah	117	93.1%	2.3%	117	86.2%	3.2%	330	75.7%	2.7%	540	61.2%	3.5%
Virginia	232	89.4%	2.0%	232	84.7%	2.3%	607	72.2%	2.1%	1,011	45.6%	2.6%
Washington	204	93.1%	1.8%	204	89.2%	2.2%	704	74.1%	1.9%	1,087	56.4%	2.6%
Wisconsin	262	87.4%	2.0%	262	81.6%	2.4%	780	69.4%	1.9%	1,354	53.9%	2.0%

Source: OPTN/SRTR Data as of October 1, 2010.

Notes:

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Graft survival follows individual transplants until graft failure. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on liver transplants.

Multi-organ transplants are excluded.

Survival rates are adjusted to the characteristics of the 3 month and 1 year cohort. See Technical Notes for details.